

03771600



NO INK  
NO VARNISH

**Drug Facts (continued)**

- frequent chest pain
- frequent wheezing, particula-ly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if you are**

- taking
- warfarin, clopidogrel or celecoxib
- (blood-thinning medicines)
- prescription antifungal or anti-yeast medicines
- digoxin (heart medicine)
- baclofen (muscle system medicine)
- prescription antidiarrheals (medicines for HIV infection)
- any other prescription drugs. Sodium bicarbonate may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months

**If pregnant or breastfeeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Directions**

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- swallow 1 capsule with a glass of water at least 1 hour before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not chew or crush the capsule
- do not open capsule and sprinkle on food
- do not use for more than 14 days unless directed by your doctor

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age, ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Drug Facts (continued)**

**Other Information**

- each capsule contains sodium 303 mg
- read the directions, warnings and accompanying label information before use
- store at 20°-25°C (68°-77°F)
- tamper-evident, do not use if the blue band around the capsule is missing or broken. Do not use if foil inner seal fractured with "Sealed for your protection" is missing, open or broken.
- keep product out of high heat and humidity
- protect product from moisture

**Inactive Ingredients**

croscarmellose sodium, FD&C blue No. 1, gelatin, magnesium stearate, pharmaceutical ink, polysorbate 80, titanium dioxide

**Questions or comments?**

- Call 1-888-4-263-016 (1-888-483-4822) between 8:00 AM and 5:00 PM Central Time, Monday through Friday or visit [www.ZegeridOTC.com](http://www.ZegeridOTC.com)

© Copyright & Distributed by HST Consumer Care, Inc., PO Box 377, Memphis, TN 38191, USA, a subsidiary of the G.S. Co., Inc. All rights reserved. Product of Spain. 5771e-01 PKG00966

recycleable carton

1,8111 3,5434

Treats Frequent Heartburn

# Zegerid<sup>®</sup> otc

Tips for Managing Heartburn

- Do not lie flat or bend over soon after eating
- Do not eat late at night or just before bedtime
- Certain foods or drinks are more likely to cause heartburn, such as rich, spicy, fatty and fried foods, chocolate, caffeine, alcohol and even some fruits and vegetables
- Eat slowly and do not eat big meals
- If you are overweight, lose weight
- If you smoke, quit smoking
- Fit up the head of your bed
- Wear loose-fitting clothing around your stomach

**FREE STARTER PACK**

Treats Frequent Heartburn

# Zegerid<sup>®</sup> otc

• Omeprazole 20 mg/acid reducer  
• Sodium Bicarbonate 1100 mg/  
• Allows Absorption of this Omeprazole Product

2 CAPSULES  
Follow Samples with a 14-Day Course of Treatment

LOT / EXP Area  
No ink  
No Varnish

SAMPLE-NOT FOR SALE

**Drug Facts**

**Active Ingredients (in each capsule)**

Omeprazole 20 mg..... Acid reducer  
Sodium Bicarbonate 1100 mg.....  
..... Allows absorption of this omeprazole product

**Purpose**

■ treats frequent heartburn (occurs 2 or more days a week)

**Use**

- not intended for immediate relief of heartburn. This drug may take 1 to 4 days for full effect.

**Warnings**

**Allergy alert:** Do not use if you are allergic to omeprazole

**Do not use if you have:**

- trouble or pain swallowing food
- vomiting with blood
- bloody or black stools

These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arms, neck or shoulders, or lightheadedness

PRINTSIDE GLUE

FOLD

PRINTSIDE GLUE

**ATTACH LEGEND ON ALL DIGITAL MECHANICALS**

**STANDARD FORMAT**  
Helvetica Condensed  
Variable horizontal scale adheres to 39 characters per inch

**Drug Facts - 9 pt Helvetica Cnd, Bold Italic**

**Drug Facts (continued)**  
**Drug Facts - 8 pt Helvetica Cnd, Bold Italic (continued) - 8 pt Helvetica Cnd.**

**Headings - 9 pt Helvetica Cnd, Bold Italic**

**Sub Heads - 6 pt Helvetica Cnd, Bold**

**Text - 6 pt Helvetica Cnd, minimum leading 6.5**

**Square Bullets - 3.5 pt Zapf Dingbats no compression**

**Border - 1 pt rule, 3/64" gap all around**

**Barline - 1 pt rule \_\_\_\_\_**

**Hairline - .5 pt rule \_\_\_\_\_**

Certified by:            bh  
APD: 2011-91886  
06.06.11 - ju

03658905



NO INK  
NO VARNISH

**Drug Facts (continued)**

- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if you are taking:**

- warfarin, clopidogrel or cilostazol (blood-thinning medicines)
- prescription antifungal or anti-yeast medicines
- dicyclanil (anticholinergic)
- digoxin (heart medicine)
- baclofen (muscle relaxant)
- prescription antiretroviral medicines for HIV infection
- any other prescription drugs. Sodium bicarbonate may interact with certain prescription drugs.

**Stop use and ask a doctor if:**

- your heartburn continues or worsens
- you need to take this product for more than 14 days every 4 months

**If pregnant or breast-feeding, ask a health professional before use.**  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Directions**

- for adults, 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- swallow 1 capsule with a glass of water at least 1 hour before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not chew or crush the capsule
- do not open capsule and sprinkle on food
- do not use for more than 14 days unless directed by your doctor

**Repeat 14-Day Course (if needed)**

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age, ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Drug Facts (continued)**

**Other Information**

- each capsule contains sodium 318 mg
- read the directions, warnings and accompanying label information before use
- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if the blue band around the capsule is missing or broken. Do not use if foil liner seal, morphed with "Sealed for your protection" is missing, open or broken.
- keep product out of high heat and humidity
- protect product from moisture

**Inactive Ingredients**

croscarmellose sodium, Povidone No. 1, gelatin, magnesium stearate, pharmaceutical ink, polyorbate 80, titanium dioxide

**Questions or comments?**  
Call 1-888-426-4216 (1-888-426-4216) between 8:00 AM and 5:00 PM Central Time, Monday through Friday or visit [www.zegerid.com](http://www.zegerid.com)

© Copyright & Distributed by MSD Consumer Care, Inc., PO Box 377, Menlo Park, CA 94029  
A subsidiary of Merck & Co., Inc.  
All other trademarks are the property of their respective owners.  
Whistleblower Hotline: 1-800-531-2272  
3658905/06/09/12/22

recyclable  
carton

1.8111

3.5434

NO INK  
NO VARNISH

Treats Frequent Heartburn

# Zegerid<sup>®</sup> OTC

14 CAPSULES

**Treats Frequent Heartburn**

**Zegerid<sup>®</sup> OTC**

• Omeprazole 20 mg Acid Reducer  
• Sodium Bicarbonate 1100 mg/  
• Allows Absorption of this Omeprazole Product

14 CAPSULES

One 14-Day Course of Treatment

LOT/EXP Area  
No Ink  
No Varnish

0 4 1100 80673 4

**Drug Facts**

**Active Ingredients**      **Purpose**  
Omeprazole 20 mg ..... Acid reducer  
Sodium bicarbonate 1100 mg .....  
..... Allows absorption of this omeprazole product.

**Use**

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn. This drug may take 1 to 4 days for full effect.

**Warnings**

**Allergy alert:** Do not use if you are allergic to omeprazole.

**Do not use if you have:**

- trouble or pain swallowing food
- vomiting with blood
- bloody or black stools

These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have:**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arms, neck or shoulders, or lightheadedness

PRINTSIDE GLUE

FOLD

PRINTSIDE GLUE

**ATTACH LEGEND ON ALL DIGITAL MECHANICALS**

**STANDARD FORMAT**  
Helvetica Condensed  
Variable horizontal scale adheres to 39 characters per inch

**Drug Facts - 9 pt Helvetica Cnd, Bold Italic**

**Drug Facts (continued) - 8 pt Helvetica Cnd, Bold Italic (cont. nued) - 8 pt Helvetica Cnd.**

**Headings - 8 pt Helvetica Cnd, Bold Italic**

**Sub Heads - 6 pt Helvetica Cnd, Bold**

**Text - 6 pt Helvetica Cnd, m n min heading 6.5**

**Square Bullets - 3.5 pt Zaph Dingbats no compression**

**Border - 1 pt rule, 3/64" gap all around**

**Barline - 1 pt rule \_\_\_\_\_**

**Headline - 5 pt rule \_\_\_\_\_**


**Certified by: eb**  
**APD #: 2011-91877**  
**06.06.11 - ju**



JUN 29 2011



A - Top Panel




B - Back Panel




Base Panel


Printable Text Area




C - Insert 1 Top



D - Insert 1 Back




E - Insert 2 Top




F - Insert 2 Back


JUN 29 2011




G - Insert 3 Top




H - Insert 3 Back




I - Insert 4 Top




J - Insert 4 Back




K - Insert 5 Top



L - Insert 5 Back



M - Insert 6 Top



N - Insert 6 Back

**ATTACH LEGEND ON ALL DIGITAL MECHANICALS**

<p><b>STANDARD FORMAT</b> Helvetica Condensed Variable horizontal scale adheres to 39 characters per inch</p> <p><b>Drug Facts</b> - 9 pt Helvetica Cnd. Bold Italic</p> <p><b>Drug Facts (continued)</b> <b>Drug Facts</b> - 8 pt Helvetica Cnd. Bold Italic (continued) - 8 pt Helvetica Cnd.</p> <p><b>Headings</b> - 8 pt Helvetica Cnd. Bold Italic</p> <p><b>Sub Heads</b> - 6 pt Helvetica Cnd. Bold</p> <p>Text - 6 pt Helvetica Cnd, minimum leading 6.5</p> <p>Square Bullets - 3.5 pt Zaph Dingbats no compression</p> <p>Border - 1 pt rule, 3/64" gap all around</p> <p>Barline - 1 pt rule _____</p> <p>Hairline - .5 pt rule _____</p>
---

JUN 29 2011

Treats Frequent Heartburn

# Zegerid<sup>®</sup> OTC

- Omeprazole 20 mg/Acid Reducer
- Sodium Bicarbonate 1100 mg/  
Allows Absorption of this Omeprazole Product

Drug Facts	Drug Facts (continued)	Drug Facts (continued)
<p><b>Active ingredients (in each capsule)</b></p> <p>Omeprazole 20 mg..... Acid reducer Sodium Bicarbonate 1100 mg..... Allows absorption of this omeprazole product</p> <p><b>Use</b></p> <ul style="list-style-type: none"> <li>■ treats frequent heartburn (occurs <b>2 or more</b> days a week)</li> <li>■ not intended for immediate relief of heartburn. This drug may take 1 to 4 days for full effect.</li> </ul> <p><b>Warnings</b></p> <p><b>Allergy alert:</b> Do not use if you are allergic to omeprazole</p> <p><b>Do not use</b> if you have:</p> <ul style="list-style-type: none"> <li>■ trouble or pain swallowing food</li> <li>■ vomiting with blood</li> <li>■ bloody or black stools</li> </ul> <p>These may be signs of a serious condition. See your doctor.</p> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>■ had heartburn over 3 months. This may be a sign of a more serious condition.</li> <li>■ heartburn with <b>lightheadedness, sweating or dizziness</b></li> <li>■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness</li> <li>■ frequent <b>chest pain</b></li> <li>■ frequent wheezing, particularly with heartburn</li> <li>■ unexplained weight loss</li> <li>■ nausea or vomiting</li> <li>■ stomach pain</li> <li>■ a sodium-restricted diet</li> </ul> <p><b>Ask a doctor or pharmacist before use if you are taking</b></p> <ul style="list-style-type: none"> <li>■ warfarin, clopidogrel or cilostazol (blood-thinning medicines)</li> <li>■ prescription antifungal or anti-yeast medicines</li> <li>■ diazepam (anxiety medicine)</li> <li>■ digoxin (heart medicine)</li> <li>■ tacrolimus (immune system medicine)</li> <li>■ prescription antiretrovirals (medicines for HIV infection)</li> <li>■ any other prescription drugs. Sodium bicarbonate may interact with certain prescription drugs.</li> </ul>	<p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>■ your heartburn continues or worsens</li> <li>■ you need to take this product for more than 14 days</li> <li>■ you need to take more than 1 course of treatment every 4 months</li> </ul> <p><b>If pregnant or breast-feeding,</b> ask a health professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>■ for adults 18 years of age and older</li> <li>■ this product is to be used once a day (every 24 hours), every day for 14 days</li> <li>■ it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours</li> </ul> <p><b>14-Day Course of Treatment</b></p> <ul style="list-style-type: none"> <li>■ swallow 1 capsule with a glass of water at least 1 hour before eating in the morning</li> <li>■ take every day for 14 days</li> <li>■ do not take more than 1 capsule a day</li> <li>■ do not chew or crush the capsule</li> <li>■ do not open capsule and sprinkle on food</li> <li>■ do not use for more than 14 days unless directed by your doctor</li> </ul> <p><b>Repeated 14-Day Courses (if needed)</b></p> <ul style="list-style-type: none"> <li>■ you may repeat a 14-day course every 4 months</li> </ul>	<ul style="list-style-type: none"> <li>■ do not take for more than 14 days or more often than every 4 months unless directed by a doctor</li> <li>■ children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.</li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ each capsule contains: sodium 303 mg</li> <li>■ read the directions, warnings and accompanying label information before use</li> <li>■ store at 20°-25°C (68°-77°F)</li> <li>■ tamper-evident: do not use if the blue band around the capsule is missing or broken. Do not use if foil inner seal imprinted with "Sealed for your protection" is missing, open or broken.</li> <li>■ keep product out of high heat and humidity</li> <li>■ protect product from moisture</li> </ul> <p><b>Inactive ingredients</b></p> <p>croscarmellose sodium, FD&amp;C blue No. 1, gelatin, magnesium stearate, pharmaceutical ink, polysorbate 80, titanium dioxide</p> <p><b>Questions or comments?</b> Call 1-888-4-ZEG-OTC (1-888-493-4682) between 8:00 AM and 5:00 PM Central Time, Monday through Friday or visit <a href="http://www.ZegeridOTC.com">www.ZegeridOTC.com</a></p>

© Copyright & Distributed by MSD Consumer Care, Inc., PO Box 377, Memphis, TN 38151 USA, a subsidiary of Merck & Co., Inc., Whitehouse Station, NJ USA. All rights reserved. Product of Spain.

NO INK NO VARNISH



37621-04



42  
CAPSULES  
Three 14-Day  
Courses of Treatment

# Zegerid<sup>®</sup> OTC

Treats Frequent Heartburn

- Omeprazole 20 mg/Acid Reducer
- Sodium Bicarbonate 1100 mg/  
Allows Absorption of this Omeprazole Product

ITM# 807175

NDC 11523-7265-3

3 Pack

---

**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**

---

/s/

---

JOEL SCHIFFENBAUER  
07/25/2011