

Zegerid
OTC

• Omeprazole 20 mg/Acid Reducer
• Sodium Bicarbonate 1100 mg
/Allows Absorption of this
Omeprazole Product

**14
CAPSULES**

24 HOUR ONE 14-DAY COURSE OF TREATMENT

Distributed by
Riley Consumer Care
New York, New York 10151

: XXXXX XX XXX

Tamper-evident: Do not use if the band around the capsule is missing or broken. Do not use if printed seal under cap is broken or missing.

Open to treat refluxes and acid reflux (heartburn) in adults. Keep out of reach of children. Read and follow all directions, warnings and product information.

Active ingredients (per each capsule):
Omeprazole 20 mg.....Acid reducer
Sodium Bicarbonate 1100 mg.....Allows absorption of the omeprazole product

Purpose:
Treats frequent heartburn (occurs 2 or more days a week) not related to immediate relief of heartburn. This medication may take 1 to 4 days for relief.

Allergy alert: Do not use if you are allergic to omeprazole.

PEEL BACK HERE

Omeprazole may cause several skin reactions. Symptoms may include:

- skin redness
- skin itching
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with
- lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arms, neck or shoulders, or lightheadedness
- frequent chest pain

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

- heartburn over 3 months. This may be a sign of gastroesophageal reflux disease (GERD).
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- your heartburn continues or worsens
- you need to take this product for more than 14 days unless directed by your doctor
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or pain
- you get dizziness
- you develop a rash or pain

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.
- adults, 18 years of age and older:
 - this product is to be used once daily (every 24 hours), every day for 14 days
 - it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 capsule with a glass of water at least 1 hour before eating in the morning
- do not take more than 1 capsule a day
- do not chew or crush the capsule
- do not open capsules and sprinkle on food
- do not use for more than 14 days unless directed by your doctor
- you may repeat a 14-day course every 4 months or more often than every 4 months unless directed by a doctor

Other information

- each capsule contains sodium 300 mg

Questions? Call 1-888-433-4892

FORMAT: NON-DFL	
TYPE SIZES:	
HEADINGS	6 pt
SUBHEADINGS	6 pt
TEXT	6 pt
LEADING	6 pt
BULLETS	5 pt
TELEPHONE #	6 pt

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
12/13/2022 01:34:01 PM