

**Drug Facts (continued)**

- neck or shoulders; or lightheadedness
- frequent chest pain**  
These may be signs of a serious condition. See your doctor.
- Ask a doctor before use if you have**
  - had heartburn over 3 months. This may be a sign of a more serious condition.
  - frequent wheezing, particularly with heartburn
  - unexplained weight loss
  - nausea or vomiting
  - stomach pain
  - a sodium-restricted diet
- Ask a doctor or pharmacist before use if you are taking a prescription drug.** Acid reducers may interact with certain prescription drugs.
- Stop use and ask a doctor if**
  - your heartburn continues or worsens
  - you need to take this product for more than 14 days
  - you need to take more than 1 course of treatment every 4 months
  - you get diarrhea
  - you develop a rash or joint pain
- If pregnant or breast-feeding,** ask a health professional before use.
- Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Drug Facts (continued)**

**Directions**

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- swallow 1 capsule with a glass of water at least 1 hour before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not chew or crush the capsule
- do not open capsule and sprinkle on food
- do not use for more than 14 days unless directed by your doctor

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Other information**

- each capsule contains sodium 363 mg
- read the directions, warnings and accompanying label information before use
- store at 20°-25°C (68°-77°F)

**Drug Facts (continued)**

- tamper-evident: do not use if the blue band around the capsule is missing or broken. Do not use if foil inner seal imprinted with "Sealed for your protection" is missing, open or broken
- keep product out of high heat and humidity
- protect product from moisture

**Inactive ingredients**  
FD&C blue no. 1, FD&C blue no. 2 aluminum lake, FD&C red no. 40, gelatin, polysorbate 80, sodium lauryl sulfate, sodium starch glycolate, sodium stearoyl fumarate, titanium dioxide

**Questions or comments?**  
Call 1-888-4-ZEG-OTC (1-888-493-4682) between 9:00 AM and 5:00 PM Eastern Standard Time, Monday through Friday

Zegerid OTC is a registered trademark of Santarus, Inc.  
©2025 Carlin Consumer Health, LLC  
Dist by: Carlin Consumer Health, LLC  
Westport, CT 06880

**HOW ZEGERID OTC WORKS FOR YOUR FREQUENT HEARTBURN**  
Zegerid OTC works differently from other OTC heartburn products, such as antacids and other acid reducers. Zegerid OTC stops acid production at the source - the acid pump that produces stomach acid. Zegerid OTC is to be used once a day (every 24 hours), every day for 14 days.

**TIPS FOR MANAGING HEARTBURN**

- Do not lie flat or bend over soon after eating
- Do not eat late at night or just before bedtime
- Certain foods or drinks are more likely to cause heartburn, such as rich, spicy, fatty and fried foods, chocolate, caffeine, alcohol and even some fruits and vegetables
- Eat slowly and do not eat big meals
- If you are overweight, lose weight
- If you smoke, quit smoking
- Raise the head of your bed
- Wear loose-fitting clothing around your stomach

**7-DAY SUPPLY**  
*Part of a 14-Day Course of Treatment*

**CLINICALLY PROVEN TO TREAT FREQUENT HEARTBURN**



**Zegerid OTC**

- OMEPRAZOLE 20 mg/Acid Reducer
- SODIUM BICARBONATE 1100 mg/ Allows absorption of this Omeprazole product

**24 HOUR** **7 CAPSULES**  
MAY TAKE 1 TO 4 DAYS FOR FULL EFFECT

ACTUAL SIZE



**Drug Facts**

Active ingredients (in each capsule)	Purpose
Omeprazole 20 mg	Acid reducer
Sodium Bicarbonate 1100 mg	Allows absorption of this omeprazole product

**Use**

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn. This drug may take 1 to 4 days for full effect.

**Warnings**

**Allergy alert:**

- do not use if you are allergic to omeprazole.
- omeprazole may cause severe skin reactions. Symptoms may include:
  - skin reddening
  - blisters
  - rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use if you have:**

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms.

Tamper-evident: Do not use if the band around the capsule is missing or broken. Do not use if printed seal under cap is broken or missing.

Zegerid OTC is a registered trademark of Santarus, Inc. ©2025 Carlin Consumer Health, LLC  
Dist by: Carlin Consumer Health, LLC  
Westport, CT 06880

LOT  
: 1H9D5 XL F4

**7-DAY SUPPLY**  
*Part of a 14-Day Course of Treatment*

**CLINICALLY PROVEN TO TREAT FREQUENT HEARTBURN**

**Zegerid OTC**

• OMEPRAZOLE 20 mg/Acid Reducer  
• SODIUM BICARBONATE 1100 mg/  
Allows absorption of this Omeprazole product

**7 CAPSULES**

Open to read directions and additional key facts from our easy-to-read, tamper-evident band around the capsule. See the inside of the band for complete directions and product information.

**Purpose**  
(for each capsule)  
Omeprazole 20 mg.....Acid reducer  
Sodium Bicarbonate 1100 mg.....Allows absorption of this omeprazole product

**Use**  
■ treats frequent heartburn (occurs 2 or more days a week) ■ not intended for immediate relief of heartburn. This drug may take 1 to 4 days to take effect.

**Warnings**  
■ Allergy alert: ■ do not use if you are allergic to omeprazole

**PEEL BACK HERE** →

■ omeprazole may cause severe skin reactions. Symptoms may include ■ skin redness ■ blisters ■ rash. If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use if you have:**  
■ trouble or pain swallowing food, vomiting with blood or bloody or black stools  
■ heartburn with ■ lightheadedness, sweating or dizziness  
■ chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arms, neck or shoulders, or lightheadedness  
■ frequent chest pain

These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have:**  
■ had heartburn over 3 months several times a week  
■ frequent wheezing, particularly with heartburn  
■ unexplained weight loss  
■ nausea or vomiting  
■ stomach pain  
■ a sodium-restricted diet

**Ask a doctor or pharmacist before use if you are taking a prescription drug.** Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**  
■ your heartburn continues or worsens ■ you need to take this product for more than 14 days  
■ you need to take more than 1 course of treatment every 4 months ■ you get diarrhea ■ you develop a rash or joint pain

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
■ children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.  
■ for adults 18 years of age and older: ■ this product is to be used once a day (every 24 hours), every day for 14 days ■ it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**  
■ swallow 1 capsule with a glass of water after each meal ■ take every day for 14 days ■ do not take more than 1 capsule a day ■ do not open capsule and sprinkle on food ■ do not use for more than 14 days unless directed by your doctor

**Repeat 14-Day Courses (if needed)**  
■ you may repeat a 14-day course every 4 months ■ do not take for more than 14 days in more than one 14-day course unless directed by a doctor

**Other information**  
■ each capsule contains sodium 308 mg ■ some are 20 - 25 C (68 - 77 F)

**Questions? Call 1-888-493-4632**

-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

NUSHIN F TODD  
11/25/2025 02:33:01 PM