

This label may not be the latest approved by FDA.

For current labeling information, please visit <https://www.fda.gov/drugsatfda>

NDC 0078-0686-15

R<sub>x</sub> only

**Promacta**<sup>®</sup>  
(eltrombopag) Tablets  
**50 mg**\*

Swallow tablets whole. Do not split, chew, or crush tablets.

Dispense with Medication Guide attached or provided separately.

 NOVARTIS

30 Tablets

Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F).

Do not use if printed safety seal under cap is broken or missing.

**Dosage:** See accompanying Prescribing Information.

**Important:** Use safety closures when dispensing this product unless otherwise directed by physicians or requested by purchaser.

KEEP OUT OF THE REACH OF CHILDREN

\*Each tablet contains eltrombopag olamine equivalent to 50 mg of eltrombopag free acid.


Mfd. by: Lek d.d.  
Ljubljana, Slovenia

Dist. by: Novartis Pharmaceuticals Corp.  
East Hanover, New Jersey 07936

Product of Ireland

© Novartis

300003442 US



This label may not be the latest approved by FDA.

For current labeling information, please visit <https://www.fda.gov/drugsatfda>

NDC 0078-0686-15

R<sub>x</sub> only

**Promacta**<sup>®</sup>  
(eltrombopag) Tablets  
**50 mg**\*

Swallow tablets whole. Do not  
split, chew, or crush tablets.

Dispense with Medication Guide  
attached or provided separately.

 NOVARTIS

30 Tablets

Store at 20°C to 25°C (68°F to 77°F);  
excursions permitted between 15°C  
and 30°C (59°F and 86°F).

Do not use if printed safety seal  
under cap is broken or missing.

Dosage: See accompanying  
Prescribing Information.

Important: Use safety closures when  
dispensing this product unless  
otherwise directed by physicians or  
requested by purchaser.

KEEP OUT OF THE REACH OF CHILDREN

\*Each tablet contains eltrombopag olamine  
equivalent to 50 mg of eltrombopag free acid.

Mfd. by: Lek d.d.  
Ljubljana, Slovenia

Dist. by: Novartis Pharmaceuticals Corp.  
East Hanover, New Jersey 07936


Product of Switzerland © Novartis



N 3



300003441 US



GTIN 12345678901234  
SN 00000000000000  
LOT ZZ9999  
EXP YYYY-MMM



This label may not be the latest approved by FDA.

For current labeling information, please visit <https://www.fda.gov/drugsatfda>

NDC 0078-0686-55

R<sub>x</sub> only

**Promacta**<sup>®</sup>  
(eltrombopag) Tablets  
**50 mg**\*

Swallow tablets whole. Do not  
split, chew, or crush tablets.

Dispense with Medication Guide  
attached or provided separately.

 NOVARTIS

14 Tablets

Store at 20°C to 25°C (68°F to 77°F);  
excursions permitted between 15°C  
and 30°C (59°F and 86°F).

**Do not use if printed safety seal  
under cap is broken or missing.**

**Dosage:** See accompanying  
Prescribing Information.

**Important:** Use safety closures when  
dispensing this product unless  
otherwise directed by physicians or  
requested by purchaser.

KEEP OUT OF THE REACH OF CHILDREN

\*Each tablet contains eltrombopag olamine  
equivalent to 50 mg of eltrombopag free acid.

Mfd. by: Lek d.d.  
Ljubljana, Slovenia

Dist. by: Novartis Pharmaceuticals Corp.  
East Hanover, New Jersey 07936

Product of Switzerland © Novartis

300003446 US



N 3



6

5


5

5

5

5

5



This label may not be the latest approved by FDA.

For current labeling information, please visit <https://www.fda.gov/drugsatfda>

Sample-Not for Sale

R<sub>x</sub> only

**Promacta**<sup>®</sup>  
(eltrombopag) Tablets  
**50 mg**\*

Swallow tablets whole. Do not split, chew, or crush tablets.

Dispense with Medication Guide attached or provided separately.

 NOVARTIS

14 Tablets

Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F).

**Do not use if printed safety seal under cap is broken or missing.**

**Dosage:** See accompanying Prescribing Information.

**Important:** Use safety closures when dispensing this product unless otherwise directed by physicians or requested by purchaser.

KEEP OUT OF THE REACH OF CHILDREN

\*Each tablet contains eltrombopag clamine equivalent to 50 mg of eltrombopag free acid.

Mfd. by: Lek d.d.  
Ljubljana, Slovenia  
Dist. by: Novartis Pharmaceuticals Corp.  
East Hanover, New Jersey 07936  
Product of Ireland © Novartis

300003445 US



0078-9686-55



Variable data printing

XXXXXXX

YYYY-MM

This label may not be the latest approved by FDA.

For current labeling information, please visit <https://www.fda.gov/drugsatfda>

Sample-Not for Sale

R<sub>x</sub> only

**Promacta**<sup>®</sup>  
(eltrombopag) Tablets  
**50 mg**\*

Swallow tablets whole. Do not split, chew, or crush tablets.

Dispense with Medication Guide attached or provided separately.

 NOVARTIS

14 Tablets

Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F).

**Do not use if printed safety seal under cap is broken or missing.**

**Dosage:** See accompanying Prescribing Information.

**Important:** Use safety closures when dispensing this product unless otherwise directed by physicians or requested by purchaser.

KEEP OUT OF THE REACH OF CHILDREN

\*Each tablet contains eltrombopag diamine equivalent to 50 mg of eltrombopag free acid.

Mfd. by: Lek d.d.  
Ljubljana, Slovenia  
Dist. by: Novartis Pharmaceuticals Corp.  
East Hanover, New Jersey 07936  
Product of Switzerland © Novartis

300003451 US



0078-9686-55



Variable data printing

XXXXXXX

YYYY -MMM

This label may not be the latest approved by FDA.  
For current labeling information, please visit <https://www.fda.gov/drugsatfda>



Ramesh  
Raghavachari

Digitally signed by Ramesh Raghavachari  
Date: 7/06/2023 02:05:49PM  
GUID: 502d0913000029f375128b0de8c50020