

This artwork requires that the supplier insert a UCC-A bar code master in the position indicated. Bar code must match human readable on art and on spec. Bar code must conform to all applicable Baxter specifications.



Baxter
Baxter Healthcare Corporation, Deerfield, IL 60015 USA

Rx Only
For Intravenous Use

360 mg / 200 mL
(1.8 mg/mL)

Nexterone
(amiodarone HCl)

Premixed Injection

NDC 43066-360-20
Code 2G3450

USE CARTON TO PROTECT CONTENTS FROM LIGHT UNTIL USE
1 GALAXY Single-Dose Container
Discard unused portion

Nexterone
(amiodarone HCl)
Premixed Injection
For Intravenous Use

360 mg / 200 mL
(1.8 mg/mL)

360 mg / 200 mL
(1.8 mg/mL)

Nexterone
(amiodarone HCl)
Premixed Injection
For Intravenous Use

Iso-osmotic solution in Dextrose Sterile, Nonpyrogenic

Each mL contains: 1.8 mg amiodarone HCl, USP; 18 mg Betadex Sulfobutyl Ether Sodium, NF; 0.362 mg citric acid anhydrous, 0.183 mg sodium citrate dihydrate, and 41.4 mg dextrose anhydrous in water for injection. Sodium hydroxide or hydrochloric acid may have been added to adjust pH.

Does not contain polysorbate 80 or benzyl alcohol.

Dosage: See prescribing information.

STORAGE: Store at 20° to 25° C (68° to 77° F); excursions permitted to 15° to 30° C (59° to 86° F). See USP Controlled Room Temperature. Protect from freezing. **Avoid excessive heat.**

USE CARTON TO PROTECT CONTENTS FROM LIGHT UNTIL USE.

Baxter, Galaxy and Nexterone are trademarks of Baxter International Inc. or its subsidiaries.

Baxter Healthcare Corporation
Deerfield, IL 60015 USA

07-01-00-1679

Nexterone
(amiodarone HCl)
Premixed Injection
For Intravenous Use

360 mg / 200 mL
(1.8 mg/mL)

360 mg / 200 mL
(1.8 mg/mL)

Nexterone
(amiodarone HCl)
Premixed Injection
For Intravenous Use

UNVARNISHED AREA FOR ON-LINE PRINTING OF LOT & EXP

ABXXXXXX YYYYMM-DD

⑈ 000000 0000000000 (1) 000000 0000

⑈ 000000 0000000000 (2) 000000 0000000000



Nexterone
(amiodarone HCl)
Premixed Injection
For Intravenous Use

Nexterone
(amiodarone HCl)
Premixed Injection
For Intravenous Use

360 mg / 200 mL
(1.8 mg/mL)

Nexterone
(amiodarone HCl)
Premixed Injection
For Intravenous Use

360 mg / 200 mL
(1.8 mg/mL)


Nexterone
(amiodarone HCl)
Premixed Injection
For Intravenous Use

360 mg / 200 mL
(1.8 mg/mL)



(b) (4)

(b) (4)



* This artwork requires that the supplier insert a UPC-A bar code master in the position indicated. Bar code must match human readable on art and on spec. Bar code must conform to all applicable Baxter specifications.

LOT: ABXXXXXX
EXP: YYYY-MM-DD



NDC 43066-360-20

Nexterone
(amiodarone HCl)
Premixed Injection

360 mg / 200 mL
(1.8 mg/mL)

Rx Only For Intravenous Use

GALAXY Iso-osmotic solution in Dextrose
200mL Single-Dose Container Code 2G3450
Discard unused portion Sterile, Nonpyrogenic

Each mL contains: 1.8 mg amiodarone HCl, USP; 18 mg Betadex Sulfobutyl Ether Sodium, NF; 0.362 mg citric acid anhydrous, 0.183 mg sodium citrate dihydrate, and 41.4 mg dextrose anhydrous in water for injection. Sodium hydroxide or hydrochloric acid may have been added to adjust pH.

CAUTIONS: Check for minute leaks by squeezing bag firmly. If leaks are found, discard bag as sterility may be impaired. Do not use unless solution is clear.

Do not add supplemental medication. Must not be used in series connections.

Dosage: See prescribing information.

Store at 20° to 25° C (68° to 77° F); excursions permitted to 15° to 30° C (59° to 86° F).

See USP Controlled Room Temperature. Protect from freezing. Avoid excessive heat.

USE CARTON TO PROTECT CONTENTS FROM LIGHT UNTIL USE.

Baxter, Galaxy and Nexterone are trademarks of Baxter International Inc. or its subsidiaries.

Baxter Baxter Healthcare Corporation, Deerfield, IL 60015 USA
Made in the USA 07-34-00-2401



LOT: ABXXXXXX
EXP: YYYY-MM-DD



NDC 43066-150-10

Nexterone
(amiodarone HCl)
Premixed Injection

150 mg / 100 mL
(1.5 mg/mL)

Rx Only
GALAXY
100mL Single-Dose Container
Discard unused portion

For Intravenous Use
Iso-osmotic solution in Dextrose
Code 263451
Sterile, Nonpyrogenic

Each mL contains: 1.5 mg amiodarone HCl, USP; 15 mg Betadex Sulfobutyl Ether Sodium, NF; 0.362 mg citric acid anhydrous, 0.193 mg sodium citrate dihydrate, and 42.1 mg dextrose anhydrous in water for injection. Sodium hydroxide or hydrochloric acid may have been added to adjust pH.

CAUTIONS: Check for minute leaks by squeezing bag firmly. If leaks are found, discard bag as sterility may be impaired. Do not use unless solution is clear.
Do not add supplemental medication. Must not be used in series connections.
Dosage: See prescribing information.
Store at 20° to 25° C (68° to 77° F); excursions permitted to 15° to 30° C (59° to 86° F). See USP Controlled Room Temperature. Protect from freezing. **Avoid excessive heat.**
USE CARTON TO PROTECT CONTENTS FROM LIGHT UNTIL USE.
Baxter, Galaxy and Nexterone are trademarks of Baxter International Inc. or its subsidiaries.

Baxter Baxter Healthcare Corporation, Deerfield, IL 60015 USA
Made in the USA

07-34-00-2461



This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

MARY R SOUTHWORTH
02/21/2025 03:26:16 PM