

3 BOTTLES INSIDE
42 CAPSULES TOTAL

PREV/ACID[®]
Lansoprazole delayed-release capsules 15 mg / acid reducer
Actual Size
ONE 14-DAY COURSE OF TREATMENT

DAYTONA 500
PROUD SUPPORTER

PREV/ACID[®]
Lansoprazole delayed-release capsules 15 mg / acid reducer

- May take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours
- Clinically Proven To Treat Frequent Heartburn

42 CAPSULES
THREE 14-DAY COURSES OF TREATMENT

Sodium Free

NDC 0067-6286-42

FPO

CTN PREV 42CT LINC

Drug Facts (continued)

Other information

- read the directions, warnings and package insert before use
- keep the carton and package insert.
- They contain important information.
- store at 20-25°C (68-77°F)
- keep product out of high heat and humidity
- protect product from moisture

Inactive ingredients colloidal silicon dioxide, D&C red No. 28, FD&C blue No. 1, FD&C green No. 3, FD&C red No. 40, gelatin, hydroxypropyl cellulose, low substituted methacrylic acid copolymer, polyethylene glycol, polysorbate 80, starch, sucrose, sugar sphere, talc, titanium dioxide

Questions or comments?
1-800-62-0061
Visit us at www.prevacid24hr.com

KEEP THE CARTON AND PACKAGE INSERT. THEY CONTAIN IMPORTANT INFORMATION.

TAMPER-EVIDENT BOTTLE. DO NOT USE IF THE FOIL SEAL IMPRINTED WITH "SEALED FOR YOUR PROTECTION" OR BLACK BAND AROUND THE CENTER OF EACH CAPSULE IS MISSING OR BROKEN.

Drug Facts (continued)

Other information

- theophylline (asthma medicine)
- tacrolimus (immune system medicine)
- atazanavir (medicine for HIV infection)

Stop and ask a doctor if

- your heartburn continues or worsens
- you need to take more than 1 course of treatment every 4 months
- you need to take more than 1 course of treatment every 4 months

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Drug Facts

Active ingredient (in each capsule)
Lansoprazole 15 mg Acid reducer

Use

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect.

Warnings

Allergy alert: Do not use if you are allergic to lansoprazole

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- liver disease
- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are taking

- warfarin (blood-thinning medicine)
- prescription antifungal or anti-yeast medicines
- digoxin (heart medicine)

MADE IN:

EXP.:

LOT:

NOVARTIS
Distributed by Novartis Consumer Health, Inc.
Parsippany, NJ 07054-0022 ©2012 NOVARTIS
PREV/ACID[®] is a registered trademark of Novartis Pharmaceuticals North America, Inc. and is used under license.
LIFE 1064, LANTANA 510
see the Drug Facts for important information about this product and use with expressed permission.

FPO

3 0067-6286-42 6

Drug Facts (continued)

Other information

- read the directions, warnings and package insert before use
- keep the carton and package insert.
- They contain important information.
- store at 20-25°C (68-77°F)
- keep product out of high heat and humidity
- protect product from moisture

Inactive ingredients colloidal silicon dioxide, D&C red No. 28, FD&C blue No. 1, FD&C green No. 3, FD&C red No. 40, gelatin, hydroxypropyl cellulose, low substituted methacrylic acid copolymer, polyethylene glycol, polysorbate 80, starch, sucrose, sugar sphere, talc, titanium dioxide

Questions or comments?
1-800-62-0061
Visit us at www.prevacid24hr.com

KEEP THE CARTON AND PACKAGE INSERT. THEY CONTAIN IMPORTANT INFORMATION.

TAMPER-EVIDENT BOTTLE. DO NOT USE IF THE FOIL SEAL IMPRINTED WITH "SEALED FOR YOUR PROTECTION" OR BLACK BAND AROUND THE CENTER OF EACH CAPSULE IS MISSING OR BROKEN.

Drug Facts (continued)

Other information

- theophylline (asthma medicine)
- tacrolimus (immune system medicine)
- atazanavir (medicine for HIV infection)

Stop and ask a doctor if

- your heartburn continues or worsens
- you need to take more than 1 course of treatment every 4 months
- you need to take more than 1 course of treatment every 4 months

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment



- swallow 1 capsule with a glass of water before eating in the morning take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

DRUG FACTS TEXT	
	TYPE SIZE/STYLE
DRUG FACTS TITLE	9.0 pt. / Helvetica Condensed Bold Obl.
HEADINGS	8.0 pt. / Helvetica Condensed Bold Obl.
SUBHEADS	6.0 pt. / Helvetica Condensed Bold
BODY TEXT	6.0 pt. / Helvetica Condensed
BULLETS	5.0 pt. / Helvetica Condensed
TRACKING: 0	HORIZONTAL SCALE: 85% LEADING: 6.5 pt.
CHARACTERS/INCH: <39	
BARLINES, HAIRLINES: 1.5 pt., 0.5 pt.	





DRUG FACTS TEXT (ABBREVIATED)		TYPE SIZE/STYLE
DRUG FACTS TITLE	N/A	N/A
HEADINGS	8 pt.	Helvetica Condensed Bold Obl.
SUBHEADS	6.0 pt.	Helvetica Condensed Bold
BODY TEXT	6.0 pt.	Helvetica Condensed
TRACKING: 0	HORIZONTAL SCALE: 85%	LEADING: 6.5 pt.

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

JOEL SCHIFFENBAUER

09/27/2011