

000000000

FPO

EFB 1533E

**Drug Facts**

**Active ingredient (in each capsule) Purpose**  
Lansoprazole 15 mg.....Acid Reducer

**Use**

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Warnings**

**Allergy alert:**

- do not use if you are allergic to lansoprazole
- lansoprazole may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- liver disease
- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

**Drug Facts (continued)**

**Ask a doctor or pharmacist before use if you are**

- taking a prescription drug. Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

**If pregnant or breast-feeding, ask a health care professional before use.**

**Keep out of reach of children.**  
In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor

**Drug Facts (continued)**

- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

**Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F)
- keep product out of high heat and humidity
- protect product from moisture
- close cap tightly after use

**Inactive ingredients**  
colloidal silicon dioxide, D&C red No. 28, FD&C blue No. 1, FD&C green No. 3, FD&C red No. 40, gelatin, hydroxypropyl cellulose, low substituted hydroxypropyl cellulose, magnesium carbonate, methacrylic acid and ethyl acrylate copolymer, polyethylene glycol, polysorbate 80, starch, sucrose, sugar sphere, talc, titanium dioxide

**Questions or comments?**  
1-800-864-9649

TAMPER-EVIDENT BOTTLE. DO NOT USE IF INNER FOIL SEAL IMPRINTED WITH "SEALED FOR YOUR PROTECTION" OR BLACK BAND AROUND THE CENTER OF EACH CAPSULE IS MISSING OR BROKEN.

000000000

FPO

Location for lot number and expiration date

<b>FORMAT: STANDARD</b>	
<b>TYPE SIZES:</b>	
<b>TITLE</b>	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
<b>TITLE (continued)</b>	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
<b>(continued)</b>	8 pt Helvetica Neue LT Std 57 Condensed
<b>HEADINGS</b>	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
<b>SUBHEADINGS</b>	6 pt Helvetica Neue LT Std 77 Bold Condensed
<b>TEXT</b>	6 pt Helvetica Neue LT Std 57 Condensed
<b>LEADING</b>	6.5 pt
<b>BULLETS</b>	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
<b>TELEPHONE #</b>	6 pt Helvetica Neue LT Std 77 Bold Condensed
<b>HEAVY LINES</b>	1.5 pt
<b>HAIRLINES</b>	0.5 pt Extend to within 2 spaces of the "Drug Facts" box

000000000

FPO

**Drug Facts**

**Active ingredient (in each capsule) Purpose**  
Lansoprazole 15 mg.....Acid Reducer

**Use**

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Warnings**

**Allergy alert:**

- do not use if you are allergic to lansoprazole
- lansoprazole may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- liver disease
- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

**Drug Facts (continued)**

**Ask a doctor or pharmacist before use if you are**

- taking a prescription drug. Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

**If pregnant or breast-feeding**, ask a health care professional before use.

**Keep out of reach of children.**  
In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor

000000000

FPO

**Drug Facts (continued)**

- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

**Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F)
- keep product out of high heat and humidity
- protect product from moisture
- close cap tightly after use

**Inactive ingredients**

colloidal silicon dioxide, D&C red No. 28, FD&C blue No. 1, FD&C green No. 3, FD&C red No. 40, gelatin, hydroxypropyl cellulose, low substituted hydroxypropyl cellulose, magnesium carbonate, methacrylic acid and ethyl acrylate copolymer, polyethylene glycol, polysorbate 80, starch, sucrose, sugar sphere, talc, titanium dioxide

**Questions or comments?**  
1-800-864-9649

**TAMPER-EVIDENT BOTTLE. DO NOT USE IF INNER FOIL SEAL IMPRINTED WITH "SEALED FOR YOUR PROTECTION" OR BLACK BAND AROUND THE CENTER OF EACH CAPSULE IS MISSING OR BROKEN.**

**Tips for Managing Heartburn**

- Avoid foods or drinks that are more likely to cause heartburn, such as rich, spicy, fatty and fried foods, chocolate, caffeine, alcohol and even some acidic fruits and vegetables.
- Eat slowly and do not eat big meals.
- Do not eat late at night or just before bedtime.
- Do not lie flat or bend over soon after eating.
- Raise the head of your bed.
- Wear loose-fitting clothing around your stomach.
- If you are overweight, lose weight.
- If you smoke, quit smoking.

**PREVACID<sup>®</sup> 24HR**  
Lansoprazole delayed-release capsules 15 mg / acid reducer

**28 CAPSULES**  
TWO 14-DAY COURSES OF TREATMENT

**2 BOTTLES INSIDE**

NDC XXXX-XXXX-XX

**Treats Frequent Heartburn**

**PREVACID<sup>®</sup> 24HR**  
Lansoprazole delayed-release capsules 15 mg / acid reducer

- May take 1 to 4 days for full effect
- Sodium Free

**28 CAPSULES** TWO 14-DAY COURSES OF TREATMENT

Distributed By  
**Perrigo<sup>®</sup>**  
Allergan, MI 49010  
[perrigo.com](http://perrigo.com)

©2021 All rights reserved.  
PREVACID<sup>®</sup> is a registered trademark of Takeda Pharmaceuticals U.S.A., Inc., used under license by Perrigo Pharma International – DAC.

54HD6 PB C1

FPO

000000000000

**EFB 1565E**

KEEP THE CARTON. IT CONTAINS IMPORTANT INFORMATION.

**2 BOTTLES INSIDE**  
28 CAPSULES TOTAL

ONE 14 DAY COURSE OF TREATMENT

Actual Size

Actual Size

Location for lot number and expiration date

FORMAT: STANDARD	
<b>TYPE SIZES:</b>	
<b>TITLE</b>	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
<b>TITLE (continued)</b>	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
<b>(continued)</b>	8 pt Helvetica Neue LT Std 57 Condensed
<b>HEADINGS</b>	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
<b>SUBHEADINGS</b>	6 pt Helvetica Neue LT Std 77 Bold Condensed
<b>TEXT</b>	6 pt Helvetica Neue LT Std 57 Condensed
<b>LEADING</b>	6.5 pt
<b>BULLETS</b>	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
<b>TELEPHONE #</b>	6 pt Helvetica Neue LT Std 77 Bold Condensed
<b>HEAVY LINES</b>	1.5 pt
<b>HAIRLINES</b>	0.5 pt Extend to within 2 spaces of the "Drug Facts" box

Reference ID: 5003702

000000000

FPO

**EFB 1565E**

KEEP THE CARTON. IT CONTAINS IMPORTANT INFORMATION.

ONE 14 DAY COURSE OF TREATMENT

Actual Size

Location for lot number and expiration date

000000000

FPO

000000000

FPO

54HD7 PB C4

FORMAT: STANDARD	
<b>TYPE SIZES:</b>	
<b>TITLE</b>	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
<b>TITLE (continued)</b>	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
<b>(continued)</b>	8 pt Helvetica Neue LT Std 57 Condensed
<b>HEADINGS</b>	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
<b>SUBHEADINGS</b>	6 pt Helvetica Neue LT Std 77 Bold Condensed
<b>TEXT</b>	6 pt Helvetica Neue LT Std 57 Condensed
<b>LEADING</b>	6.5 pt
<b>BULLETS</b>	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
<b>TELEPHONE #</b>	6 pt Helvetica Neue LT Std 77 Bold Condensed
<b>HEAVY LINES</b>	1.5 pt
<b>HAIRLINES</b>	0.5 pt Extend to within 2 spaces of the "Drug Facts" box

-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

VALERIE S PRATT  
06/23/2022 04:03:03 PM