





**Drug Facts** (continued)

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

adults and children 6 years and over	one 10 mg capsule once daily; do not take more than one 10 mg capsule in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- store at 20°-25°C (68°-77°F)
- avoid high humidity and excessive heat above 40°C (104°F)
- protect from light

**Drug Facts** (continued)

**Inactive ingredients**  
FD&C yellow #6, gelatin, glycerin, mannitol, pharmaceutical ink, polyethylene glycol, purified water, sodium hydroxide, sorbitan, sorbitol

**Questions or comments?**  
call toll free 1-888-235-2466 (Mon - Fri 9AM - 5PM EST)

<sup>†</sup>This product is not manufactured or distributed by the owners of Zyrtec®

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**KEEP THIS CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION**

**Manufactured for:**  
**BIONPHARMA**  
Princeton, NJ 08540 R0000

<sup>†</sup>Compare to the active ingredient in Zyrtec®  
NDC 0000-000-00

**Cetirizine HCl Capsules, 10 mg Antihistamine**

**Indoor & Outdoor Allergies**

**24 Hour Relief of:**

- Sneezing
- Itchy, Watery Eyes
- Runny Nose
- Itchy Throat or Nose



**30 SOFTGELS\*\***

(\*\*Liquid-filled capsules)

**Drug Facts**

Active ingredient (in each capsule)	Purpose
Cetirizine HCl 10 mg	Antihistamine

**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**  
**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are** taking tranquilizers or sedatives.

**When using this product**

- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- in rare cases, you may experience itching after stopping cetirizine. Consult your healthcare provider if this happens.

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

L0000000  
T00000R1125

0 00000 00000 0

Lot No.: Exp. Date:

Unvarnished area  
25 mm x 46 mm (W x H)

(b) (4)

<b>BIONPHARMA</b>			
<b>Labeling Format Information:</b>			
<b>Fonts:</b> Helvetica Condensed Bold, Helvetica Condensed, Helvetica Condensed Bold Oblique			
<b>Drug Facts:</b>	8pt	<b>Leading:</b>	7pt
<b>Header:</b>	7pt	<b>Bullets:</b>	5pt
<b>Subheader:</b>	6pt	<b>Barlines:</b>	2.5pt
<b>Body Text:</b>	6pt	<b>Hairlines:</b>	0.5pt
<b>Drug Facts (continued):</b>	7pt		
Horizontal Scale: 100%		Average Kerning: 0%	

**Cetirizine HCl Capsules,  
10 mg  
Antihistamine**


Indoor & Outdoor Allergies

24 Hour Relief of:

- Sneezing      • Itchy, Watery Eyes
- Runny Nose    • Itchy Throat or Nose

Compare to the active ingredient in Zyrtec®  
NDC 0000-0000-0000-0

**Cetirizine HCl Capsules, 10 mg  
Antihistamine**



**40 SOFTGELS \*\***


(\*\*Liquid-filled capsules)

Indoor & Outdoor Allergies

24 Hour Relief of:

- Sneezing      • Itchy, Watery Eyes
- Runny Nose    • Itchy Throat or Nose

Exp. Date: \_\_\_\_\_



Lot No.: \_\_\_\_\_

**Drug Facts** (continued)

**Other Information**

- store at 20°-25°C (68°-77°F) ■ avoid high humidity and excessive heat above 40°C (104°F)
- protect from light

**Inactive Ingredients** FD&C yellow #6, gelatin, glycerin, mannitol, pharmaceutical ink, polyethylene glycol, purified water, sodium hydroxide, sorbitan, sorbitol

**Questions or comments?** call toll free 1-888-235-2466 (Mon - Fri 9AM - 5PM EST)

This product is not manufactured or distributed by the owners of Zyrtec®

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**KEEP THIS CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION**

Manufactured for:  
**BIONPHARMA**  
Princeton, NJ 08540

**Drug Facts** (continued)

**Directions**

adults and children  
one 10 mg capsule once daily; do not take more than one 10 mg capsule  
in 24 hours. A 5 mg product may be appropriate for less severe symptoms.  
6 years and over  
adults 65 years and over  
ask a doctor  
children under 6 years of age  
ask a doctor  
ask a doctor  
consumers with liver or kidney disease  
ask a doctor

**Drug Facts** (continued)

■ in rare cases, you may experience itching after stopping cetirizine. Consult your healthcare provider if this happens.  
■ avoid alcoholic drinks  
■ be careful when driving a motor vehicle or operating machinery  
■ Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.  
If pregnant or breast-feeding: ■ if breast-feeding: not recommended  
■ if pregnant: ask a health professional before use  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Drug Facts** (continued)

**Warnings**

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.  
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.  
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.  
When using this product  
■ drowsiness may occur  
■ alcohol, sedatives, and tranquilizers may increase drowsiness


**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

**Active Ingredient (in each capsule)**  
Cetirizine HCl 10 mg  
Antihistamine

(b) (4)

<b>BIONPHARMA</b>			
<b>Labeling Format Information:</b>			
Fonts: Helvetica Condensed Bold, Helvetica Condensed, Helvetica Condensed Bold Oblique			
<b>Drug Facts:</b>	8pt	<b>Leading:</b>	6.5pt
<b>Header:</b>	7pt	<b>Bullets:</b>	5pt
<b>Subheader:</b>	6pt	<b>Barlines:</b>	2.5pt
<b>Body Text:</b>	6pt	<b>Hairlines:</b>	0.5pt
<b>Drug Facts</b> (continued):	7pt		
Horizontal Scale: 100%		Average Kerning: 0%	



(b) (4)

<b>BIONPHARMA</b>			
<b>Labeling Format Information:</b>			
<b>Fonts:</b> Helvetica Condensed Bold, Helvetica Condensed, Helvetica Condensed Bold Oblique			
<b>Drug Facts:</b>	8pt	<b>Leading:</b>	6.5pt
<b>Header:</b>	7pt	<b>Bullets:</b>	5pt
<b>Subheader:</b>	6pt	<b>Barlines:</b>	2.5pt
<b>Body Text:</b>	6pt	<b>Hairlines:</b>	0.5pt
<b>Drug Facts (continued):</b>	7pt		
Horizontal Scale: 100%		Average Kerning: 0%	

002114  
 OUTSIDE VIEW  
 16 PT SBS  
 <<<<<GRAIN>>>>>

1/8 1/8 perf

INSIDE GRN  
 PB  
 PB  
 WAS1

GLUE FRONT SIDE

K/O FOR  
 GLUING

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING  
 KEEP THIS CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

**Drug Facts**  
**Active ingredient (in each capsule)** **Purpose**  
 Cetirizine HCl 10 mg..... Antihistamine

**Uses**  
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ runny nose ■ sneezing ■ itchy, watery eyes  
 ■ itching of the nose or throat

**Warnings**  
**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.  
**Ask a doctor before use** if you have liver or kidney disease. Your doctor should determine if you need a different dose.  
**Ask a doctor or pharmacist before use** if you are taking tranquilizers or sedatives.

**When using this product**  
 ■ drowsiness may occur  
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness  
 ■ avoid alcoholic drinks  
 ■ be careful when driving a motor vehicle or operating machinery  
 ■ in rare cases, you may experience itching after stopping cetirizine. Consult your healthcare provider if this happens.

**Stop use and ask a doctor** if an allergic reaction to this product occurs. Seek medical help right away.

**if pregnant or breast-feeding:**  
 ■ if breast-feeding: not recommended  
 ■ if pregnant: ask a health professional before use

**Drug Facts (continued)**  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 one 10 mg capsule once daily; do not take more than one 10 mg capsule in 24 hours. A 5 mg product may be appropriate for less severe symptoms.

adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

T00212R1125

K/O FOR  
 GLUING

**Cetirizine HCl Capsules, 10 mg**  
**Antihistamine**  
 Indoor & Outdoor Allergies

<sup>†</sup>Compare to the active ingredient in Zyrtec®  
 NDC 0000-000-00


**Cetirizine HCl Capsules, 10 mg**  
**Antihistamine**  
 Indoor & Outdoor Allergies



**80 SOFTGELS\*\***  
 (\*\* Liquid-filled capsules)

**24 Hour Relief of:**  
 • Sneezing • Itchy, Watery Eyes  
 • Runny Nose • Itchy Throat or Nose

Manufactured for: Bionpharma Inc.  
 Princeton, NJ 08540



\*This product is not manufactured or distributed by the owners of Zyrtec®

**Drug Facts (continued)**  
**Other information**  
 ■ store at 20°-25°C (68°-77°F)  
 ■ avoid high humidity and excessive heat above 40°C (104°F) ■ protect from light

**Inactive ingredients** FD&C yellow #6, gelatin, glycerin, mannitol, pharmaceutical ink, polyethylene glycol, purified water, sodium hydroxide, sorbitan, sorbitol

**Questions or comments?** call toll free 1-888-235-2466 (Mon - Fri 9AM - 5PM EST)

Lot No.:  
 Exp. Date:


Non Varnish Area

3.45 7.09

5/8 1.789 1.789 1.789 3.6 1.82 3.6 1.789

16.8

<b>BIONPHARMA</b>			
<b>Labeling Format Information:</b>			
<b>Fonts:</b> Helvetica Condensed Bold, Helvetica Condensed, Helvetica Condensed Bold Oblique			
<b>Drug Facts:</b>	10pt	<b>Leading:</b>	6.5pt
<b>Header:</b>	8pt	<b>Bullets:</b>	5pt
<b>Subheader:</b>	6pt	<b>Barlines:</b>	2.5pt
<b>Body Text:</b>	6pt	<b>Hairlines:</b>	0.5pt
<b>Drug Facts (continued):</b>	8pt		
Horizontal Scale: 100%		Average Kerning: 0%	



(b) (4)

<b>BIONPHARMA</b>			
<b>Labeling Format Information:</b>			
<b>Fonts:</b> Helvetica Condensed Bold, Helvetica Condensed, Helvetica Condensed Bold Oblique			
<b>Drug Facts:</b>	10pt	<b>Leading:</b>	8.3pt
<b>Header:</b>	8pt	<b>Bullets:</b>	6pt
<b>Subheader:</b>	7pt	<b>Barlines:</b>	2.5pt
<b>Body Text:</b>	7pt	<b>Hairlines:</b>	0.5pt
<b>Drug Facts (continued):</b>	8pt		
Horizontal Scale: 100%		Average Kerning: 0%	

(b) (4)

**BIONPHARMA**

**Labeling Format Information:**  
 Helvetica Condensed Bold, Helvetica Condensed, Helvetica Condensed Bold Oblique

<b>Drug Facts:</b>	8pt	<b>Leading:</b>	6.5pt
<b>Header:</b>	7pt	<b>Bullets:</b>	5pt
<b>Subheader:</b>	6pt	<b>Barlines:</b>	2.5pt
<b>Body Text:</b>	6pt	<b>Hairlines:</b>	0.5pt
<b>Drug Facts (continued):</b>	7pt		

Horizontal Scale: 100%  
 Average Kerning: 0%

Lot No.:  
3  
69452126586  
Exp. Date:  
4

**compare to the active ingredient in Zyrtec®**

NDC 69452-265-86

**A+health**

**cetirizine HCl capsules, 10 mg**

**antihistamine**

indoor & outdoor allergies

**25 SOFTGELS\*\***

24 hour relief of:  
 • sneezing  
 • itchy, watery eyes  
 • runny nose  
 • itchy throat or nose

\*\*liquid-filled capsule

**25 SOFTGELS\*\***

24 hour relief of:  
 • sneezing  
 • runny nose  
 • itchy, watery eyes  
 • itchy throat or nose

\*\*liquid-filled capsule

**Drug Facts**

<b>Active ingredient (in each capsule)</b>	<b>Purpose</b>
Cetirizine HCl 10 mg	Antihistamine

**Uses**  
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

**Warnings**  
**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.  
**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.  
**Ask a doctor or pharmacist before use if you are** taking tranquilizers or sedatives.

**When using this product**  
 ■ drowsiness may occur  
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness

**Questions or comments?** call toll free 1-888-235-2466 (Mon - Fri 9AM - 5PM EST)

**Inactive ingredients** FD&C yellow #6, gelatin, glycerin, mannitol, pharmaceutical ink, polyethylene glycol, purified water, sodium hydroxide, sorbitan, sorbitol

**Other information**  
 ■ store at 20°-25°C (68°-77°F) ■ avoid high humidity and excessive heat above 40°C (104°F)  
 ■ protect from light

**Drug Facts (continued)**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**KEEP THIS CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION**

Manufactured for:  
**BIONPHARMA**  
 Princeton, NJ 08540

<sup>1</sup>This product is not manufactured or distributed by the owners of Zyrtec®

**Directions**

adults and children 6 years and over	one 10 mg capsule once daily; do not take more than one 10 mg capsule in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**If pregnant or breast-feeding:** ■ if breast-feeding: not recommended  
 ■ if pregnant: ask a health professional before use

**Stop use and ask a doctor if an allergic reaction to this product occurs.** Seek medical help right away.

■ be careful when driving a motor vehicle or operating machinery  
 ■ in rare cases, you may experience itching after stopping cetirizine. Consult your healthcare provider if this happens.

■ avoid alcoholic drinks

**Drug Facts (continued)**

**Labeling Format Information:**  
 Helvetica Condensed Bold, Helvetica Condensed, Helvetica Condensed Bold Oblique

<b>Drug Facts:</b>	8pt	<b>Leading:</b>	6.5pt
<b>Header:</b>	7pt	<b>Bullets:</b>	5pt
<b>Subheader:</b>	6pt	<b>Barlines:</b>	2.5pt
<b>Body Text:</b>	6pt	<b>Hairlines:</b>	0.5pt
<b>Drug Facts (continued):</b>	7pt		

Horizontal Scale: 100%  
 Average Kerning: 0%





(b) (4)

<b>BIONPHARMA</b>			
<b>Labeling Format Information:</b>			
<b>Fonts:</b> Helvetica Condensed Bold, Helvetica Condensed, Helvetica Condensed Bold Oblique			
<b>Drug Facts:</b>	8pt	<b>Leading:</b>	6.5pt
<b>Header:</b>	7pt	<b>Bullets:</b>	5pt
<b>Subheader:</b>	6pt	<b>Barlines:</b>	2.5pt
<b>Body Text:</b>	6pt	<b>Hairlines:</b>	0.5pt
<b>Drug Facts (continued):</b>	7pt		
Horizontal Scale: 100%		Average Kerning: 0%	

-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

DOROTHY N CHANG  
01/30/2026 11:45:13 AM