








Proposed Blister Card Label: Cetirizine Hydrochloride Tablets, 5 mg
(size: 103mm x 113mm)
5's Blister Card

<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-350-07</p>	<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-350-07</p>
	<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-350-07</p>
<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-350-07</p>	<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-350-07</p>

<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-350-07</p>	<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-350-07</p>
	<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-350-07</p>
<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-350-07</p>	<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-350-07</p>

Proposed Blister Card Label: Cetirizine Hydrochloride Tablets, 5 mg
(size: 111mm x 113mm)
7's-Blister Card

<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg</p>  <p>55111-350-70</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>	<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-350-70</p>
<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg</p>  <p>55111-350-70</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>	<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-350-70</p>
<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg</p>  <p>55111-350-70</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>	<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-350-70</p>
 <p>DR. REDDY'S</p>	<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-350-70</p>

<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg</p>  <p>55111-350-70</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>	<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-350-70</p>
<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg</p>  <p>55111-350-70</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>	<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-350-70</p>
<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg</p>  <p>55111-350-70</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>	<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-350-70</p>
 <p>DR. REDDY'S</p>	<p>ANTHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 5 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-350-70</p>

Proposed Blister Card Label: Cetirizine Hydrochloride Tablets, 10 mg
(size: 103mm x 113mm)
5's Blister Card

<p>ANTIHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-351-07</p>	<p>ANTIHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-351-07</p>
	<p>ANTIHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-351-07</p>
<p>ANTIHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-351-07</p>	<p>ANTIHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-351-07</p>

<p>ANTIHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-351-07</p>	<p>ANTIHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-351-07</p>
	<p>ANTIHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-351-07</p>
<p>ANTIHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-351-07</p>	<p>ANTIHISTAMINE CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-351-07</p>


Proposed Blister Card Label: Cetirizine Hydrochloride Tablets, 10 mg
(size: 111mm x 113mm)
7's-Blister Card

<p>ANTIHISTAMINE</p>  <p>55111-351-70</p> <p>CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>	<p>ANTIHISTAMINE</p> <p>CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-351-70</p>
<p>ANTIHISTAMINE</p>  <p>55111-351-70</p> <p>CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>	<p>ANTIHISTAMINE</p> <p>CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-351-70</p>
<p>ANTIHISTAMINE</p>  <p>55111-351-70</p> <p>CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>	<p>ANTIHISTAMINE</p> <p>CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-351-70</p>
	<p>ANTIHISTAMINE</p> <p>CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-351-70</p>


<p>ANTIHISTAMINE</p>  <p>55111-351-70</p> <p>CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>	<p>ANTIHISTAMINE</p> <p>CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-351-70</p>
<p>ANTIHISTAMINE</p>  <p>55111-351-70</p> <p>CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>	<p>ANTIHISTAMINE</p> <p>CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-351-70</p>
<p>ANTIHISTAMINE</p>  <p>55111-351-70</p> <p>CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>	<p>ANTIHISTAMINE</p> <p>CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-351-70</p>
	<p>ANTIHISTAMINE</p> <p>CETIRIZINE HYDROCHLORIDE TABLET, 10 mg</p> <p>Dr. Reddy's Laboratories Ltd. Bachepalli - 502 325 INDIA</p> <p>LOT EXP</p>  <p>55111-351-70</p>

Container Label: Cetirizine Hydrochloride Tablets, 5 mg
30's count
(size: 36.5125mm x 112.7125mm)

Multi-layer Label
Top Panel Front

<p>NDC 55111-350-30 </p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Do not use if imprinted foil inner seal on bottle is broken or missing.</p> <p style="text-align: center;">CETIRIZINE HYDROCHLORIDE TABLETS, 5 mg</p> <p style="text-align: center;">Antihistamine ALLERGY</p> <p style="text-align: center;">30 Tablets</p>	<p style="text-align: right; font-size: small;">Peel here and Reveal</p> <p>Drug Facts</p> <p>Active ingredient (in each tablet) Purpose Cetirizine HCl 5 mg.....Antihistamine</p> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itching of the nose or throat ■ sneezing ■ itchy, watery eyes Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery Stop use and ask a doctor if an allergic ▶</p>
--	--

Bottom Panel Front

<p>Drug Facts (continued)</p> <p>reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding: ■ If breast-feeding: not recommended ■ if pregnant: ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Directions Adults and children 6 years and over: 1 to 2 tablets once daily depending upon severity of symptoms; do not take more than 2 tablets in 24 hours. Adults 65 years and over: 1 tablet once a day; do not take more than 1 tablet in 24 hours Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor. Other information ■ store at 20°-25° C (68°-77°F). Inactive ingredients hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, starch, titanium dioxide. Questions? call 1-888-375-3784.</p> <p>Lot _____</p> <p>Exp _____</p>	<p style="text-align: center; font-size: small;">Manufactured by: Dr. Reddy's Laboratories Limited Bachepalli - 502 325 INDIA</p> 
---	---

Labeling Format Information:

Fonts:	Helvetica cond. medium, bold, bold oblique
Drug Facts:	6 pt
Header:	5.5 pt
Subheader:	5.5 pt
Body Text:	5.5 pt
Drug Facts (continued):	6 pt
Leading:	6 pt
Bullets:	4 pt
Barlines:	NA
Hairlines:	NA


	294C
	Black
	137C
	158C
Fonts: Helvetica Family	

Container Label: Cetirizine Hydrochloride Tablets, 5 mg
45's count
(size: 36.5125mm x 112.7125mm)

Multi-layer Label
Top Panel Front

<p>NDC 55111-350-45</p> <p style="text-align: right;">DR. REDDY'S</p> <p style="text-align: center;">CETIRIZINE HYDROCHLORIDE TABLETS, 5 mg</p> <p style="text-align: center;">Antihistamine ALLERGY</p> <p style="text-align: center;">45 Tablets</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: small;">Do not use if imprinted foil inner seal on bottle is broken or missing.</p>	<p style="text-align: right; font-size: x-small;">Peel here and Reveal</p> <p>Drug Facts</p> <p>Active ingredient (in each tablet)</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">Cetirizine HCl 5 mg.....</td> <td style="width: 40%; text-align: right;">Antihistamine</td> </tr> </table> <p>Purpose Cetirizine HCl 5 mg.....Antihistamine</p> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itching of the nose or throat ■ sneezing ■ itchy, watery eyes Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery Stop use and ask a doctor if an allergic</p>	Cetirizine HCl 5 mg.....	Antihistamine
Cetirizine HCl 5 mg.....	Antihistamine		

Bottom Panel Front

<p>Drug Facts (continued)</p> <p>reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding: ■ If breast-feeding: not recommended ■ if pregnant: ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Directions Adults and children 6 years and over: 1 to 2 tablets once daily depending upon severity of symptoms; do not take more than 2 tablets in 24 hours. Adults 65 years and over: 1 tablet once a day; do not take more than 1 tablet in 24 hours Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor. Other information ■ store at 20°-25° C (68°-77°F). Inactive ingredients: hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, starch, titanium dioxide. Questions? call 1-888-375-3784.</p>	<div style="border: 1px solid black; height: 100px; width: 100%;"></div>
<p>Lot</p> <p>Exp</p>	<p style="text-align: center;">Manufactured by: Dr. Reddy's Laboratories Limited Bachepalli - 502 325 INDIA</p> <div style="text-align: center;">  <p style="font-size: x-small;">3 11 5 5 1 1 1 1 3 5 0 6 5 1 3</p> </div>

Labeling Format Information:

Fonts:	Helvetica cond. medium, bold, bold oblique
Drug Facts:	6 pt
Header:	5.5 pt
Subheader:	5.5 pt
Body Text:	5.5 pt
Drug Facts (continued):	6 pt
Leading:	6 pt
Bullets:	4 pt
Barlines:	NA
Hairlines:	NA


	294C
	Black
	137C
	158C
Fonts: Helvetica Family	

Container Label: Cetirizine Hydrochloride Tablets, 5 mg
 75's count
 (size: 36.5125mm x 112.7125mm)

Multi-layer Label
Top Panel Front

<p>NDC 55111-350-75</p> <p style="text-align: right;">DR. REDDY'S</p> <p style="text-align: center;">CETIRIZINE HYDROCHLORIDE TABLETS, 5 mg</p> <p style="text-align: center;">Antihistamine ALLERGY</p> <p style="text-align: center;">75 Tablets</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Do not use if imprinted foil inner seal on bottle is broken or missing.</p>	<p style="text-align: right;">Peel here and Reveal</p> <p>Drug Facts</p> <p>Active ingredient (in each tablet)</p> <p>Cetirizine HCl 5 mg.....Antihistamine</p> <p>Purpose Cetirizine HCl 5 mg.....Antihistamine</p> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itching of the nose or throat ■ sneezing ■ itchy, watery eyes</p> <p>Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery Stop use and ask a doctor if an allergic</p>
--	--

Bottom Panel Front

<p>Drug Facts (continued) reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding: ■ If breast-feeding: not recommended ■ if pregnant: ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Directions Adults and children 6 years and over: 1 to 2 tablets once daily depending upon severity of symptoms; do not take more than 2 tablets in 24 hours. Adults 65 years and over: 1 tablet once a day; do not take more than 1 tablet in 24 hours. Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor. Other information ■ store at 20°-25° C (68°-77°F). Inactive ingredients hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, starch, titanium dioxide. Questions? call 1-888-375-3784.</p>	<p>Lot</p> <p>Exp</p> <p style="text-align: center;">Manufactured by: Dr. Reddy's Laboratories Limited Bachepalli - 502 325 INDIA</p> 
--	---

Labeling Format Information:

Fonts:	Helvetica cond. medium, bold, bold oblique
Drug Facts:	6 pt
Header:	5.5 pt
Subheader:	5.5 pt
Body Text:	5.5 pt
Drug Facts (continued):	6 pt
Leading:	6 pt
Bullets:	4 pt
Barlines:	NA
Hairlines:	NA


	294C
	Black
	137C
	158C
Fonts: Helvetica Family	

Container Label: Cetirizine Hydrochloride Tablets, 5 mg
 90's count
 (size: 36.5125mm x 112.7125mm)

Multi-layer Label
Top Panel Front

<p>NDC 55111-350-90</p> <p style="text-align: right;">DR. REDDY'S</p> <p style="text-align: center;">CETIRIZINE HYDROCHLORIDE TABLETS, 5 mg</p> <p style="text-align: center;">Antihistamine ALLERGY</p> <p style="text-align: center;">90 Tablets</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Do not use if imprinted foil inner seal on bottle is broken or missing.</p>	<p style="text-align: right;">Peel here and Reveal</p> <p>Drug Facts</p> <p>Active ingredient (in each tablet)</p> <p>Cetirizine HCl 5 mg.....Antihistamine</p> <p>Purpose Cetirizine HCl 5 mg.....Antihistamine</p> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itching of the nose or throat ■ sneezing ■ itchy, watery eyes Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery Stop use and ask a doctor if an allergic</p>
---	--

Bottom Panel Front

<p>Drug Facts (continued) reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding: ■ If breast-feeding: not recommended ■ if pregnant: ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Directions Adults and children 6 years and over: 1 to 2 tablets once daily depending upon severity of symptoms; do not take more than 2 tablets in 24 hours. Adults 65 years and over: 1 tablet once a day; do not take more than 1 tablet in 24 hours Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor. Other information ■ store at 20°-25° C (68°-77°F). Inactive ingredients hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, starch, titanium dioxide. Questions? call 1-888-375-3784.</p>	<p>Lot</p> <p>Exp</p> <p style="text-align: center;">Manufactured by: Dr. Reddy's Laboratories Limited Bachepalli - 502 325 INDIA</p> 
---	---


Labeling Format Information:

Fonts:	Helvetica cond. medium, bold, bold oblique
Drug Facts:	6 pt
Header:	5.5 pt
Subheader:	5.5 pt
Body Text:	5.5 pt
Drug Facts (continued):	6 pt
Leading:	6 pt
Bullets:	4 pt
Barlines:	NA
Hairlines:	NA


	294C
	Black
	137C
	158C
Fonts: Helvetica Family	

Container Label: Cetirizine Hydrochloride Tablets, 5 mg
120's count
(size: 44.45mm x 117.475mm)

Multi-layer Label
Top Panel Front

<p>NDC 55111-350-04 </p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Do not use if imprinted foil inner seal on bottle is broken or missing.</p> <p style="text-align: center;">CETIRIZINE HYDROCHLORIDE TABLETS, 5 mg</p> <p style="text-align: center;">Antihistamine</p> <p style="text-align: center;">ALLERGY</p> <p style="text-align: center;">120 Tablets</p>	<p style="text-align: right; font-size: small;">Do Not Peel Here</p> <p>Drug Facts</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 60%;">Active ingredient (in each tablet)</td> <td style="width: 40%;">Purpose</td> </tr> <tr> <td>Cetirizine HCl 5 mg.....</td> <td>Antihistamine</td> </tr> </table> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itching of the nose or throat ■ sneezing ■ itchy, watery eyes Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery Stop use and ask a doctor if an allergic reaction to this product occurs.</p>	Active ingredient (in each tablet)	Purpose	Cetirizine HCl 5 mg.....	Antihistamine
Active ingredient (in each tablet)	Purpose				
Cetirizine HCl 5 mg.....	Antihistamine				

Bottom Panel Front

<p>Drug Facts (continued)</p> <p>Seek medical help right away. If pregnant or breast-feeding: ■ If breast-feeding: not recommended ■ if pregnant: ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Directions Adults and children 6 years and over: 1 to 2 tablets once daily depending upon severity of symptoms; do not take more than 2 tablets in 24 hours. Adults 65 years and over: 1 tablet once a day; do not take more than 1 tablet in 24 hours Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor. Other information ■ store at 20°-25° C (68°-77°F). Inactive ingredients hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, starch, titanium dioxide.</p> <p>Questions? call 1-888-375-3784.</p> <p>Lot _____</p> <p>Exp _____</p> <p style="text-align: center;">Manufactured by: Dr. Reddy's Laboratories Limited Bachepalli - 502 325 INDIA</p> <div style="text-align: right;">  <p style="font-size: x-small;">3 5 5 1 1 1 1 3 5 0 0 4 0</p> </div>	
---	--


Labeling Format Information:

Fonts:	Helvetica cond. medium, bold, bold oblique
Drug Facts:	8 pt
Header:	6 pt
Subheader:	6 pt
Body Text:	6 pt
Drug Facts (continued):	7 pt
Leading:	6 pt
Bullets:	4 pt
Barlines:	NA
Hairlines:	NA


	294C
	Black
	137C
	158C
Fonts: Helvetica Family	

Container Label: Cetirizine Hydrochloride Tablets, 10 mg
30's count
(size: 36.5125mm x 112.7125mm)

Multi-layer Label
Top Panel Front

<p>NDC 55111-351-30</p> <p style="text-align: center;">  CETIRIZINE HYDROCHLORIDE TABLETS, 10 mg Antihistamine ALLERGY 30 Tablets </p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Do not use if imprinted foil inner seal on bottle is broken or missing.</p>	<p style="text-align: right; font-size: small;">Peak Here and Peel</p> <p>Drug Facts</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 60%;">Active ingredient (in each tablet)</td> <td style="width: 40%;">Purpose</td> </tr> <tr> <td>Cetirizine HCl 10 mg.....</td> <td>Antihistamine</td> </tr> </table> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itching of the nose or throat ■ sneezing ■ itchy, watery eyes Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery Stop use and ask a doctor if an allergic ▶</p>	Active ingredient (in each tablet)	Purpose	Cetirizine HCl 10 mg.....	Antihistamine
Active ingredient (in each tablet)	Purpose				
Cetirizine HCl 10 mg.....	Antihistamine				

Bottom Panel Front

<p>Drug Facts (continued)</p> <p>reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding: ■ If breast-feeding: not recommended ■ if pregnant: ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Directions Adults and children 6 years and over: one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. Adults 65 years and over: ask a doctor Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor. Other information ■ store at 20°-25° C (68°-77°F). Inactive ingredients hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, starch, titanium dioxide. Questions? call 1-888-375-3784.</p>	<div style="border: 1px solid black; height: 100px; width: 100%;"></div>
<p>Lot</p> <p>Exp</p>	<p style="text-align: center;"> Manufactured by: Dr. Reddy's Laboratories Limited Bachepalli - 502 325 INDIA </p> <div style="text-align: center;">  </div>


Labeling Format Information:

Fonts:	Helvetica cond. medium, bold, bold oblique
Drug Facts:	6 pt
Header:	5.5 pt
Subheader:	5.5 pt
Body Text:	5.5 pt
Drug Facts (continued):	6 pt
Leading:	6 pt
Bullets:	4 pt
Barlines:	NA
Hairlines:	NA


	294C
	Black
	137C
	185C
Fonts: Helvetica Family	

Container Label: Cetirizine Hydrochloride Tablets, 10 mg
45's count
(size: 36.5125mm x 112.7125mm)

Multi-layer Label
Top Panel Front

<p>NDC 55111-351-45</p> <p style="text-align: right;"> Dr. REDDY'S</p> <p style="text-align: center;">CETIRIZINE HYDROCHLORIDE TABLETS, 10 mg</p> <p style="text-align: center;">Antihistamine ALLERGY</p> <p style="text-align: center;">45 Tablets</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: small;">Do not use if imprinted foil inner seal on bottle is broken or missing.</p>	<p style="text-align: right; font-size: x-small;">Peel here and re-seal</p> <p>Drug Facts</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">Active ingredient (in each tablet)</td> <td style="width: 40%;">Purpose</td> </tr> <tr> <td>Cetirizine HCl 10 mg.....</td> <td>Antihistamine</td> </tr> </table> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itching of the nose or throat ■ sneezing ■ itchy, watery eyes Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery Stop use and ask a doctor if an allergic</p>	Active ingredient (in each tablet)	Purpose	Cetirizine HCl 10 mg.....	Antihistamine
Active ingredient (in each tablet)	Purpose				
Cetirizine HCl 10 mg.....	Antihistamine				

Bottom Panel Front

<p>Drug Facts (continued)</p> <p>reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding: ■ If breast-feeding: not recommended ■ if pregnant: ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Directions Adults and children 6 years and over: one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. Adults 65 years and over: ask a doctor Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor. Other information ■ store at 20°-25° C (68°-77°F). Inactive ingredients hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, starch, titanium dioxide. Questions? call 1-888-375-3784.</p>	<div style="border: 1px solid black; height: 100px; width: 100%;"></div>
<p>Lot</p> <p>Exp</p>	<p style="text-align: center; font-size: x-small;">Manufactured by: Dr. Reddy's Laboratories Limited Bachepalli - 502 325 INDIA</p> <div style="text-align: center;">  <p style="font-size: x-small;">3 1153111 153143 1 10</p> </div>


Labeling Format Information:

Fonts:	Helvetica cond. medium, bold, bold oblique
Drug Facts:	6 pt
Header:	5.5 pt
Subheader:	5.5 pt
Body Text:	5.5 pt
Drug Facts (continued):	6 pt
Leading:	6 pt
Bullets:	4 pt
Barlines:	NA
Hairlines:	NA


	294C
	Black
	137C
	185C
Fonts: Helvetica Family	

Container Label: Cetirizine Hydrochloride Tablets, 10 mg
 75's count
 (size: 36.5125mm x 112.7125mm)

Multi-layer Label
Top Panel Front







Bottom Panel Front



Labeling Format Information:

Fonts:	Helvetica cond. medium, bold, bold oblique
Drug Facts:	6 pt
Header:	5.5 pt
Subheader:	5.5 pt
Body Text:	5.5 pt
Drug Facts (continued):	6 pt
Leading:	6 pt
Bullets:	4 pt
Barlines:	NA
Hairlines:	NA


	294C
	Black
	137C
	185C
Fonts: Helvetica Family	

Container Label: Cetirizine Hydrochloride Tablets, 10 mg
90's count
(size: 36.5125mm x 112.7125mm)

Multi-layer Label
Top Panel Front

<p>NDC 55111-351-90</p> <p style="text-align: right;">Dr. REDDY'S</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Do not use if imprinted foil inner seal on bottle is broken or missing.</p> <p style="text-align: center;">CETIRIZINE HYDROCHLORIDE TABLETS, 10 mg</p> <p style="text-align: center;">Antihistamine ALLERGY</p> <p style="text-align: center;">90 Tablets</p>	<p style="text-align: right; font-size: small;">Pay Here and Retail</p> <p>Drug Facts</p> <p>Active ingredient (in each tablet) Cetirizine HCl 10 mg.....</p> <p>PurposeAntihistamine</p> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itching of the nose or throat ■ sneezing ■ itchy, watery eyes Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery Stop use and ask a doctor if an allergic ▶</p>
---	---

Bottom Panel Front

<p>Drug Facts (continued) reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding: ■ If breast-feeding: not recommended ■ if pregnant: ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Directions Adults and children 6 years and over: one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. Adults 65 years and over: ask a doctor Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor. Other information ■ store at 20°-25° C (68°-77°F). Inactive ingredients hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, starch, titanium dioxide. Questions? call 1-888-375-3784.</p> <p>Lot</p> <p>Exp</p>	<p style="text-align: center;">Manufactured by: Dr. Reddy's Laboratories Limited Bachepalli - 502 325 INDIA</p> 
---	---

Labeling Format Information:

Fonts: Helvetica cond.
medium, bold, bold oblique

Drug Facts: 6 pt

Header: 5.5 pt

Subheader: 5.5 pt

Body Text: 5.5 pt

Drug Facts (continued): 6 pt

Leading: 6 pt

Bullets: 4 pt

Barlines: NA

Hairlines: NA

	294C
	Black
	137C
	185C


Fonts: Helvetica Family

Container Label: Cetirizine Hydrochloride Tablets, 10 mg
120's count
(size: 44.45mm x 117.475mm)

Multi-layer Label
Top Panel Front

<p>NDC 55111-351-04</p> <p style="text-align: right;">Dr. REDDYS</p> <p style="text-align: center;">CETIRIZINE HYDROCHLORIDE TABLETS, 10 mg</p> <p style="text-align: center;">Antihistamine ALLERGY</p> <p style="text-align: center;">120 Tablets</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Do not use if imprinted foil inner seal on bottle is broken or missing.</p>	<p style="text-align: right;">Panel front and top</p> <p>Drug Facts</p> <table border="0"> <tr> <td style="width: 60%;">Active ingredient (in each tablet)</td> <td style="width: 40%;">Purpose</td> </tr> <tr> <td>Cetirizine HCl 10 mg.....</td> <td>Antihistamine</td> </tr> </table> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itching of the nose or throat ■ sneezing ■ itchy, watery eyes Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding: ■ If breast-feeding: not</p>	Active ingredient (in each tablet)	Purpose	Cetirizine HCl 10 mg.....	Antihistamine
Active ingredient (in each tablet)	Purpose				
Cetirizine HCl 10 mg.....	Antihistamine				

Bottom Panel Front


<p>Drug Facts (continued)</p> <p>recommended ■ if pregnant: ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Directions Adults and children 6 years and over: one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. Adults 65 years and over: ask a doctor Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor. Other information ■ store at 20°-25° C (68°-77°F). Inactive ingredients hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, starch, titanium dioxide. Questions? call 1-888-375-3784.</p> <p>Lot</p> <p>Exp</p> <p style="text-align: center;">Manufactured by: Dr. Reddy's Laboratories Limited Bachepalli - 502 325 INDIA</p> 	
--	--

Labeling Format Information:

Fonts:	Helvetica cond. medium, bold, bold oblique
Drug Facts:	8 pt
Header:	6 pt
Subheader:	6 pt
Body Text:	6 pt
Drug Facts (continued):	7 pt
Leading:	6 pt
Bullets:	4 pt
Barlines:	NA
Hairlines:	NA

	294C
	Black
	137C
	185C
Fonts: Helvetica Family	

Proposed Container Carton
Cetirizine Hydrochloride Tablets, 5 mg - 30's count
 Actual Label Size: 44 mm x 44 mm x 72 mm



Labeling Format Information:

Fonts: Helvetica cond. medium, bold, bold oblique

Drug Facts: 12 pt
 Header: 7 pt
 Subheader: 6 pt
 Body Text: 6 pt
 Drugs Facts (continued): 9 pt
 Leading: 6.5 pt
 Bullets: 5 pt
 Barlines: 2.5 pt
 Hairlines: 0.25 pt


	294 C
	25% of Black
	Black
	137 C
	158 C
	50% 137 C

Fonts: Helvetica Family

Proposed Container Carton

Cetirizine Hydrochloride Tablets, 5 mg - 45's count

Actual Label Size: 44 mm x 44 mm x 72 mm



Labeling Format Information:

Fonts: Helvetica cond. medium, bold, bold oblique

Drug Facts: 12 pt

Header: 7 pt

Subheader : 6 pt

Body Text: 6 pt

Drugs Facts (continued): 9 pt

Leading: 6.5 pt

Bullets: 5 pt


Barlines: 2.5 pt

Hairlines: 0.25 pt

	294 C
	25% of Black
	Black
	137 C
	158 C
	50% 137 C

Fonts: Helvetica Family

Proposed Container Carton
Cetirizine Hydrochloride Tablets, 5 mg - Value Pack 75 Tablets
Actual Label Size: 85 mm x 75 mm x 44 mm




Labeling Format Information:
 Fonts: Helvetica cond. medium, bold, bold oblique
 Drug Facts: 12 pt
 Header: 7 pt
 Subheader: 6 pt
 Body Text: 6 pt
 Drugs Facts (continued): 9 pt
 Leading: 6.5 pt
 Bullets: 5 pt
 Barlines: 2.5 pt
 Hairlines: 0.25 pt

NOTE: This Blister Cartons is fit to paper print

Proposed Container Carton

Cetirizine Hydrochloride Tablets, 5 mg - 75's count

Actual Label Size: 44 mm x 44 mm x 72 mm



Labeling Format Information:

Fonts: Helvetica cond. medium, bold, bold oblique

Drug Facts: 12 pt

Header: 7 pt

Subheader: 6 pt

Body Text: 6 pt

Drugs Facts (continued): 9 pt

Leading: 6.5 pt

Bullets: 5 pt

Barlines: 2.5 pt

Hairlines: 0.25 pt


	294 C
	25% of Black
	Black
	137 C
	158 C
	50% 137 C

Fonts: Helvetica Family

Proposed Container Carton

Cetirizine Hydrochloride Tablets, 5 mg - 90's count

Actual Label Size: 44 mm x 44 mm x 72 mm



Labeling Format Information:


Fonts:	Helvetica cond. medium, bold, bold oblique
Drug Facts:	12 pt
Header:	7 pt
Subheader :	6 pt
Body Text:	6 pt
Drugs Facts (continued):	8 pt
Leading:	6.5 pt
Bullets:	5 pt
Barlines:	2.5 pt
Hairlines:	0.25 pt

	294 C
	25% of Black
	Black
	137 C
	158 C
	50% 137 C
Fonts: Helvetica Family	

Proposed Container Carton

Cetirizine Hydrochloride Tablets, 5 mg - 120's count

Actual Label Size: 44 mm x 44 mm x 85 mm



Labeling Format Information:

Fonts: Helvetica cond. medium, bold, bold oblique

Drug Facts: 12 pt
Header: 8 pt
Subheader: 6.5 pt
Body Text: 6.5 pt
Drugs Facts (continued): 8 pt
Leading: 7 pt
Bullets: 5 pt
Barlines: 2.5 pt
Hairlines: 0.25 pt


Pantone 158 C

Pantone 50% 137 C

	294 C
	25% of Black
	Black
	137 C
	158 C
	50% 137 C

Fonts: Helvetica Family






Proposed Container Carton
Cetirizine Hydrochloride Tablets, 10 mg - 30's count
 Actual Label Size: 44 mm x 44 mm x 72 mm



Labeling Format Information:

Fonts: Helvetica cond. medium, bold, bold oblique

Drug Facts: 12 pt
Header: 7 pt
Subheader : 6 pt
Body Text: 6 pt
Drugs Facts (continued): 8 pt
Leading: 6.5 pt
Bullets: 5 pt
Barlines: 2.5 pt
Hairlines: 0.25 pt


	294 C
	25% of Black
	Black
	137 C
	185 C

Fonts: Helvetica Family

Proposed Container Carton

Cetirizine Hydrochloride Tablets, 10 mg - 45's count

Actual Label Size: 44 mm x 44 mm x 72 mm



Labeling Format Information:


Fonts: Helvetica cond. medium, bold, bold oblique

Drug Facts: 12 pt
 Header: 7 pt
 Subheader: 6 pt
 Body Text: 6 pt
 Drugs Facts (continued): 8 pt
 Leading: 6.5 pt
 Bullets: 5 pt
 Barlines: 2.5 pt
 Hairlines: 0.25 pt

	294 C
	25% of Black
	Black
	137 C
	185 C

Fonts: Helvetica Family

Proposed Container Carton
Cetirizine Hydrochloride Tablets, 10 mg - Value Pack 75 Tablets
 Actual Label Size: 85 mm x 75 mm x 44 mm



294 C
 25% of Black
 Black
 137 C
 185 C

Fonts: Helvetica Family


Labeling Format Information:

Fonts: Helvetica cond. medium, bold, bold oblique

Drug Facts: 12 pt
 Header: 8 pt
 Subheader: 6 pt
 Body Text: 6 pt
 Drugs Facts (continued): 9 pt
 Leading: 6.5 pt
 Bullets: 5 pt
 Barlines: 2.5 pt
 Hairlines: 0.25 pt

NOTE: This Blister Cartons is fit to paper print

Proposed Container Carton
Cetirizine Hydrochloride Tablets, 10 mg - 75's count
 Actual Label Size: 44 mm x 44 mm x 72 mm








Pantone 185 C Pantone 185 C

Labeling Format Information:

Fonts: Helvetica cond. medium, bold, bold oblique

Drug Facts: 12 pt
 Header: 7 pt
 Subheader: 6 pt
 Body Text: 6 pt

Drugs Facts (continued): 8 pt
 Leading: 6.5 pt
 Bullets: 5 pt
 Barlines: 2.5 pt
 Hairlines: 0.25 pt


	294 C
	25% of Black
	Black
	137 C
	185 C

Fonts: Helvetica Family

Proposed Container Carton

Cetirizine Hydrochloride Tablets, 10 mg - 90's count

Actual Label Size: 44 mm x 44 mm x 72 mm



Labeling Format Information:

Fonts: Helvetica cond. medium, bold, bold oblique

Drug Facts: 12 pt

Header: 7 pt

Subheader : 6 pt

Body Text: 6 pt






Drugs Facts (continued): 8 pt

Leading: 6.5 pt

Bullets: 5 pt


Barlines: 2.5 pt

Hairlines: 0.25 pt

	294 C
	25% of Black
	Black
	137 C
	185 C

Fonts: Helvetica Family

Proposed Container Carton
Cetirizine Hydrochloride Tablets, 10 mg - 120's count
 Actual Label Size: 44 mm x 44 mm x 85 mm



Labeling Format Information:

Fonts: Helvetica cond. medium, bold, bold oblique

Drug Facts: 12 pt

Header: 8 pt

Subheader: 6.5 pt

Body Text: 6.5 pt

Drugs Facts (continued): 8 pt

Leading: 7 pt

Bullets: 5 pt


Barlines: 2.5 pt

Hairlines: 0.25 pt

- 294 C
- 25% of Black
- Black
- 137 C
- 185 C

Fonts: Helvetica Family

Proposed Blister Carton for
Cetirizine Hydrochloride Tablets, 5 mg- 5's Blister
Actual Label Size: 109.22 mm x 28.575 mm x 117.475 mm




Labeling Format Information:

Fonts:	Helvetica cond. medium, bold, bold oblique
Drug Facts:	14 pt
Header:	8 pt
Subheader:	6 pt
Body Text:	6 pt
Drugs Facts (continued):	10 pt
Leading:	6.5 pt
Bullets:	5 pt
Barlines:	2.5 pt
Hairlines:	0.5 pt

NOTE: This Blister Cartons is fit to paper print

	294 C
	25% of Black
	Black
	137 C
	158 C
	50% 137 C
Fonts: Helvetica Family	

Proposed Blister Carton for
Cetirizine Hydrochloride Tablets, 5 mg - 14's Blister (2 x 7's)
Actual Label Size: 119.38 mm x 34.925 mm x 117.475 mm



CETIRIZINE HYDROCHLORIDE
TABLETS, 5 mg

Do not use if blister unit is open or torn.



Original Prescription Strength

14 Tablets

NDC 55111-350-74

CETIRIZINE
HYDROCHLORIDE
TABLETS, 5 mg

Antihistamine

24 hour Relief of
ITCHING
Due to
Hives



Pantone 50% 137 C

Pantone 158 C


	294 C
	25% of Black
	Black
	137 C
	158 C
	50% 137 C
Fonts: Helvetica Family	

Labeling Format Information:

Fonts:	Helvetica cond. medium, bold, bold oblique
Drug Facts:	14 pt
Header:	8 pt
Subheader:	6 pt
Body Text:	6 pt
Drugs Facts (continued):	10 pt
Leading:	6.5 pt
Bullets:	5 pt
Barlines:	2.5 pt
Hairlines:	0.5 pt

NOTE: This Blister Cartons is fit to paper print

Proposed Blister Carton for
Cetirizine Hydrochloride Tablets, 10 mg- 5's Blister
Actual Label Size: 109.22 mm x 28.575 mm x 117.475 mm



Labeling Format Information:
Fonts: Helvetica cond. medium, bold, bold oblique
Drug Facts: 14 pt
Header: 8 pt
Subheader: 6 pt
Body Text: 6 pt
Drugs Facts (continued): 10 pt
Leading: 6.5 pt
Bullets: 5 pt
Barlines: 2.5 pt
Hairlines: 0.5 pt

NOTE: This Blister Cartons is fit to paper print

	294 C
	25% of Black
	Black
	137 C
	185 C

Fonts: Helvetica Family

