

BLA 125522/S-044

SUPPLEMENT APPROVAL

Amgen Inc.
Attention: Anusha Ponnuru, MPH, PharmD
Manager, Regulatory Affairs
One Amgen Center Drive
Thousand Oaks, CA 91320-1799

Dear Dr. Ponnuru:

Please refer to your supplemental biologics license application (sBLA) dated and received May 24, 2024, and your amendments, submitted under section 351(a) of the Public Health Service Act for Repatha (evolocumab) injection.

This Prior Approval sBLA provides for revisions to the Repatha Prescribing Information, Patient Package Insert, and Instructions for Use and Carton and Container labeling for the SureClick autoinjector and prefilled syringe presentations to distinguish the presence of dry natural rubber.

This Prior Approval sBLA also provides for modification to section 1 *Indications and Usage* of the Repatha Prescribing Information to the major adverse cardiovascular events indication. The Patient Package Insert was updated to reflect the corresponding Prescribing Information changes.

APPROVAL & LABELING

We have completed our review of this application, as amended. It is approved, effective on the date of this letter, for use as recommended in the enclosed agreed-upon labeling.

WAIVER OF HIGHLIGHTS ½ PAGE LENGTH REQUIREMENT FOR HIGHLIGHTS

Please note that we have previously granted a waiver of the requirements of 21 CFR 201.57(d)(8) regarding the length of Highlights of Prescribing Information.

CONTENT OF LABELING

As soon as possible, but no later than 14 days from the date of this letter, submit, via the FDA automated drug registration and listing system (eLIST), the content of labeling [21 CFR 601.14(b)] in structured product labeling (SPL) format, as described at

FDA.gov,¹ that is identical to the enclosed labeling (text for the Prescribing Information, Patient Package Insert, and Instructions for Use) and include the labeling changes proposed in any pending “Changes Being Effected” (CBE) supplements.

Information on submitting SPL files using eLIST may be found in the guidance for industry *SPL Standard for Content of Labeling Technical Qs and As*.²

The SPL will be accessible via publicly available labeling repositories.

Also within 14 days, amend all pending supplemental applications that include labeling changes for this BLA, including pending “Changes Being Effected” (CBE) supplements, for which FDA has not yet issued an action letter, with the content of labeling [21 CFR 601.12(f)] in Microsoft Word format that includes the changes approved in this supplemental application, as well as annual reportable changes. To facilitate review of your submission(s), provide a highlighted or marked-up copy that shows all changes, as well as a clean Microsoft Word version. The marked-up copy should provide appropriate annotations, including supplement number(s) and annual report date(s).

CARTON AND CONTAINER LABELING

Submit final printed carton and container labeling that are identical to the enclosed carton and container labeling and submitted on May 24, 2024, as soon as they are available, but no more than 30 days after they are printed. Please submit these labeling electronically according to the guidance for industry *Providing Regulatory Submissions in Electronic Format — Certain Human Pharmaceutical Product Applications and Related Submissions Using the eCTD Specifications*. For administrative purposes, designate this submission “**Final Printed Carton and Container Labeling for approved BLA 125522/S-044.**” Approval of this submission by FDA is not required before the labeling is used.

REQUIRED PEDIATRIC ASSESSMENTS

Under the Pediatric Research Equity Act (PREA) (21 U.S.C. 355c), all applications for new active ingredients (which includes new salts and new fixed combinations), new indications, new dosage forms, new dosing regimens, or new routes of administration are required to contain an assessment of the safety and effectiveness of the product for the claimed indication(s) in pediatric patients unless this requirement is waived, deferred, or inapplicable.

Because none of these criteria apply to your application, you are exempt from this requirement.

¹ <http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm>

² We update guidances periodically. For the most recent version of a guidance, check the FDA Guidance Documents Database <https://www.fda.gov/RegulatoryInformation/Guidances/default.htm>.

REPORTING REQUIREMENTS

We remind you that you must comply with reporting requirements for an approved BLA (in 21 CFR 600.80 and in 21 CFR 600.81).

Your product is a Part 3 combination product (21 CFR 3.2(e)); therefore, you must also comply with postmarketing safety reporting requirements for an approved combination product (21 CFR 4, Subpart B). Additional information on combination product postmarketing safety reporting is available at FDA.gov.

If you have any questions, contact Ron Picking, Regulatory Project Manager, at 240-402-3211 or ronald.pickingiii@fda.hhs.gov.

Sincerely,

{See appended electronic signature page}

John Sharretts, M.D.
Director
Division of Diabetes, Lipid Disorders, and Obesity
Office of Cardiology, Hematology, Endocrinology,
and Nephrology
Office of New Drugs
Center for Drug Evaluation and Research

ENCLOSURES:

- Content of Labeling
 - Prescribing Information
 - Patient Package Insert
 - Latex-containing autoinjector Instructions for Use
 - Latex-free autoinjector Instructions for Use
 - Latex-containing prefilled syringe Instructions for Use
 - Latex-free prefilled syringe Instructions for Use
- Carton and Container Labeling

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

JOHN M SHARRETTS
11/20/2024 04:27:10 PM