



(b) (4)



Area Reserved for  
CMO Verification Code

Manufactured for  
Sunovion Pharmaceuticals Inc.  
Marlborough MA 01752 USA  
Made In Japan  
© 2013 Sunovion Pharmaceuticals Inc.  
All rights reserved.  
Please visit our website at [www.latuda.com](http://www.latuda.com)  
901535R01

Die Cut Window  
for Lot and Exp

Area Reserved for  
CMO Verification Code



This carton can be recycled.

28 Tablets (4 Cards, 7 Tablets Each)  
PROFESSIONAL SAMPLE  
NOT FOR SALE OR REIMBURSEMENT

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets  
**20 mg**  
per tablet  
Rx Only  
SUNOVION

NDC 63402-302-04 28 Tablets (4 Cards, 7 Tablets Each)  
PROFESSIONAL SAMPLE – NOT FOR SALE OR REIMBURSEMENT

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets  
**20 mg**  
per tablet  
Rx Only  
SUNOVION

NDC 63402-302-04 28 Tablets (4 Cards, 7 Tablets Each)  
PROFESSIONAL SAMPLE – NOT FOR SALE OR REIMBURSEMENT

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets  
**20 mg**  
per tablet  
**ATTENTION DISPENSER:**  
Dispense the enclosed Medication Guide to each patient.  
Rx Only  
SUNOVION

Each tablet contains 20 mg of lurasidone HCl.  
**Usual adult dosage:** One tablet, once a day, taken with food.  
Please see full prescribing information, including **Boxed Warning**.  
**DOSAGE AND USE:**  
SEE PACKAGE INSERT  
**Storage:**  
Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

**Not child resistant—keep this and all medication out of the reach of children.**  
**In case of accidental ingestion, immediately contact your physician, pharmacist, or a poison control center.**



3-panel card  
(Inside of  
Blister Card)

7 Tablets



**20 mg**  
per tablet

Rx Only




Panel 1  
Front

Day 1                      Day 5

Day 2                      Day 6

Day 3                      Day 7

Day 4





3 63402-302-07 4

Each tablet contains 20 mg of lurasidone HCl.

Panel 2  
Front

Follow your prescriber's instructions for taking  
Latuda® (lurasidone HCl) tablets.


If you have any questions about LATUDA  
or your condition, be sure to  
talk to your prescriber.

Panel 3  
Front

3-panel card  
(outside of  
Blister Card)

7 Tablets



**20 mg**  
per tablet

**Usual adult dosage:** One tablet, once a day,  
taken with food.  
Please see full prescribing information,  
including **Boxed Warning**.  
DOSAGE AND USE: SEE PACKAGE INSERT  
**Storage:** Store at 25°C (77°F); excursions permitted  
to 15°-30°C (59°-86°F).

**Not child resistant—keep this and all  
medication out of the reach of children.**

**In case of accidental ingestion, immediately  
contact your physician, pharmacist, or a  
poison control center.**

Manufactured for Sunovion Pharmaceuticals Inc.  
Marlborough MA 01752 USA  
Made in Japan  
© 2013 Sunovion Pharmaceuticals Inc.  
Please visit our website at [www.latuda.com](http://www.latuda.com)

Panel 3  
Back

7-day supply of Latuda® (lurasidone HCl) tablets

**20 mg**

Unprinted Seal Area / Panel 2 Back

Unprinted Seal Area / Panel 1 Back

2-panel card  
(outside of  
Blister Card)  
to be glued  
on the  
outside of the  
3-panel card

**Storage:** Store at 25°C (77°F); excursions  
permitted to 15°-30°C (59°-86°F).

Day 5                      Day 1

Day 6                      Day 2

Day 7                      Day 3

Day 4

Die Cut Window  
for Lot and Exp

Area Reserved for  
CMO Verification Code

901534R01

Outside of Blister Card  
Panel 2 Back

NDC 63402-302-07                      7 Tablets


PROFESSIONAL SAMPLE  
NOT FOR SALE OR REIMBURSEMENT



**20 mg**  
per tablet

Rx Only

**ATTENTION DISPENSER: Dispense the  
enclosed Medication Guide to each patient.**



Outside of Blister Card  
Panel 1 Back



(b) (4)



63402-302-30 2



Each tablet contains 20 mg of lurasidone HCl.  
DOSAGE AND USE: SEE PACKAGE INSERT  
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

NDC 63402-302-30 30 Tablets

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

**20 mg**

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at [www.latuda.com](http://www.latuda.com) or 1-888-394-7377.

Rx Only



Mfd. for Sunovion Pharmaceuticals Inc.  
Marlborough MA 01752 USA © 2013  
Made in Japan

901522R02

Non-variish Area  
Area Reserved  
for Lot and Exp.

(b) (4)



63402-302-90 6

Each tablet contains 20 mg of lurasidone HCl.  
DOSAGE AND USE: SEE PACKAGE INSERT  
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

NDC 63402-302-90 90 Tablets

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

**20mg**

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at [www.latuda.com](http://www.latuda.com) or 1-888-394-7377.

Rx Only

 SUNOVION

Mfd. for Sunovion Pharmaceuticals Inc.,  
Marlborough, MA 01752 USA © 2013  
Made in Japan

901523R01

NON-VARNISH AREA  
Area Reserved  
for LOT and EXP



Manufactured for  
Sunovion Pharmaceuticals Inc.  
Methuen, MA 01752 USA  
Made in Japan  
© 2013 Sunovion  
Pharmaceuticals Inc.

NDC 63402-302-50 500 Tablets

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

**20 mg**

ATTENTION DISPENSER: Each time  
Latuda is dispensed give the patient  
the accompanying Medication Guide,  
also provided at [www.latuda.com](http://www.latuda.com) or  
1-888-394-7377.

Rx Only

 SUNOVION

Each tablet contains 20 mg of lurasidone HCl.  
DOSAGE AND USE: SEE PACKAGE INSERT  
Storage: Store at 25°C (77°F);  
excursions permitted to  
15°-30°C (59°-86°F).  
Dispense in tight container with  
child-resistant closure.

901524R01

NON-VARNISH AREA  
Area Reserved  
for LOT and EXP

63402-302-500



3-panel card  
(Inside of  
Blister Card)

7 Tablets



**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

**40mg** per tablet

Rx Only





Panel 1  
Front

Day 1 Day 5

Day 2 Day 6

Day 3 Day 7

Day 4




63402-304-078

Each tablet contains 40 mg of lurasidone HCl.

Panel 2  
Front

Follow your prescriber's instructions for taking Latuda<sup>®</sup> (lurasidone HCl) tablets.

If you have any questions about LATUDA or your condition, be sure to talk to your prescriber.




**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

Panel 3  
Front

3-panel card  
(outside of  
Blister Card)

7 Tablets



**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

**40mg** per tablet

**Usual adult dosage:** One tablet, once a day, taken with food.  
 Please see full prescribing information, including **Boxed Warning**.  
**DOSAGE AND USE:** SEE PACKAGE INSERT  
**Storage:** Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

**Not child resistant—keep this and all medication out of the reach of children.**


**In case of accidental ingestion, immediately contact your physician, pharmacist, or a poison control center.**

Manufactured for Sunovion Pharmaceuticals Inc.  
 Marlborough MA 01752 USA  
 Made in Japan  
 © 2013 Sunovion Pharmaceuticals Inc.  
 Please visit our website at [www.latuda.com](http://www.latuda.com)


Panel 3  
Back

7-day supply of Latuda<sup>®</sup> (lurasidone HCl) tablets

**40 mg**



Unprinted Seal Area / Panel 2 Back



Unprinted Seal Area / Panel 1 Back

2-panel card  
(outside of  
Blister Card)  
to be glued  
on the  
outside of the  
3-panel card

**Storage:** Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

Day 5 Day 1

Day 6 Day 2

Day 7 Day 3

Day 4

Die Cut Window for Lot and Exp


Area Reserved for CMO Verification Code

901411R02

Outside of Blister Card  
Panel 2 Back

NDC 63402-304-07 7 Tablets

PROFESSIONAL SAMPLE  
NOT FOR SALE OR REIMBURSEMENT



**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

**40mg** per tablet

Rx Only

**ATTENTION DISPENSER:** Dispense the enclosed Medication Guide to each patient.



Outside of Blister Card  
Panel 1 Back

(b) (4)



63402-304-90 0

Each tablet contains 40 mg of lurasidone HCl.  
DOSAGE AND USE: SEE PACKAGE INSERT  
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

NDC 63402-304-90 90 Tablets

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets  
**40mg**

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at [www.latuda.com](http://www.latuda.com) or 1-888-394-7377.

Rx Only

 SUNOVION

Mfd. for Sunovion Pharmaceuticals Inc.,  
Marlborough, MA 01752 USA © 2013  
Made in Japan

901399R01

**NON-VARNISH AREA  
Area Reserved  
for LOT and EXP**

Manufactured for  
Sunovion Pharmaceuticals Inc.  
Methuen, MA 01752 USA  
Made in Japan  
© 2013 Sunovion  
Pharmaceuticals Inc.

NDC 63402-304-50 500 Tablets

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets  
**40 mg**

ATTENTION DISPENSER: Each time  
Latuda is dispensed give the patient  
the accompanying Medication Guide,  
also provided at [www.latuda.com](http://www.latuda.com) or  
1-888-394-7377.

Rx Only

 SUNOVION

Each tablet contains 40 mg of lurasidone HCl.  
DOSAGE AND USE: SEE PACKAGE INSERT  
Storage: Store at 25°C (77°F);  
excursions permitted to  
15°-30°C (59°-86°F).  
Dispense in tight container with  
child-resistant closure.

901402R01

63402-304-504

**NON-VARNISH AREA  
Area Reserved  
for LOT and EXP**

(b) (4)





(b) (4)



63402-304-30 6

Each tablet contains 40 mg of lurasidone HCl.  
DOSAGE AND USE: SEE PACKAGE INSERT  
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

NDC 63402-304-30 30 Tablets

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets  
**40mg**

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at [www.latuda.com](http://www.latuda.com) or 1-888-394-7377.

Rx Only

 SUNOVION

Mfd. for Sunovion Pharmaceuticals Inc.,  
Marlborough MA 01752 USA © 2013  
Made in Japan

901396R02

Non-variish Area  
Area Reserved  
for Lot and Exp.





3-panel card  
(Inside of  
Blister Card)

7 Tablets



**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

**80 mg**   
per tablet

Rx Only





Panel 1  
Front

Day 1 Day 5

Day 2 Day 6

Day 3 Day 7

Day 4




3 63402-308-07 6

Each tablet contains 80 mg of lurasidone HCl.

Panel 2  
Front

Follow your prescriber's instructions for taking Latuda<sup>®</sup> (lurasidone HCl) tablets.

If you have any questions about LATUDA or your condition, be sure to talk to your prescriber.




**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets


Panel 3  
Front

3-panel card  
(outside of  
Blister Card)

7 Tablets



**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

**80 mg**   
per tablet

Usual adult dosage: One tablet, once a day, taken with food.  
Please see full prescribing information, including **Boxed Warning**.  
DOSAGE AND USE: SEE PACKAGE INSERT  
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

**Not child resistant—keep this and all medication out of the reach of children.**

**In case of accidental ingestion, immediately contact your physician, pharmacist, or a poison control center.**

Manufactured for Sunovion Pharmaceuticals Inc.  
Marlborough MA 01752 USA  
Made in Japan  
© 2013 Sunovion Pharmaceuticals Inc.  
Please visit our website at [www.latuda.com](http://www.latuda.com)

Panel 3  
Back

7-day supply of Latuda<sup>®</sup> (lurasidone HCl) tablets

**80 mg**

Unprinted Seal Area / Panel 2 Back

Unprinted Seal Area / Panel 1 Back

2-panel card  
(outside of  
Blister Card)  
to be glued  
on the  
outside of the  
3-panel card

Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

Day 5 Day 1

Day 6 Day 2

Day 7 Day 3

Day 4

Die Cut Window for Lot and Exp

Area Reserved for CMO Verification Code

901412R02

Outside of Blister Card  
Panel 2 Back

NDC 63402-308-07 7 Tablets

PROFESSIONAL SAMPLE  
NOT FOR SALE OR REIMBURSEMENT




**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

**80 mg**   
per tablet

Rx Only

ATTENTION DISPENSER: Dispense the enclosed Medication Guide to each patient.

Outside of Blister Card  
Panel 1 Back



63402-308-908

Each tablet contains 80 mg of lurasidone HCl.  
DOSAGE AND USE: SEE PACKAGE INSERT  
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).


NDC 63402-308-90 90 Tablets

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

**80mg**

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at [www.latuda.com](http://www.latuda.com) or 1-888-394-7377.

Rx Only

 SUNOVION

Mfd. for Sunovion Pharmaceuticals Inc.,  
Marlborough, MA 01752 USA © 2013  
Made in Japan

901400R01

NON-VARNISH AREA  
Area Reserved  
for LOT and EXP


(b) (4)



Manufactured for  
Sunovion Pharmaceuticals Inc.  
Marlborough, MA 01752 USA  
Made in Japan  
© 2013 Sunovion Pharmaceuticals Inc.


NDC 63402-308-50 500 Tablets

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

**80 mg** 

**ATTENTION DISPENSER:** Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at [www.latuda.com](http://www.latuda.com) or 1-888-394-7377.

Rx Only


 **SUNOVION**

Each tablet contains 80 mg of lurasidone HCl.  
DOSAGE AND USE: SEE PACKAGE INSERT  
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).  
Dispense in tight container with child-resistant closure.

901403R01

NON-VARNISH AREA  
Area Reserved  
for LOT and EXP

63402-308-50 2



(b) (4)





(b) (4)

63402-308-304

Each tablet contains 80 mg of lurasidone HCl.  
DOSAGE AND USE: SEE PACKAGE INSERT  
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

NDC 63402-308-30 30 Tablets

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets  
**80mg**


ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at [www.latuda.com](http://www.latuda.com) or 1-888-394-7377.

Rx Only

Mfd. for Sunovion Pharmaceuticals Inc., Marlborough MA 01752 USA © 2013 Made in Japan

901397R02

Non-variant Area  
Area Reserved  
for Lot and Exp.









(b) (4)

3-panel card  
(Inside of  
Blister Card)

7 Tablets

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

**120 mg**  
per tablet

Rx Only

**SUNOVION**

Panel 1  
Front

Day 1 Day 5

Day 2 Day 6

Day 3 Day 7

Day 4

3 63402-312-07 3

Each tablet contains 120 mg of lurasidone HCl.

Panel 2  
Front

Follow your prescriber's instructions for taking Latuda<sup>®</sup> (lurasidone HCl) tablets.

If you have any questions about LATUDA or your condition, be sure to talk to your prescriber.

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

Panel 3  
Front

3-panel card  
(outside of  
Blister Card)

7 Tablets

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

**120 mg**  
per tablet

**Usual adult dosage:** One tablet, once a day, taken with food.  
Please see full prescribing information, including **Boxed Warning**.

**DOSAGE AND USE:** SEE PACKAGE INSERT

**Storage:** Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

**Not child resistant—keep this and all medication out of the reach of children.**

**In case of accidental ingestion, immediately contact your physician, pharmacist, or a poison control center.**

Manufactured for Sunovion Pharmaceuticals Inc.  
Marlborough MA 01752 USA  
Made in Japan  
© 2013 Sunovion Pharmaceuticals Inc.  
Please visit our website at [www.latuda.com](http://www.latuda.com)

Panel 3  
Back

7-day supply of Latuda<sup>®</sup> (lurasidone HCl) tablets

**120 mg**

Unprinted Seal Area / Panel 2 Back

7-day supply of Latuda<sup>®</sup> (lurasidone HCl) tablets

**120 mg**

Unprinted Seal Area / Panel 1 Back

2-panel card  
(outside of  
Blister Card)  
to be glued  
on the  
outside of the  
3-panel card

**Storage:** Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

Day 5 Day 1

Day 6 Day 2

Day 7 Day 3

Day 4

Die Cut Window for Lot and Exp

Area Reserved for CMO Verification Code

901536R01

Outside of Blister Card  
Panel 2 Back

NDC 63402-312-07 7 Tablets

PROFESSIONAL SAMPLE  
NOT FOR SALE OR REIMBURSEMENT

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

**120 mg**  
per tablet

Rx Only

**ATTENTION DISPENSER:** Dispense the enclosed Medication Guide to each patient.

**SUNOVION**

Outside of Blister Card  
Panel 1 Back

(b) (4)



(b) (4)



63402-312-30 1

Each tablet contains 120 mg of lurasidone HCl.  
DOSAGE AND USE: SEE PACKAGE INSERT  
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

NDC 63402-312-30 30 Tablets

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

**120 mg**

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at [www.latuda.com](http://www.latuda.com) or 1-888-394-7377.

Rx Only

 SUNOVION

Mfd. for Sunovion Pharmaceuticals Inc.,  
Marlborough MA 01752 USA © 2013  
Made in Japan

901398R01

Non-variish Area  
Area Reserved  
for Lot and Exp.



3 63402-312-905

Each tablet contains 120 mg of lurasidone HCl.  
DOSAGE AND USE: SEE PACKAGE INSERT  
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).

NDC 63402-312-90 90 Tablets

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

**120 mg**

ATTENTION DISPENSER: Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at [www.latuda.com](http://www.latuda.com) or 1-888-394-7377.

Rx Only

 SUNOVION

Mfd. for Sunovion Pharmaceuticals Inc.  
Marlborough, MA 01752 USA © 2013  
Made in Japan

901401R01

**NON-VARNISH AREA  
Area Reserved  
for LOT and EXP**


(b) (4)



Manufactured for  
Sunovion Pharmaceuticals Inc.  
Marlborough, MA 01752 USA  
Made in Japan  
© 2013 Sunovion Pharmaceuticals Inc.


NDC 63402-312-50 500 Tablets

**Latuda**<sup>®</sup>  
(lurasidone HCl) tablets

**120 mg** 

**ATTENTION DISPENSER:** Each time Latuda is dispensed give the patient the accompanying Medication Guide, also provided at [www.latuda.com](http://www.latuda.com) or 1-888-394-7377.

Rx Only


 **SUNOVION**

Each tablet contains 120 mg of lurasidone HCl.  
DOSAGE AND USE: SEE PACKAGE INSERT  
Storage: Store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F).  
Dispense in tight container with child-resistant closure.

901404R01

NON-VARNISH AREA  
Area Reserved  
for LOT and EXP

63402-312-509



---

**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**

---

/s/  
-----

MITCHELL V Mathis  
09/03/2013