

# Children's Allegra Allergy 12 Hour Liquid

## Liquid 4 oz Carton

10.08.20

ALG Kids 12hr 4oz Liq\_CTN\_FDA\_0100773-01\_DSN9.ai

(PDF of art being shown is submitted at 100% actual size)

**Children's Allegra<sup>®</sup>**  
**ALLERGY**

**12 HR**

NON-DROWSY

---

NDC 41167-4244-4

**2 Years & Older**

**Children's Allegra<sup>®</sup>**  
**ALLERGY**

**12 HR**

**Ages 2 Years & Older**

**Drug Facts (continued)**

**Other information**

- each 5 mL contains: sodium 18 mg
- safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing
- store between 20° and 25°C (68° and 77°F)

**Inactive ingredients**

butylparaben, edetate disodium, flavor, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic heptahydrate, sodium phosphate monobasic monohydrate, sucrose, titanium dioxide, xanthan gum, xylitol

**Questions or comments?**  
call toll-free 1-800-633-1610 or [www.allegra.com](http://www.allegra.com)

The makers of Allegra<sup>®</sup> do not make store brand products. The trade dress of this Allegra<sup>®</sup> package is subject to trademark protection.  
Dist. By: Chattem, Inc., a Sanofi Company  
Chattanooga, TN 37409-0219 ©2020  
Origin Germany  
0100773-01

**Children's Allegra<sup>®</sup>**  
**ALLERGY**

**12 HR**

NON-DROWSY

Liquid

**12 HR**

**INDOOR / OUTDOOR ALLERGY RELIEF**

- ✓ Sneezing
- ✓ Runny Nose
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose or Throat

4 fl. oz. (120 mL)

**Berry FLAVOR**

**Children's Allegra<sup>®</sup>**  
**ALLERGY**

**12 HR**

**Ages 2 Years & Older**

**Alcohol & Dye FREE**



**Berry FLAVOR**

**Use Only With Enclosed Dosing Cup**

Wash and let air dry after each use

**Drug Facts**

Active ingredient (in each 5 mL)	Purpose
Fexofenadine HCl 30 mg	Antihistamine

**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.  
**Ask a doctor before use if you have kidney disease.** Your doctor should determine if you need a different dose.

**When using this product**

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

**Stop use and ask a doctor if an allergic reaction to this product occurs.** Seek medical help right away.

**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ shake well before using  
■ use only with enclosed dosing cup

adults and children 12 years of age and over	take 10 mL every 12 hours; do not take more than 20 mL in 24 hours
children 2 to under 12 years of age	take 5 mL every 12 hours; do not take more than 10 mL in 24 hours
children under 2 years of age	ask a doctor
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Note: mL = milliliters



0 41167 42444 5

LOT:

EXP:

(b) (4)

# Children's Allegra Allergy 12 Hour Liquid

## Liquid 4 oz Bottle Label

### 10.09.20

ALG Kids 12hr 4oz Liq\_LBL\_FDA\_0100775-01\_DSN7.ai  
(PDF of art being shown is submitted at 100% actual size)

NDC 41167-4244-4

Alcohol & Dye FREE

**NON-DROWSY**  
**2 Years & Older**

**Children's Allegra®**  
**ALLERGY**

fexofenadine HCl oral suspension  
30 mg/5 mL antihistamine **12 HR**

**INDOOR / OUTDOOR ALLERGY RELIEF**  
Dosing Cup Included  
Wash & let air dry after each use **4 fl. oz. (120 mL)**

Active ingredient (in each 5 mL)	Purpose
Fexofenadine HCl 30 mg.....Antihistamine	■ use only with enclosed dosing cup ■ adults and children 12 years of age and over take 10 mL every 12 hours; do not take more than 20 mL in 24 hours
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat	■ children 2 to under 12 years of age take 5 mL every 12 hours; do not take more than 10 mL in 24 hours ■ children under 2 years of age ask a doctor ■ adults 65 years of age and older ask a doctor
<b>Warnings</b> Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.	■ consumers with kidney disease ask a doctor
<b>When using this product</b> ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions) <b>Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</b>	<b>Note:</b> mL = milliliters <b>Other information</b> ■ each 5 mL contains: sodium 18 mg ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing ■ store between 20° and 25°C (68° and 77°F)
<b>Directions</b> ■ shake well before using	<b>Inactive ingredients</b> butylparaben, edetate disodium, flavor, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic heptahydrate, sodium phosphate monobasic monohydrate, sucrose, titanium dioxide, xanthan gum, xylitol <b>Questions or comments?</b> call toll-free 1-800-633-1610 or <a href="http://www.allegra.com">www.allegra.com</a>

Dist. By: Chatterm, Inc., a Sanofi Company, Chattanooga, TN 37409-0219  
The trade dress of this Allegra® package is subject to trademark protection. © 2020 Origin Germany

0100775-01  
LOT  
EXP

(b) (4)



# Children's Allegra Allergy 12 Hour Liquid

## Liquid 8 oz Bottle Label

### 10.09.20

ALG Kids 12hr 8oz Liq\_LBL\_FDA\_0100776-01\_DSN5.ai  
(PDF of art being shown is submitted at 100% actual size)

NDC 41167-4244-1

**NON-DROWSY**  
2 Years & Older

Alcohol & Dye  
**FREE**

**Children's Allegra**  
**ALLERGY**

fexofenadine HCl oral suspension  
30 mg/5 mL antihistamine

**12 HR**

**INDOOR / OUTDOOR ALLERGY RELIEF**

Dosing Cup Included  
Wash & let air dry after each use

8 fl. oz. (240 mL)

Active ingredient (in each 5 mL)	Purpose
Fexofenadine HCl 30 mg.....Antihistamine	■ use only with enclosed dosing cup ■ <b>adults and children 12 years of age and over</b> take 10 mL every 12 hours; do not take more than 20 mL in 24 hours ■ <b>children 2 to under 12 years of age</b> take 5 mL every 12 hours; do not take more than 10 mL in 24 hours ■ <b>children under 2 years of age</b> ask a doctor ■ <b>adults 65 years of age and older</b> ask a doctor ■ <b>consumers with kidney disease</b> ask a doctor Note: mL = milliliters <b>Other information</b> ■ each 5 mL contains: <b>sodium 18 mg</b> ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing ■ store between 20° and 25°C (68° and 77°F) <b>inactive ingredients</b> butylparaben, edetate disodium, flavor, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic heptahydrate, sodium phosphate monobasic monohydrate, sucrose, titanium dioxide, xanthan gum, xylitol <b>Questions or comments?</b> call toll-free 1-800-633-1610 or <a href="http://www.allegra.com">www.allegra.com</a>
<b>Uses</b> temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat	
<b>Warnings</b> Do not use if you have ever had an allergic reaction to this product or any of its ingredients. <b>Ask a doctor before use if you have kidney disease.</b> Your doctor should determine if you need a different dose. <b>When using this product</b> ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions) <b>Stop use and ask a doctor if</b> an allergic reaction to this product occurs. Seek medical help right away. <b>If pregnant or breast-feeding,</b> ask a health professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■ shake well before using	

Dist. By: Chatterm, Inc., a Sanofi Company, Chattanooga, TN 37409-0219  
The trade dress of this Allegra® package is subject to trademark protection. ©2020 Origin Germany

0100776-01  
LOT  
EXP

(b) (4)