

Children's Allegra Allergy 12 Hour Liquid

Liquid 4 oz Carton

11.09.20

ALG Kids 12hr 4oz Grape Liq_CTN_FDA_0165718-01_DSN.ai
(PDF of art being shown is submitted at 100% actual size)

Children's Allegra ALLERGY 12 HR
NON-DROWSY
NDC 41167-4246-4
2 Years & Older

NEW GRAPE FLAVOR!
Alcohol & Dye FREE

Children's Allegra ALLERGY 12 HR
Ages 2 Years & Older

Drug Facts (continued)
Other information
■ each 5 mL contains: sodium 18 mg
■ safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing
■ store between 20° and 25°C (68° and 77°F)

Inactive ingredients
butylparaben, edetate disodium, flavor, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic heptahydrate, sodium phosphate monobasic monohydrate, sucrose, titanium dioxide, xanthan gum, xylitol

Questions or comments?
call toll-free 1-800-633-1610 or www.allegra.com

The makers of Allegra® do not make store brand products. The trade dress of this Allegra® package is subject to trademark protection.
Dist. By: Chattem, Inc., a Sanofi Company
Chattanooga, TN 37409-0219 ©2020
Origin Germany

Children's Allegra ALLERGY 12 HR
Ages 2 Years & Older

Drug Facts
Active ingredient (in each 5 mL) Purpose
Fexofenadine HCl 30 mg, Antihistamine

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose ■ itchy, watery eyes
■ sneezing ■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product
■ do not take more than directed
■ do not take at the same time as aluminum or magnesium antacids
■ do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ shake well before using
■ use only with enclosed dosing cup

adults and children 12 years of age and over	take 10 mL every 12 hours; do not take more than 20 mL in 24 hours
children 2 to under 12 years of age	take 5 mL every 12 hours; do not take more than 10 mL in 24 hours
children under 2 years of age	ask a doctor
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Note: mL = milliliters

Children's Allegra ALLERGY 12 HR
fexofenadine HCl oral suspension
30 mg/5 mL antihistamine

NON-DROWSY Liquid
12 HR
INDOOR / OUTDOOR ALLERGY RELIEF
✓ Sneezing
✓ Runny Nose
✓ Itchy, Watery Eyes
✓ Itchy Nose or Throat
4 fl. oz. (120 mL)

Alcohol & Dye FREE
Grape FLAVOR

Use Only With Enclosed Dosing Cup
Wash and let air dry after each use

0165718-01

0 41167 42464 3

LOT:
EXP:

Sanofi Regulatory Specifications		Verified Date: 11/09/20
Drug Facts Info		
Drug Facts (Title)	Font name: Helvetica Neue 77 Bold Condensed Oblique	14 point type
Drug Facts (continued)	Font name: Helvetica Neue 77 Bold Condensed Oblique / Helvetica Neue 57 Condensed	8 point type
Headings	Font name: Helvetica Neue 77 Bold Condensed Oblique	8 point type
Subheadings	Font name: Helvetica Neue 77 Bold Condensed	6 point type
Body Text	Font name: Helvetica Neue 57 Condensed	6 point type
Bullets	Font name: Universal News w. Commercial Pi 97	5 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		YES
Spacing of the hairlines from edge of box – i.e. Minimum of 1 space either side of Drug Facts Box		YES
Tracking:	0 to 8 pt.	Horizontal Scale: 98%-102%
Leading (Minimum space in body of Drug Facts):	6.5 pt.	Maximum Characters/Inch: 39
Barlines:	2.5 pt.	Hairlines: 0.5 pt.
Principal Display Panel Info		
Font size of Net Quantity of Contents (Smallest character height in inches)		.125 in
PDP dimensions (in millimeters)		H 129.15 mm W 50.2 mm
PDP dimensions (in square inches)		H 5.08 in W 1.98 in (10.06 sq in)
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")		10 pt
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")		32 pt
Ratio of Statement of Identity to Logo/Largest Copy on PDP Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		31.03%

Children's Allegra Allergy 12 Hour Liquid

Liquid 4 oz Bottle Label

11.09.20

ALG Kids 12hr 4oz Grape Liq_LBL_FDA_0165719-01_DSN.ai
(PDF of art being shown is submitted at 100% actual size)

Active ingredient
(in each 5 mL)
Fexofenadine HCl 30 mg.....Antihistamine

Purpose
Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat

Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. **Ask a doctor before use if you have kidney disease.** Your doctor should determine if you need a different dose.

When using this product ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions) **Stop use and ask a doctor if an allergic reaction to this product occurs.** Seek medical help right away. **If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ shake well before using

■ use only with enclosed dosing cup ■ **adults and children 12 years of age and over** take 10 mL every 12 hours; do not take more than 20 mL in 24 hours
■ **children 2 to under 12 years of age** take 5 mL every 12 hours; do not take more than 10 mL in 24 hours
■ **children under 2 years of age** ask a doctor
■ **adults 65 years of age and older** ask a doctor
■ **consumers with kidney disease** ask a doctor
Note: mL = milliliters **Other information**
■ each 5 mL contains: **sodium 18 mg** ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing ■ store between 20° and 25°C (68° and 77°F)
Inactive ingredients butylparaben, edetate disodium, flavor, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic heptahydrate, sodium phosphate monobasic monohydrate, sucrose, titanium dioxide, xanthan gum, xylitol **Questions or comments?** call toll-free **1-800-633-1610** or www.allegra.com

0165719-01
LOT
EXP

Dist. By: Chatten, Inc., a Sanofi Company, Chattanooga, TN 37409-0219
The trade dress of this Allegra® package is subject to trademark protection. © 2020 Origin Germany

Sanofi Regulatory Specifications		Verified Date: 11/09/20
Drug Facts Info		
Subheadings	Font name: Helvetica Neue 77 Bold Condensed	6.1 point type
Body Text	Font name: Helvetica Neue 57 Condensed	6.1 point type
Bullets	Font name: Universal News w. Commercial Pi 97	6.1 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		YES
Spacing of the hairlines from edge of box – i.e. Minimum of 1 space either side of Drug Facts Box		YES
Tracking:	0 to 8 pt.	Horizontal Scale: 98%-102%
Leading (Minimum space in body of Drug Facts):	6.7 pt.	Maximum Characters/Inch: 29
Barlines:	2.5 pt.	Hairlines: 0.5 pt.
Principal Display Panel Info		
Font size of Net Quantity of Contents (Smallest character height in inches)		.125 in
PDP dimensions (in millimeters)		H 66.81 mm W 68.07 mm
PDP dimensions (in inches)		H 2.63 in W 2.68 in (7.05 sq in)
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")		10.6 pt
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")		33 pt
Ratio of Statement of Identity to Logo/Largest Copy on PDP Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		32%



Children's Allegra Allergy 12 Hour Grape Liquid
Liquid 8 oz Carton
11.09.20
ALG Kids 12hr 8oz Grape Liq_CTN_FDA_0165715-01_DSN2.ai
(PDF of art being shown is submitted at 100% actual size)

Sanofi Regulatory Specifications		Verified Date: 11/09/20
Drug Facts Info		
Drug Facts (Title)	Font name: Helvetica Neue 77 Bold Condensed Oblique	14 point type
Headings	Font name: Helvetica Neue 77 Bold Condensed Oblique	8 point type
Subheadings	Font name: Helvetica Neue 77 Bold Condensed	6 point type
Body Text	Font name: Helvetica Neue 57 Condensed	6 point type
Bullets	Font name: Universal News w. Commercial Pi 97	5 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		YES
Spacing of the hairlines from edge of box - i.e. Minimum of 1 space either side of Drug Facts Box		YES
Tracking:	0 to 8 pt.	Horizontal Scale: 98%-102%
Leading (Minimum space in body of Drug Facts):	6.5 pt.	Maximum Characters/Inch: 37
Barlines:	2.5 pt.	Hairlines: 0.5 pt.
Principal Display Panel Info		
Font size of Net Quantity of Contents (Smallest character height in inches)		.125 in
PDP dimensions (in millimeters)		H 166.55 mm W 61.1 mm
PDP dimensions (in square inches)		H 6.56 in W 2.41 in (15.81 sq in)
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")		12 pt
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")		38.5 pt
Ratio of Statement of Identity to Logo/Largest Copy on PDP		32%

Children's Allegra Allergy 12 Hour Grape Liquid

Liquid 8 oz Bottle Label

11.09.20


ALG Kids 12hr 8oz Grape Liq_LBL_FDA_0165716-01_DSN.ai
(PDF of art being shown is submitted at 100% actual size)

NDC 41167-4246-2

NON-DROWSY

2 Years & Older

Alcohol & Dye FREE



Children's Allegra®

ALLERGY

fexofenadine HCl oral suspension
30 mg/5 mL antihistamine

12 HR Grape FLAVOR

INDOOR / OUTDOOR ALLERGY RELIEF

Dosing Cup Included
Wash & let air dry after each use

8 fl. oz. (240 mL)

Active ingredient (in each 5 mL)
Fexofenadine HCl 30 mg.....Antihistamine
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat
Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. **Ask a doctor before use if you have** kidney disease. Your doctor should determine if you need a different dose. **When using this product** ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions) **Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away. **If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.
Directions ■ shake well before using

Purpose
■ use only with enclosed dosing cup ■ **adults and children 12 years of age and over** take 10 mL every 12 hours; do not take more than 20 mL in 24 hours ■ **children 2 to under 12 years of age** take 5 mL every 12 hours; do not take more than 10 mL in 24 hours ■ **children under 2 years of age** ask a doctor ■ **adults 65 years of age and older** ask a doctor ■ **consumers with kidney disease** ask a doctor Note: mL = milliliters **Other information**
■ each 5 mL contains: **sodium 18 mg** ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing ■ store between 20° and 25°C (68° and 77°F)
Inactive ingredients butylparaben, edetate disodium, flavor, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic heptahydrate, sodium phosphate monobasic monohydrate, sucrose, titanium dioxide, xanthan gum, xylitol **Questions or comments?** call toll-free **1-800-633-1610** or www.allegra.com

Dist. By: Chatterm, Inc., a Sanofi Company, Chattanooga, TN 37409-0219
The trade dress of this Allegra® package is subject to trademark protection. © 2020 Origin Germany

0165716-01
LOT
EXP

Sanofi Regulatory Specifications		Verified Date: 11/09/20
Drug Facts Info		
Subheadings	Font name: Helvetica Neue 77 Bold Condensed	7 point type
Body Text	Font name: Helvetica Neue 57 Condensed	7 point type
Bullets	Font name: Universal News w. Commercial Pi 97	7 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		YES
Spacing of the hairlines from edge of box – i.e. Minimum of 1 space either side of Drug Facts Box		YES
Tracking:	0 to 8 pt.	Horizontal Scale: 98%-102%
Leading (Minimum space in body of Drug Facts):	7 pt.	Maximum Characters/Inch: 39
Barlines:	N/A	Hairlines: 0.5 pt.
Principal Display Panel Info		
Font size of Net Quantity of Contents (Smallest character height in inches)		.125 in
PDP dimensions (in millimeters)		H 76.2 mm W 87.63 mm
PDP dimensions (in inches)		H 3 in W 3.45 in (10.35 sq in)
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")		12 pt
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")		37 pt
Ratio of Statement of Identity to Logo/Largest Copy on PDP Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		32.4%

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
03/17/2021 09:29:20 PM