

533
Reading Direction ←

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension) 2 mg

3 0078-0626-51 4

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

Each tablet contains 2 mg everolimus

For oral use.
See package insert for dosage information. See enclosed Afinitor DISPERZ Instructions for Use.
Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F).
See USP Controlled Room Temperature. Store in the original container, protect from light and moisture.
Keep this and all drugs out of the reach of children.

Manufactured by:
Novartis Pharma Stein AG Novartis Pharmaceuticals Corporation
Stein, Switzerland East Hanover, New Jersey 07936
©Novartis 46335533-US Product of Slovenia

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension
Carton contains 4 individual blister cards of 7 tablets.

NDC 0078-0626-51
Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.

Each tablet contains 2 mg everolimus

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

46335533-US
533

GTIN: 00300780626514

LOT
EXP

533
Reading Direction →

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

Each tablet contains 2 mg everolimus

For oral use.

See package insert for dosage information. See enclosed Afinitor DISPERZ Instructions for Use. Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container; protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by:
Novartis Pharma Stein AG
Stein, Switzerland

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936

©Novartis

46335530-US
Product of Switzerland



28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension

Carton contains 4 individual blister cards
of 7 tablets.

NDC 0078-0626-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

**TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.**

Each tablet contains 2 mg everolimus



28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

46335530-US
553

LOT
EXP

GTIN: 00300780626514



553
Reading Direction



AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)
2 mg



3 0078-0626-51 4

553
Reading Direction

Rx only

AFINITOR DISPERZ®
(everolimus tablets for oral suspension)

2 mg

Each tablet contains 2 mg everolimus

For oral use.

See package insert for dosage information. See enclosed Afinitor DISPERZ Instructions for Use. Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container; protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by:
Sandoz S.R.L.,
Targu Mures, Romania
©Novartis

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936
46334821-US
Product of Slovenia



28 Tablets for Oral Suspension

AFINITOR DISPERZ®
(everolimus tablets for oral suspension)

2 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension

Carton contains 4 individual blister cards
of 7 tablets.

NDC 0078-0626-51

Rx only

AFINITOR DISPERZ®
(everolimus tablets for oral suspension)

2 mg

TABLETS MUST BE DISPERSED IN WATER.

TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.

Each tablet contains 2 mg everolimus



28 Tablets for Oral Suspension

AFINITOR DISPERZ®
(everolimus tablets for oral suspension)

2 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

46334821-US
821

GTIN: 00300780626514

LOT:
EXP.:



821
Reading Direction

AFINITOR DISPERZ®
(everolimus tablets for oral suspension) **2 mg**



3Z 0078-0626-51 4

821
Reading Direction



Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

Each tablet contains 2 mg everolimus

For oral use.
See package insert for dosage information. See enclosed Afinitor DISPERZ Instructions for Use.
Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F).
See USP Controlled Room Temperature. Store in the original container; protect from light and moisture.
Keep this and all drugs out of the reach of children.

Manufactured by:
Sandoz S.R.L.
Targu Mures, Romania
©Novartis

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936
Product of Switzerland
46334820-US

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension
Carton contains 4 individual blister cards of 7 tablets.

NDC 0078-0626-51
Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

**TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.**

Each tablet contains 2 mg everolimus

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

46334820-US
482

GTIN: 00300780626514

LOT:
EXP.:




AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)
2 mg

3 0078-0626-51 4

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)
2 mg

482
Reading Direction

482
Reading Direction



<p style="text-align: center;">NDC 0078-0626-61 Afinitor Disperz® (everolimus tablet for oral suspension) 2 mg Rx Only</p> <p>Store at 20°C - 25°C (68°F - 77°F). Store in original container. Protect from light and moisture. 46334822-US 822 ©Novartis</p> <p style="text-align: right;">LOT EXP</p> <p style="text-align: center;">46334822-US 822 EMPTY CAVITY</p>	<p style="text-align: center;">NDC 0078-0626-61 Afinitor Disperz® (everolimus tablet for oral suspension) 2 mg Rx Only</p> <p>Store at 20°C - 25°C (68°F - 77°F). Store in original container. Protect from light and moisture. 46334822-US 822 ©Novartis</p> <p style="text-align: right;">LOT EXP</p> <p style="text-align: center;">46334822-US 822 EMPTY CAVITY</p>	<p style="text-align: center;">NDC 0078-0626-61 Afinitor Disperz® (everolimus tablet for oral suspension) 2 mg Rx Only</p> <p>Store at 20°C - 25°C (68°F - 77°F). Store in original container. Protect from light and moisture. 46334822-US 822 ©Novartis</p> <p style="text-align: right;">LOT EXP</p> <p style="text-align: center;">46334822-US 822 EMPTY CAVITY</p>	<p style="text-align: center;">NDC 0078-0626-61 Afinitor Disperz® (everolimus tablet for oral suspension) 2 mg Rx Only</p> <p>Store at 20°C - 25°C (68°F - 77°F). Store in original container. Protect from light and moisture. 46334822-US 822 ©Novartis</p> <p style="text-align: right;">LOT EXP</p> <p style="text-align: center;">46334822-US 822 EMPTY CAVITY</p>
<p style="text-align: center;">NDC 0078-0626-61 Afinitor Disperz® (everolimus tablet for oral suspension) 2 mg Rx Only</p> <p>Store at 20°C - 25°C (68°F - 77°F). Store in original container. Protect from light and moisture. 46334822-US 822 ©Novartis</p> <p style="text-align: right;">LOT EXP</p> <p style="text-align: center;">46334822-US 822 EMPTY CAVITY</p>	<p style="text-align: center;">NDC 0078-0626-61 Afinitor Disperz® (everolimus tablet for oral suspension) 2 mg Rx Only</p> <p>Store at 20°C - 25°C (68°F - 77°F). Store in original container. Protect from light and moisture. 46334822-US 822 ©Novartis</p> <p style="text-align: right;">LOT EXP</p> <p style="text-align: center;">46334822-US 822 EMPTY CAVITY</p>	<p style="text-align: center;">NDC 0078-0626-61 Afinitor Disperz® (everolimus tablet for oral suspension) 2 mg Rx Only</p> <p>Store at 20°C - 25°C (68°F - 77°F). Store in original container. Protect from light and moisture. 46334822-US 822 ©Novartis</p> <p style="text-align: right;">LOT EXP</p> <p style="text-align: center;">46334822-US 822 EMPTY CAVITY</p>	<p style="text-align: center;">NDC 0078-0626-61 Afinitor Disperz® (everolimus tablet for oral suspension) 2 mg Rx Only</p> <p>Store at 20°C - 25°C (68°F - 77°F). Store in original container. Protect from light and moisture. 46334822-US 822 ©Novartis</p> <p style="text-align: right;">LOT EXP</p> <p style="text-align: center;">46334822-US 822 EMPTY CAVITY</p>

Code Reading Direction
 822





Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

Each tablet contains 3 mg everolimus

For oral use.

See package insert for dosage information. See enclosed Afinitor DISPERZ Instructions for Use. Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container; protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by:
Sandoz S.R.L.,
Targu Mures, Romania
©Novartis

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936
46334797-US
Product of Switzerland

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension

Carton contains 4 individual blister cards
of 7 tablets.

NDC 0078-0627-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

**TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.**

Each tablet contains 3 mg everolimus

 **NOVARTIS**

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

46334797-US
797

GTIN: 00300780627511

LOT:
EXP.:




797
Reading Direction →



AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)
3 mg

797
Reading Direction ←



Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

Each tablet contains 3 mg everolimus

For oral use.

See package insert for dosage information. See enclosed Afinitor DISPERZ Instructions for Use. Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container, protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by:
Novartis Pharma Stein AG
Stein, Switzerland
©Novartis
46335531-US

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936
Product of Switzerland

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension

Carton contains 4 individual blister cards of 7 tablets.

NDC 0078-0627-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

**TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.**

Each tablet contains 3 mg everolimus

 **NOVARTIS**

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

46335531-US
531

GTIN: 00300780627511

LOT
EXP



531
Reading Direction

531
Reading Direction

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)
3 mg
NDC 0078-0627-51


798
Reading Direction

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

Each tablet contains 3 mg everolimus

For oral use.
See package insert for dosage information. See enclosed Afinitor DISPERZ Instructions for Use.
Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F).
See USP Controlled Room Temperature. Store in the original container, protect from light and moisture.
Keep this and all drugs out of the reach of children.

Manufactured by:
Sandoz S.R.L.,
Targu Mures, Romania

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936

©Novartis 46334798-US Product of Slovenia

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension
Carton contains 4 individual blister cards of 7 tablets.

NDC 0078-0627-51
Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.

Each tablet contains 3 mg everolimus

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

NOVARTIS

46334798-US
798

GTIN: 00300780627511

LOT:
EXP.:

798
Reading Direction

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)
3 mg

3 0078-0627-51 1



Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

Each tablet contains 3 mg everolimus

For oral use.

See package insert for dosage information. See enclosed Afinitor DISPERZ Instructions for Use. Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container; protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by:
Novartis Pharma Stein AG
Stein, Switzerland

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936

©Novartis 46335534-US

Product of Slovenia

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

LOT
EXP

28 Tablets for Oral Suspension

Carton contains 4 individual blister cards
of 7 tablets.

NDC 0078-0627-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

**TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.**

Each tablet contains 3 mg everolimus

 **NOVARTIS**

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension) **3 mg**



534
Reading Direction

534
Reading Direction



GTIN: 00300780627511

46335534-US
534

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

Each tablet contains 5 mg everolimus

For oral use.

See package insert for dosage information.
See enclosed Afinitor DISPERZ Instructions for Use.
Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container; protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by:
Sandoz S.R.L.,
Targu Mures, Romania
©Novartis

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936
46334823-US
Product of Switzerland



28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension


Carton contains 4 individual blister cards
of 7 tablets.

NDC 0078-0628-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg



**TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.**

Each tablet contains 5 mg everolimus



 NOVARTIS

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.



AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)
5 mg

823
Reading Direction

46334823-US
823

GTIN: 00300780628518

LOT:
EXP.:



823
Reading Direction

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

Each tablet contains 5 mg everolimus

For oral use.
See package insert for dosage information.
See enclosed Afinitor DISPERZ Instructions for Use.
Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature.
Store in the original container; protect from light and moisture.
Keep this and all drugs out of the reach of children.

Manufactured by: Novartis Pharma Stein AG
Stein, Switzerland
©Novartis
Distributed by: Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936
46335532-US
Product of Switzerland

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension

Carton contains 4 individual blister cards of 7 tablets.

NDC 0078-0628-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

**TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.**

Each tablet contains 5 mg everolimus

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

NOVARTIS

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

46335532-US
532

LOT
EXP

GTIN: 00300780628518



532
Reading Direction



3 0078-0628-51 8

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)
5 mg



532
Reading Direction

824
Reading Direction →

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

Each tablet contains 5 mg everolimus

For oral use.
See package insert for dosage information.
See enclosed Afinitor DISPERZ Instructions for Use.
Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container; protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by:
Sandoz S.R.L.,
Targu Mures, Romania
©Novartis

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936
46334824-US
Product of Slovenia

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension
Carton contains 4 individual blister cards of 7 tablets.

NDC 0078-0628-51
Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.

Each tablet contains 5 mg everolimus

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

824
Reading Direction →

GTIN: 00300780628518

LOT: _____
EXP.: _____

46334824-US
824

3 0078-0628-51 8
N

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

824
Reading Direction →

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

Each tablet contains 5 mg everolimus

For oral use.
See package insert for dosage information.
See enclosed AFINITOR DISPERZ Instructions for Use.
Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container; protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by:
Novartis Pharma Stein AG
Stein, Switzerland
©Novartis

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936
46335535-US
Product of Slovenia

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension

Carton contains 4 individual blister cards of 7 tablets.

NDC 0078-0628-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

**TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.**

Each tablet contains 5 mg everolimus

 NOVARTIS

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.



AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)
5 mg



535
Reading Direction











46335535-US
535

GTIN: 00300780628518

LOT
EXP



535
Reading Direction

<p>NDC 0078-0628-61</p> <p>Afinitor Disperz[®] (everolimus tablet for oral suspension) 5 mg Rx Only</p> <p>Store at 20°C - 25°C (68°F - 77°F). Store in original container. Protect from light and moisture.</p> <p>46334825-US 825 ©Novartis</p> <p>LOT EXP</p> 	<p>NDC 0078-0628-61</p> <p>Afinitor Disperz[®] (everolimus tablet for oral suspension) 5 mg Rx Only</p> <p>Store at 20°C - 25°C (68°F - 77°F). Store in original container. Protect from light and moisture.</p> <p>46334825-US 825 ©Novartis</p> <p>LOT EXP</p> 	<p>NDC 0078-0628-61</p> <p>Afinitor Disperz[®] (everolimus tablet for oral suspension) 5 mg Rx Only</p> <p>Store at 20°C - 25°C (68°F - 77°F). Store in original container. Protect from light and moisture.</p> <p>46334825-US 825 ©Novartis</p> <p>LOT EXP</p> 	<p>NDC 0078-0628-61</p> <p>Afinitor Disperz[®] (everolimus tablet for oral suspension) 5 mg Rx Only</p> <p>Store at 20°C - 25°C (68°F - 77°F). Store in original container. Protect from light and moisture.</p> <p>46334825-US 825 ©Novartis</p> <p>LOT EXP</p> 
<p>46334825-US 825</p> <p>EMPTY CAVITY</p>	<p>46334825-US 825</p> <p>EMPTY CAVITY</p>	<p>46334825-US 825</p> <p>EMPTY CAVITY</p>	<p>46334825-US 825</p> <p>EMPTY CAVITY</p>
<p>NDC 0078-0628-61</p> <p>Afinitor Disperz[®] (everolimus tablet for oral suspension) 5 mg Rx Only</p> <p>Store at 20°C - 25°C (68°F - 77°F). Store in original container. Protect from light and moisture.</p> <p>46334825-US 825 ©Novartis</p> <p>LOT EXP</p> 	<p>46334825-US 825</p> <p>EMPTY CAVITY</p>	<p>NDC 0078-0628-61</p> <p>Afinitor Disperz[®] (everolimus tablet for oral suspension) 5 mg Rx Only</p> <p>Store at 20°C - 25°C (68°F - 77°F). Store in original container. Protect from light and moisture.</p> <p>46334825-US 825 ©Novartis</p> <p>LOT EXP</p> 	<p>46334825-US 825</p> <p>EMPTY CAVITY</p>
<p>46334825-US 825</p> <p>EMPTY CAVITY</p>	<p>46334825-US 825</p> <p>EMPTY CAVITY</p>	<p>46334825-US 825</p> <p>EMPTY CAVITY</p>	<p>46334825-US 825</p> <p>EMPTY CAVITY</p>
<p>NDC 0078-0628-61</p> <p>Afinitor Disperz[®] (everolimus tablet for oral suspension) 5 mg Rx Only</p> <p>Store at 20°C - 25°C (68°F - 77°F). Store in original container. Protect from light and moisture.</p> <p>46334825-US 825 ©Novartis</p> <p>LOT EXP</p> 	<p>NDC 0078-0628-61</p> <p>Afinitor Disperz[®] (everolimus tablet for oral suspension) 5 mg Rx Only</p> <p>Store at 20°C - 25°C (68°F - 77°F). Store in original container. Protect from light and moisture.</p> <p>46334825-US 825 ©Novartis</p> <p>LOT EXP</p> 	<p>NDC 0078-0628-61</p> <p>Afinitor Disperz[®] (everolimus tablet for oral suspension) 5 mg Rx Only</p> <p>Store at 20°C - 25°C (68°F - 77°F). Store in original container. Protect from light and moisture.</p> <p>46334825-US 825 ©Novartis</p> <p>LOT EXP</p> 	<p>NDC 0078-0628-61</p> <p>Afinitor Disperz[®] (everolimus tablet for oral suspension) 5 mg Rx Only</p> <p>Store at 20°C - 25°C (68°F - 77°F). Store in original container. Protect from light and moisture.</p> <p>46334825-US 825 ©Novartis</p> <p>LOT EXP</p> 



Ramesh
Raghavachari

Digitally signed by Ramesh Raghavachari
Date: 3/11/2024 03:29:20PM
GUID: 502d0913000029f375128b0de8c50020