


NDC 76014-004-32 Rx Only Discard after ___/___/___ Time ___ (AM/PM)

Vazculep[®]
(Phenylephrine HCl Injection, USP)


50 mg/5 mL
(10 mg/mL)

5 mL Vial For Intravenous Use
Pharmacy Bulk Package - Not for Direct Infusion

Must Be Diluted
Protect From Light

 Avadel

The Pharmacy Bulk Vial is to be used only in a suitable work area such as a laminar flow hood (or an equivalent clean air compounding area). Dispensing from a pharmacy bulk vial should be completed within 4 hours after the vial is penetrated. Store in carton until time of use. Store at 15° to 30° C (59° to 86° F) (See USP Controlled Room Temperature).
Directions for Use: See Package Insert.
Mfg. for Avadel Legacy Pharmaceuticals, LLC

 76014-004-32

Rev. 08/19

LOT: _____
EXP: _____


NDC 76014-004-33 Rx Only Discard after ___/___/___ Time ___ (AM/PM)

Vazculep[®]
(Phenylephrine HCl Injection, USP)


100 mg/10 mL
(10 mg/mL)

10 mL Vial For Intravenous Use
Pharmacy Bulk Package - Not for Direct Infusion

Must Be Diluted
Protect From Light

 Avadel

The Pharmacy Bulk Vial is to be used only in a suitable work area such as a laminar flow hood (or an equivalent clean air compounding area). Dispensing from a pharmacy bulk vial should be completed within 4 hours after the vial is penetrated. Store in carton until time of use. Store at 15° to 30° C (59° to 86° F) (See USP Controlled Room Temperature).
Directions for Use: See Package Insert.
Mfg. for Avadel Legacy Pharmaceuticals, LLC

 76014-004-33

Rev. 08/19

LOT: _____
EXP: _____

NDC 68001-331-65 Rx Only Discard after ___/___/___ Time ___ (AM/PM)

Vazculep[®]
Phenylephrine HCl
Injection, USP

100 mg/10 mL
(10 mg/mL)

For Intravenous Use
Pharmacy Bulk Package - Not for Direct Infusion

Must Be Diluted
Protect From Light
10 mL Vial

 BluePoint

Date of Entry ___/___/___
Time of Entry ___ (AM/PM)


The Pharmacy Bulk Vial is to be used only in a suitable work area such as a laminar flow hood (or an equivalent clean air compounding area). Dispensing from a pharmacy bulk vial should be completed within 4 hours after the vial is penetrated. Store in carton until time of use. Store at 15° to 30° C (59° to 86° F) (See USP Controlled Room Temperature).
Directions for Use: See Package Insert.
Mfg. for Avadel Legacy Pharmaceuticals, LLC
For BluePoint Laboratories

 68001-331-65


Rev. 08/19

LOT: _____
EXP: _____


NDA 204300/S-011
Page 5




NDA 204300/S-011
Page 6



NDA 204300/S-011
Page 7



NDA 204300/S-011
Page 8



This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

RIGOBERTO A ROCA
03/20/2020 01:46:08 PM