


NDA 204485/S-025
 Page 3



NDA 204485/S-025
Page 4

PULL

NDC 42023-237-01 Rx only

Vasopressin[®]
(Vasopressin in 5% Dextrose Injection)
20 Units per 100 mL
(0.2 units per mL)

**For Intravenous Infusion
Ready to Use**
100 mL Single Dose Vial

PAR
PHARMACEUTICAL

Each mL of the 0.2 unit/mL strength also contains dextrose anhydrous, 0.0546 mg acetic acid, 0.012 mg sodium acetate and Water for Injection, USP. Sodium hydroxide and hydrochloric acid are included to adjust to a pH of 3.8.

Dosage: See full prescribing information.

Store between 2°C and 8°C (36°F and 46°F). Vials may be held at 20°C to 25°C (68°F to 77°F) for up to 12 months. Avoid freezing.

Distributed by:
Par Pharmaceutical
Chestnut Ridge, NY 10977
R/07/2022 LA237J-52-90-02

Vasopressin (Vasopressin in 5% Dextrose Injection)
20 units per 100 mL (0.2 units per mL)

LOT
EXP
3 0 0 3 8 4 4 A

PULL

NDC 42023-219-01 Rx only

Vasopressin[®]
(Vasopressin in 5% Dextrose Injection)
40 Units per 100 mL
(0.4 units per mL)

**For Intravenous Infusion
Ready to Use**
100 mL Single Dose Vial

PAR
PHARMACEUTICAL

Each mL of the 0.4 unit/mL strength also contains dextrose anhydrous, 0.0546 mg acetic acid, 0.012 mg sodium acetate and Water for Injection, USP. Sodium hydroxide and hydrochloric acid are included to adjust to a pH of 3.8.

Dosage: See full prescribing information.

Store between 2°C and 8°C (36°F and 46°F). Vials may be held at 20°C to 25°C (68°F to 77°F) for up to 12 months. Avoid freezing.

Distributed by:
Par Pharmaceutical
Chestnut Ridge, NY 10977
R/07/2022 LA219J-52-90-02

Vasopressin (Vasopressin in 5% Dextrose Injection)
40 units per 100 mL (0.4 units per mL)

LOT
EXP
3 0 0 3 8 3 2 A

PULL

NDC 42023-220-01 Rx only

Vasopressin[®]
(Vasopressin in 5% Dextrose Injection)
60 Units per 100 mL
(0.6 units per mL)

**For Intravenous Infusion
Ready to Use**
100 mL Single Dose Vial

PAR
PHARMACEUTICAL

Each mL of the 0.6 unit/mL strength also contains dextrose anhydrous, 0.0546 mg acetic acid, 0.012 mg sodium acetate and Water for Injection, USP. Sodium hydroxide and hydrochloric acid are included to adjust to a pH of 3.8.

Dosage: See full prescribing information.

Store between 2°C and 8°C (36°F and 46°F). Vials may be held at 20°C to 25°C (68°F to 77°F) for up to 12 months. Avoid freezing.

Distributed by:
Par Pharmaceutical
Chestnut Ridge, NY 10977
R/07/2022 LA220J-52-90-02

Vasopressin (Vasopressin in 5% Dextrose Injection)
60 units per 100 mL (0.6 units per mL)

LOT
EXP
3 0 0 3 8 3 0 A

This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>



Gurpreet
Gill Sangha

Digitally signed by Gurpreet Gill Sangha
Date: 9/14/2022 07:45:48PM
GUID: 5135f2ad000117842392c50c36c7f28a