







PULL

NDC 42023-237-01 Rx only

Vasopressin Injection, USP
20 Units per 100 mL
(0.2 units per mL)

For Intravenous Infusion
Ready to Use
100 mL Single Dose Vial

PAR PHARMACEUTICAL

Each mL of the 0.2 unit/mL strength also contains dextrose anhydrous, 0.0546 mg acetic acid, 0.012 mg sodium acetate and Water for Injection, USP. Sodium hydroxide and hydrochloric acid are included to adjust to a pH of 3.8.

Dosage: See full prescribing information.

In 5% Dextrose

Store between 2°C and 8°C (36°F and 46°F). Vials may be held at 20°C to 25°C (68°F to 77°F) for up to 12 months.

Avoid freezing.

Distributed by:
Par Pharmaceutical
Chesham Ridge, NY 10977
R05/2022 LA237J-52-90-02

Vasopressin Injection, USP
20 units per 100 mL (0.2 units per mL)

LOT
EXP

3 0 0 3 8 4 4 A

PULL

NDC 42023-219-01 Rx only

Vasopressin Injection, USP
40 Units per 100 mL
(0.4 units per mL)

For Intravenous Infusion
Ready to Use
100 mL Single Dose Vial

PAR PHARMACEUTICAL

Each mL of the 0.4 unit/mL strength also contains dextrose anhydrous, 0.0546 mg acetic acid, 0.012 mg sodium acetate and Water for Injection, USP. Sodium hydroxide and hydrochloric acid are included to adjust to a pH of 3.8.

Dosage: See full prescribing information.

In 5% Dextrose

Store between 2°C and 8°C (36°F and 46°F). Vials may be held at 20°C to 25°C (68°F to 77°F) for up to 12 months.

Avoid freezing.

Distributed by:
Par Pharmaceutical
Chesham Ridge, NY 10977
R05/2022 LA219J-52-90-02

Vasopressin Injection, USP
40 units per 100 mL (0.4 units per mL)

LOT
EXP

3 0 0 3 8 3 2 A

PULL

NDC 42023-220-01 Rx only

Vasopressin Injection, USP
60 Units per 100 mL
(0.6 units per mL)

For Intravenous Infusion
Ready to Use
100 mL Single Dose Vial

PAR PHARMACEUTICAL

Each mL of the 0.6 unit/mL strength also contains dextrose anhydrous, 0.0546 mg acetic acid, 0.012 mg sodium acetate and Water for Injection, USP. Sodium hydroxide and hydrochloric acid are included to adjust to a pH of 3.8.

Dosage: See full prescribing information.

In 5% Dextrose

Store between 2°C and 8°C (36°F and 46°F). Vials may be held at 20°C to 25°C (68°F to 77°F) for up to 12 months.

Avoid freezing.

Distributed by:
Par Pharmaceutical
Chesham Ridge, NY 10977
R05/2022 LA220J-52-90-02

Vasopressin Injection, USP
60 units per 100 mL (0.6 units per mL)

LOT
EXP

3 0 0 3 8 3 0 A

This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>



Ramesh
Raghavachari

Digitally signed by Ramesh Raghavachari
Date: 11/22/2022 02:47:49PM
GUID: 502d0913000029f375128b0de8c50020