


GSK Regulatory Spec Box		Verified Date: 8.7.15
Drug Facts Info		
Drug Facts (Title)	Font Name: Helvetica Neue LT Std 77 Bold Condensed Oblique	13.00 point type
Drug Facts (continued)	Font Name: Helvetica Neue LT Std 77 Bold Condensed Oblique/Helvetica Neue LT Std 57 Condensed Oblique	8.00 point type
Headings	Font Name: Helvetica Neue LT Std 77 Bold Condensed Oblique	8.00 point type
Subheadings	Font Name: Helvetica Neue LT Std 77 Bold Condensed	6.00 point type
Body text	Font Name: Helvetica LT Std Condensed/Helvetica Neue LT Std 77 Bold Condensed	6.00 point type
Bullets	Font Name: Helvetica LT Std Condensed	5.00 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		Yes
Spacing of the hair lines from edge of box – i.e. Minimum of 2 spaces either side of Drug Fact Box		Yes
Tracking	0 to 16	Horizontal Scale: 81%-100%
Leading (Minimum space in body copy of Drug Facts)	6.45 pt.	Maximum Characters/Inch: 40
Barlines	1.00 pt.	Hairlines 0.50 pt.
Primary Display Panel Info		
Font size of Net Wt/Contents (Smallest character height in inches)		0.1250 in.
PDP dimensions (in square inches)		8.41 sq. in.
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")		V 6 pt. H 0.00 pt.
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")		V 20.65 pt. H 0.00 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 29% H 0%



GSK Regulatory Spec Box		Verified Date: 8.7.15
Drug Facts Info		
<i>Drug Facts</i> (Title)	Font Name: N/A	N/A
<i>Drug Facts</i> (continued)	Font Name: N/A	N/A
Headings	Font Name: N/A	N/A
Subheadings	Font Name: N/A	N/A
Body text	Font Name: N/A	N/A
Bullets	Font Name: N/A	N/A
Bullets on same lines: end of statement separated from bulleted statement by two ems		N/A
Spacing of the hair lines from edge of box – i.e. Minimum of 2 spaces either side of Drug Fact Box		N/A
Tracking	N/A	Horizontal Scale: N/A
Leading (Minimum space in body copy of Drug Facts)	N/A	Maximum Characters/Inch: N/A
Barlines	N/A	Hairlines N/A
Primary Display Panel Info		
Font size of Net Wt/Contents (Smallest character height in inches)		0.0449 in.
PDP dimensions (in square inches)		0.768 sq. in.
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital “M”)	V N/A	H 6.0 pt.
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital “M”)	V N/A	H 8.11 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)	V N/A	H 74%

©2014 GSK



FULL PRESCRIPTION STRENGTH • NON-DROWSY NDC 0135-0576-01

FLONASE®

ALLERGY RELIEF

Fluticasone Propionate (Glucocorticoid) 50 mcg Per Spray
Allergy Symptom Reliever Nasal Spray

24 Hour Relief of:

- Itchy, Watery Eyes
- Nasal Congestion
- Runny Nose
- Itchy Nose
- Sneezing





30
METERED SPRAYS
0.24 fl oz (6.9 mL)




FLONASE, the FLONASE logo, the bottle and cap design, and other design elements are trademarks of the GSK group of companies.

13-109ST



	<p>IMPORTANT: Read Drug Facts label and enclosed materials for important information. Children 4-11: 1 spray per nostril per day. Talk to a doctor if your child needs to use for longer than two months a year. Keep out of reach of children.</p>	<p>Shake gently before each use. Dist. by: GSK Consumer Healthcare, LP, Moon Twp., PA 15108 Made in Canada 13-106ST</p>	<p>LOT XXXXX EXP MMM YYYY</p>
<p>Fluticasone Propionate (Glucocorticoid) 50 mcg Per Spray Allergy Symptom Reliever Nasal Spray 30 sprays 0.24 fl oz (6.9 mL)</p>	<p>Only for use in the nose. do not spray into eyes. Store between 4°-30°C (39°-86°F)</p>		


000



GSK Regulatory Spec Box **Verified Date: 8.12.15**

Drug Facts Info

Drug Facts (Title)	Font Name: N/A	N/A
Drug Facts (continued)	Font Name: N/A	N/A
Headings	Font Name: N/A	N/A
Subheadings	Font Name: N/A	N/A
Body text	Font Name: N/A	N/A
Bullets	Font Name: N/A	N/A



GSK Regulatory Spec Box		Verified Date: 3.23.15
Drug Facts Info		
<i>Drug Facts</i> (Title)	Font Name: N/A	N/A
<i>Drug Facts</i> (continued)	Font Name: N/A	N/A
Headings	Font Name: N/A	N/A
Subheadings	Font Name: N/A	N/A
Body text	Font Name: N/A	N/A
Bullets	Font Name: N/A	N/A
Bullets on same lines: end of statement separated from bulleted statement by two ems		N/A
Spacing of the hair lines from edge of box – i.e. Minimum of 2 spaces either side of Drug Fact Box		N/A
Tracking	N/A	Horizontal Scale: N/A
Leading (Minimum space in body copy of Drug Facts)	N/A	Maximum Characters/Inch: N/A
Barlines	N/A	Hairlines N/A
Primary Display Panel Info		
Font size of Net Wt/Contents (Smallest character height in inches)	0,0449 in.	
PDP dimensions (in square inches)	0.768 sq. in.	
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")	V N/A	H 6.0 pt.
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")	V N/A	H 8.11 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)	V N/A	H 74%

©2014 GSK



25% MORE
30 More
Sprays

FULL PRESCRIPTION STRENGTH • NON-DROWSY

NDC 0135-0576-08



FLONASE[®]

ALLERGY RELIEF

Fluticasone Propionate (Glucocorticoid) 50 mcg Per Spray
Allergy Symptom Reliever Nasal Spray

24 Hour Relief of:

- Itchy, Watery Eyes
- Nasal Congestion
- Runny Nose
- Itchy Nose
- Sneezing



~~120~~ **150**
METERED SPRAYS



0.64 fl oz (18.8 mL)



FLONASE, the FLONASE logo, the bottle and cap design, and other design elements are trademarks of the GSK group of companies.



13-118ST

	<p>IMPORTANT: Read Drug Facts label and enclosed materials for important information. Children 4-11: 1 spray per nostril per day. Talk to a doctor if your child needs to use for longer than two months a year. Keep out of reach of children.</p>	<p>Shake gently before each use. Dist. by: GSK Consumer Healthcare, L.P. Moon Twp., PA 15108 Made in Canada 13-117ST</p>	<p>LOT XXXXX EXP MMM YYYY</p>
<p>Fluticasone Propionate (Glucocorticoid) 50 mcg Per Spray Allergy Symptom Reliever Nasal Spray 150 sprays 0.64 fl oz (18.8 mL)</p>	<p>Only for use in the nose, do not spray into eyes. Store between 4°-30°C (39°-86°F)</p>		

000

FULL PRESCRIPTION STRENGTH • NON-DROWSY



Fluticasone Propionate (Glucocorticoid) 50 mcg Per Spray
Allergy Symptom Reliever Nasal Spray

What problems can FLONASE Allergy Relief help with?

FLONASE Allergy Relief helps relieve a broad range of uncomfortable symptoms like congestion and itchy eyes.



These symptoms can be triggered by allergens like pollen, mold, dust or pet dander.



See below for important information about use in children.

Drug Facts		Drug Facts (continued)
Active Ingredient (in each spray)	Purpose	Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Fluticasone propionate (glucocorticoid) 50 mcg	Allergy symptom reliever	
Uses		Directions
Temporarily relieves these symptoms of hay fever or other upper respiratory allergies: • nasal congestion • runny nose • sneezing • itchy nose • itchy, watery eyes		• read the Quick Start Guide for how to: • prime the bottle • use the spray • clean the spray nozzle • shake gently before each use • use this product only once a day • do not use more than directed
Warnings		ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER
Only for use in the nose. Do not spray into your eyes or mouth.		• Week 1 – use 2 sprays in each nostril once daily • Week 2 through 6 months – use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms • After 6 months of daily use – ask your doctor if you can keep using
Do not use		CHILDREN 4 TO 11 YEARS OF AGE
• in children under 4 years of age • to treat asthma • if you have an injury or surgery to your nose that is not fully healed • if you have ever had an allergic reaction to this product or any of the ingredients		• the growth rate of some children may be slower while using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year. • an adult should supervise use
Ask a doctor before use if you have or had glaucoma or cataracts		CHILDREN UNDER 4 YEARS OF AGE
• medicine for HIV infection (such as ritonavir) • a steroid medicine for asthma, allergies or skin rash • ketoconazole pills (medicine for fungal infection)		• do not use
When using this product		Other information
• the growth rate of some children may be slower • stinging or sneezing may occur for a few seconds right after use • do not share this bottle with anyone else as this may spread germs • remember to tell your doctor about all the medicines you take, including this one		• you may start to feel relief the first day and full effect after several days of regular, once-a-day use • store between 4° and 30°C (39° and 86°F) • keep this label and enclosed materials. They contain important additional information.
Stop use and ask a doctor if		Inactive ingredients
• you have, or come into contact with someone who has, chicken pox, measles or tuberculosis • your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection. • you get a constant whistling sound from your nose. This may be a sign of damage inside your nose. • you get an allergic reaction to this product. Seek medical help right away. • you get new changes to your vision that develop after starting this product • you have severe or frequent nosebleeds		benzalkonium chloride, dextrose, microcrystalline cellulose, phenylethylalcohol, polysorbate 80, purified water, sodium carboxymethylcellulose
If pregnant or breast-feeding, ask a health professional before use.		Questions or comments? call toll-free 1-844-FLONASE (1-844-356-6273) (English/Spanish) weekdays (9:00am-5:00pm ET)



3 0000-0000-00 1

TAMPER-EVIDENT features for your protection. The product is packaged in a sealed plastic container. Under the cap and nozzle, each bottle has an aluminum seal around bottle neck. Do not use if any of these features are torn or damaged.

FLONASE, the FLONASE logo, the bottle and cap design, and other design elements are trademarks of the GSK group of companies.
Distributed by: **GlaxoSmithKline** Consumer Healthcare, L.P. Moon Township, PA 15108 Made in Canada ©2014 GSK 13-1595T

Lot & EXP Area



NDC 0135-0576-07

FULL PRESCRIPTION STRENGTH • NON-DROWSY



Fluticasone Propionate (Glucocorticoid) 50 mcg Per Spray
Allergy Symptom Reliever Nasal Spray

24 Hour Relief of:



- Itchy, Watery Eyes
- Nasal Congestion
- Runny Nose
- Itchy Nose
- Sneezing



2 Bottles / 0.44 fl oz (12.9 mL) each
0.88 fl oz (25.8 mL) total

2x90 METERED SPRAYS

GSK Regulatory Spec Box		Verified Date: 7.22.14
Drug Facts Info		
Drug Facts (Title)	Font Name: Helvetica Neue 77 Bold Condensed Oblique	10.0 point type
Drug Facts (continued)	Font Name: Helvetica Neue 77 Bold Condensed Oblique/Helvetica Neue 57 Condensed	8.00 point type
Headings	Font Name: Helvetica Neue 77 Bold Condensed Oblique	8.00 point type
Subheadings	Font Name: Helvetica Neue 77 Bold Condensed	7.00 point type
Body text	Font Name: Helvetica Neue 57 Condensed/Helvetica Neue 77 Bold Condensed	7.00 point type
Bullets	Font Name: Helvetica Neue 55 Roman	5.00 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		Yes
Spacing of the hair lines from edge of box – i.e. Minimum of 2 spaces either side of Drug Fact Box		Yes
Tracking	0	Horizontal Scale: 94%-100%
Leading (Minimum space in body copy of Drug Facts)	7.50 pt.	Maximum Characters/Inch: 30
Barlines	1.00 pt.	Hairlines 0.50 pt.
Primary Display Panel Info		
Font size of Net Wt/Contents (Smallest character height in inches)		0.1742 in.
PDP dimensions (in square inches)		98.90 sq. in.
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")		V 0.00 pt. H 9.76 pt.
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")		V 0.00 pt. H 57.09 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 0% H 17%

	<p>IMPORTANT: Read Drug Facts label and enclosed materials for important information. Children 4-11: 1 spray per nostril per day. Talk to a doctor if your child needs to use for longer than two months a year. Keep out of reach of children.</p>	<p>Shake gently before each use. Dist. by: GSK Consumer Healthcare, LP, Moon Twp., PA 15108 Made in Canada 13-120ST</p>	<p>LOT XXXXX EXP MMM YYYY</p>
<p>Fluticasone Propionate (Glucocorticoid) 50 mcg Per Spray Allergy Symptom Reliever Nasal Spray 90 sprays 0.44 fl oz (12.9 mL)</p>	<p>Only for use in the nose. do not spray into eyes. Store between 4°-30°C (39°-86°F)</p>		

000

FULL PRESCRIPTION STRENGTH • NON-DROWSY



Fluticasone Propionate (Glucocorticoid) 50 mcg Per Spray
Allergy Symptom Reliever Nasal Spray

What problems can FLONASE Allergy Relief help with?

FLONASE Allergy Relief helps relieve a broad range of uncomfortable symptoms like congestion and itchy eyes.



These symptoms can be triggered by allergens like pollen, mold, dust or pet dander.



See below for important information about use in children.

Drug Facts	Purpose	Drug Facts (continued)
Active ingredient (in each spray) Fluticasone propionate (glucocorticoid) 50 mcg	Allergy symptom reliever	Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Uses Temporarily relieves these symptoms of hay fever or other upper respiratory allergies: • nasal congestion • runny nose • sneezing • itchy nose • itchy, watery eyes		Directions • read the Quick Start Guide for how to: • prime the bottle • use the spray • clean the spray nozzle • shake gently before each use • use this product only once a day • do not use more than directed
Warnings Only for use in the nose. Do not spray into your eyes or mouth. Do not use • in children under 4 years of age • to treat asthma • if you have an injury or surgery to your nose that is not fully healed • if you have ever had an allergic reaction to this product or any of the ingredients Ask a doctor before use if you have or had glaucoma or cataracts		ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER • Week 1 – use 2 sprays in each nostril once daily • Week 2 through 6 months – use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms • After 6 months of daily use – ask your doctor if you can keep using
Ask a doctor or pharmacist before use if you are taking • medicine for HIV infection (such as ritonavir) • a steroid medicine for asthma, allergies or skin rash • ketoconazole pills (medicine for fungal infection)		CHILDREN 4 TO 11 YEARS OF AGE • the growth rate of some children may be slower while using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year. • an adult should supervise use • use 1 spray in each nostril once daily
When using this product • the growth rate of some children may be slower • stinging or sneezing may occur for a few seconds right after use • do not share this bottle with anyone else as this may spread germs • remember to tell your doctor about all the medicines you take, including this one		CHILDREN UNDER 4 YEARS OF AGE • do not use
Stop use and ask a doctor if • you have, or come into contact with someone who has, chicken pox, measles or tuberculosis • your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection. • you get a constant whistling sound from your nose. This may be a sign of damage inside your nose. • you get an allergic reaction to this product. Seek medical help right away. • you get new changes to your vision that develop after starting this product • you have severe or frequent nosebleeds		Other information • you may start to feel relief the first day and full effect after several days of regular, once-a-day use • store between 41° and 30°C (39° and 86°F) • keep this label and enclosed materials. They contain important additional information.
if pregnant or breast-feeding, ask a health professional before use.		Inactive ingredients benzalkonium chloride, dextrose, microcrystalline cellulose, phenylethylalcohol, polysorbate 80, purified water, sodium carboxymethylcellulose
		Questions or comments? call toll-free 1-844-FLONASE (1-844-356-6273) (English/Spanish) weekdays (9:00am-5:00pm ET)



TAMPER-EVIDENT features for your protection. The product is packaged in a sealed plastic container. Under the cap and nozzle, each bottle has an aluminum seal around bottle neck. Do not use if any of these features are torn or damaged.

FLONASE, the FLONASE logo, the bottle and cap design, and other design elements are trademarks of the GSK group of companies.

Distributed by: **GlaxoSmithKline** Consumer Healthcare, L.P.
Moon Township, PA 15108 Made in Canada
©2014 GSK 132475T

Lot & EXP Area

FULL PRESCRIPTION STRENGTH • NON-DROWSY




Fluticasone Propionate (Glucocorticoid) 50 mcg Per Spray
Allergy Symptom Reliever Nasal Spray



NDC 0135-0576-05

24 Hour Relief of:

- Itchy, Watery Eyes
- Nasal Congestion
- Runny Nose
- Itchy Nose
- Sneezing




2 Bottles/0.54 fl oz (15.8 mL) each
1.08 fl oz (31.6 mL) total

2x120 METERED SPRAYS

GSK Regulatory Spec Box		Verified Date: 7.22.14
Drug Facts Info		
Drug Facts (Title)	Font Name: Helvetica Neue 77 Bold Condensed Oblique	10.0 point type
Drug Facts (continued)	Font Name: Helvetica Neue 77 Bold Condensed Oblique/Helvetica Neue 57 Condensed	8.00 point type
Headings	Font Name: Helvetica Neue 77 Bold Condensed Oblique	8.00 point type
Subheadings	Font Name: Helvetica Neue 77 Bold Condensed	7.00 point type
Body text	Font Name: Helvetica Neue 57 Condensed/Helvetica Neue 77 Bold Condensed	7.00 point type
Bullets	Font Name: Helvetica Neue 55 Roman	5.00 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		Yes
Spacing of the hair lines from edge of box – i.e. Minimum of 2 spaces either side of Drug Fact Box		Yes
Tracking	0	Horizontal Scale: 94%-100%
Leading (Minimum space in body copy of Drug Facts)	7.50 pt.	Maximum Characters/Inch: 30
Barlines	1.00 pt.	Hairlines 0.50 pt.
Primary Display Panel Info		
Font size of Net Wt./Contents (Smallest character height in inches)		0.1742 in.
PDP dimensions (in square inches)		98.90 sq. in.
Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")		V 0.00 pt. H 9.76 pt.
Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")		V 0.00 pt. H 57.09 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 0% H 17%

FULL PRESCRIPTION STRENGTH • NON-DROWSY





FLONASE[®]
ALLERGY RELIEF

Fluticasone Propionate (Glucocorticoid) 50 mcg Per Spray
Allergy Symptom Reliever Nasal Spray


What problems can FLONASE Allergy Relief help with?


FLONASE Allergy Relief helps relieve a broad range of uncomfortable symptoms like congestion and itchy eyes.


 Nasal symptoms

 Eye symptoms

These symptoms can be triggered by allergens like pollen, mold, dust or pet dander.


 Outdoor allergens

 Animal allergens

 Indoor allergens

See below for important information about use in children.

Drug Facts	Purpose
Active Ingredient (in each spray) Fluticasone propionate (glucocorticoid) 50 mcg	Allergy symptom reliever
Uses Temporarily relieves these symptoms of hay fever or other upper respiratory allergies: • nasal congestion • runny nose • sneezing • itchy nose • itchy, watery eyes	
Warnings Only for use in the nose. Do not spray into your eyes or mouth.	
Do not use • in children under 4 years of age • to treat asthma • if you have an injury or surgery to your nose that is not fully healed • if you have ever had an allergic reaction to this product or any of the ingredients	
Ask a doctor before use if you have or had glaucoma or cataracts	
Ask a doctor or pharmacist before use if you are taking • medicine for HIV infection (such as ritonavir) • a steroid medicine for asthma, allergies or skin rash • ketoconazole pills (medicine for fungal infection)	
When using this product • the growth rate of some children may be slower • stinging or sneezing may occur for a few seconds right after use • do not share this bottle with anyone else as this may spread germs • remember to tell your doctor about all the medicines you take, including this one	
Stop use and ask a doctor if • you have, or come into contact with someone who has, chicken pox, measles or tuberculosis • your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection. • you get a constant whistling sound from your nose. This may be a sign of damage inside your nose. • you get an allergic reaction to this product. Seek medical help right away. • you get new changes to your vision that develop after starting this product • you have severe or frequent nosebleeds	
If pregnant or breast-feeding , ask a health professional before use.	
Drug Facts (continued)	Directions
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	• read the Quick Start Guide for how to: • prime the bottle • use the spray • clean the spray nozzle • shake gently before each use • use this product only once a day • do not use more than directed
	ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER • Week 1 – use 2 sprays in each nostril once daily • Week 2 through 6 months – use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms • After 6 months of daily use – ask your doctor if you can keep using
	CHILDREN 4 TO 11 YEARS OF AGE • the growth rate of some children may be slower while using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year. • an adult should supervise use • use 1 spray in each nostril once daily
	CHILDREN UNDER 4 YEARS OF AGE • do not use
	Other information • you may start to feel relief the first day and full effect after several days of regular, once-a-day use • store between 4° and 30°C (39° and 86°F) • keep this label and enclosed materials. They contain important additional information.
	Inactive ingredients benzalkonium chloride, dextrose, microcrystalline cellulose, phenylethylalcohol, polysorbate 80, purified water, sodium carboxymethylcellulose
	Questions or comments? call toll-free 1-844-FLONASE (1-844-356-6273) (English/Spanish) weekdays (9:00am-5:00pm ET)




3 0000-0000-00 1

TAMPER-EVIDENT features for your protection. The product is packaged in a sealed plastic container. Under the cap and nozzle, each bottle has an aluminum seal around bottle neck. Do not use if any of these features are torn or damaged.

Lot & EXP Area

FULL PRESCRIPTION STRENGTH • NON-DROWSY




FLONASE[®]
ALLERGY RELIEF

Fluticasone Propionate (Glucocorticoid) 50 mcg Per Spray
Allergy Symptom Reliever Nasal Spray


33% MORE
60 More Sprays

NDC 0135-0578-11



24 Hour Relief of:

- Itchy, Watery Eyes
- Nasal Congestion
- Runny Nose
- Itchy Nose
- Sneezing



24 HOUR RELIEF

2 Bottles / 0.54 fl oz (15.8 mL) each
1.08 fl oz (31.6 mL) total

2x90 METERED SPRAYS **120**

GSK Regulatory Spec Box		Verified Date: 7.22.14
Drug Facts Info		
Drug Facts (Title)	Font Name: Helvetica Neue 77 Bold Condensed Oblique	10.0 point type
Drug Facts (continued)	Font Name: Helvetica Neue 77 Bold Condensed Oblique/Helvetica Neue 57 Condensed	8.00 point type
Headings	Font Name: Helvetica Neue 77 Bold Condensed Oblique	8.00 point type
Subheadings	Font Name: Helvetica Neue 77 Bold Condensed	7.00 point type
Body text	Font Name: Helvetica Neue 57 Condensed/Helvetica Neue 77 Bold Condensed	7.00 point type
Bullets	Font Name: Helvetica Neue 55 Roman	5.00 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		Yes
Spacing of the hair lines from edge of box – i.e. Minimum of 2 spaces either side of Drug Fact Box		Yes
Tracking	0	Horizontal Scale: 94%-100%
Leading (Minimum space in body copy of Drug Facts)	7.50 pt.	Maximum Characters/Inch: 30
Barlines	1.00 pt.	Hairlines 0.50 pt.
Primary Display Panel Info		
Font size of Net Wt./Contents (Smallest character height in inches)		0.1742 in.
PDP dimensions (in square inches)		98.90 sq. in.
Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")		V 0.00 pt. H 9.76 pt.
Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")		V 0.00 pt. H 57.09 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V 0% H 17%

FULL PRESCRIPTION STRENGTH • NON-DROWSY



Fluticasone Propionate (Glucocorticoid) 50 mcg Per Spray
Allergy Symptom Reliever Nasal Spray

What problems can FLONASE Allergy Relief help with?

FLONASE Allergy Relief helps relieve a broad range of uncomfortable symptoms like congestion and itchy eyes.



These symptoms can be triggered by allergens like pollen, mold, dust or pet dander.



See below for important information about use in children.

Drug Facts		Drug Facts (continued)
Active ingredient (in each spray) Fluticasone propionate (glucocorticoid) 50 mcg	Purpose Allergy symptom reliever	Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Uses Temporarily relieves these symptoms of hay fever or other upper respiratory allergies: • nasal congestion • runny nose • sneezing • itchy nose • itchy, watery eyes		Directions • read the Quick Start Guide for how to: • prime the bottle • use the spray • clean the spray nozzle • shake gently before each use • use this product only once a day • do not use more than directed
Warnings Only for use in the nose. Do not spray into your eyes or mouth.		ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER • Week 1 — use 2 sprays in each nostril once daily • Week 2 through 6 months — use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms • After 6 months of daily use — ask your doctor if you can keep using
Do not use • in children under 4 years of age • to treat asthma • if you have an injury or surgery to your nose that is not fully healed • if you have ever had an allergic reaction to this product or any of the ingredients		CHILDREN 4 TO 11 YEARS OF AGE • the growth rate of some children may be slower while using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year. • an adult should supervise use • use 1 spray in each nostril once daily
Ask a doctor before use if you have or had glaucoma or cataracts		CHILDREN UNDER 4 YEARS OF AGE • do not use
Ask a doctor or pharmacist before use if you are taking • medicine for HIV infection (such as ritonavir) • a steroid medicine for asthma, allergies or skin rash • ketoconazole pills (medicine for fungal infection)		Other information • you may start to feel relief the first day and full effect after several days of regular, once-a-day use • store between 4° and 30°C (39° and 86°F) • keep this label and enclosed materials. They contain important additional information.
When using this product • the growth rate of some children may be slower • stinging or sneezing may occur for a few seconds right after use • do not share this bottle with anyone else as this may spread germs • remember to tell your doctor about all the medicines you take, including this one		Inactive ingredients benzalkonium chloride, dextrose, microcrystalline cellulose, phenylethylalcohol, polysorbate 80, purified water, sodium carboxymethylcellulose
Stop use and ask a doctor if • you have, or come into contact with someone who has, chicken pox, measles or tuberculosis • your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection. • you get a constant whistling sound from your nose. This may be a sign of damage inside your nose. • you get an allergic reaction to this product. Seek medical help right away. • you get new changes to your vision that develop after starting this product • you have severe or frequent nosebleeds		Questions or comments? call toll-free 1-844-FLONASE (1-844-356-6273) (English/Spanish) weekdays (9:00am-5:00pm ET)
If pregnant or breast-feeding , ask a health professional before use.		



3 0000-0000-00 1

TAMPER-EVIDENT features for your protection. The product is packaged in a sealed plastic container. Under the cap and nozzle, each bottle has an aluminum seal around bottle neck. Do not use if any of these features are torn or damaged.

FLONASE, the FLONASE logo, the bottle and cap design, and other design elements are trademarks of the GSK group of companies.
Distributed by: **GlaxoSmithKline** Consumer Healthcare, L.P.
Moon Township, PA 15108 Made in Canada
©2014 GSK 13-248ST

Lot and EXP area

FULL PRESCRIPTION STRENGTH • NON-DROWSY



Fluticasone Propionate (Glucocorticoid) 50 mcg Per Spray
Allergy Symptom Reliever Nasal Spray

25% MORE
60 More Sprays

NDC 0135-0576-09



24 Hour Relief of:

- Itchy, Watery Eyes
- Nasal Congestion
- Runny Nose
- Itchy Nose
- Sneezing



2 Bottles/0.64 fl oz (18.8 mL) each
1.28 fl oz (37.6 mL) total

2x120 **150**
METERED SPRAYS


GSK Regulatory Spec Box		Verified Date: 7.22.14	
Drug Facts Info			
Drug Facts (Title)	Font Name: Helvetica Neue 77 Bold Condensed Oblique	10.0 point type	
Drug Facts (continued)	Font Name: Helvetica Neue 77 Bold Condensed Oblique/Helvetica Neue 57 Condensed	8.00 point type	
Headings	Font Name: Helvetica Neue 77 Bold Condensed Oblique	8.00 point type	
Subheadings	Font Name: Helvetica Neue 77 Bold Condensed	7.00 point type	
Body text	Font Name: Helvetica Neue 57 Condensed/Helvetica Neue 77 Bold Condensed	7.00 point type	
Bullets	Font Name: Helvetica Neue 55 Roman	5.00 point type	
Bullets on same lines: end of statement separated from bulleted statement by two ems		Yes	
Spacing of the hair lines from edge of box — i.e. Minimum of 2 spaces either side of Drug Fact Box		Yes	
Tracking	0	Horizontal Scale:	94%-100%
Leading (Minimum space in body copy of Drug Facts)	7.50 pt.	Maximum Characters/Inch:	30
Barlines	1.00 pt.	Hairlines	0.50 pt.
Primary Display Panel Info			
Font size of Net Wt/Contents (Smallest character height in inches)	0.1742 in.		
PDP dimensions (in square inches)	98.90 sq. in.		
Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")	V 0.00 pt.	H 9.76 pt.	
Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")	V 0.00 pt.	H 57.09 pt.	
Ratio of Statement of Identity to Logo/Largest Copy on PDP			
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)	V 0%	H 17%	

FULL PRESCRIPTION STRENGTH • NON-DROWSY



25% MORE
90 More Sprays


NDC 0135-0576-10



Fluticasone Propionate (Glucocorticoid) 50 mcg Per Spray
Allergy Symptom Reliever Nasal Spray

24 Hour Relief of:

- Itchy, Watery Eyes
- Nasal Congestion
- Runny Nose
- Itchy Nose
- Sneezing




24 HOUR RELIEF

3 Bottles / 0.64 fl oz (18.8 mL) each
1.92 fl oz (56.4 mL) total

150
~~3x120~~ METERED SPRAYS

FULL PRESCRIPTION STRENGTH • NON-DROWSY



Fluticasone Propionate (Glucocorticoid) 50 mcg Per Spray
Allergy Symptom Reliever Nasal Spray

See below for important information about use in children.

Drug Facts	Drug Facts (continued)
<p>Active Ingredient (in each spray) Fluticasone propionate (glucocorticoid) 50 mcg</p> <p>Purpose Allergy symptom reliever</p> <p>Uses Temporarily relieves these symptoms of hay fever or other upper respiratory allergies: • nasal congestion • runny nose • sneezing • itchy nose • itchy, watery eyes</p> <p>Warnings Only for use in the nose. Do not spray into your eyes or mouth.</p> <p>Do not use • in children under 4 years of age • to treat asthma • if you have an injury or surgery to your nose that is not fully healed • if you have ever had an allergic reaction to this product or any of the ingredients</p> <p>Ask a doctor before use if you have or had glaucoma or cataracts</p> <p>Ask a doctor or pharmacist before use if you are taking • medicine for HIV infection (such as ritonavir) • a steroid medicine for asthma, allergies or skin rash • ketoconazole pills (medicine for fungal infection)</p> <p>When using this product • the growth rate of some children may be slower • stinging or sneezing may occur for a few seconds right after use • do not share this bottle with anyone else as this may spread germs • remember to tell your doctor about all the medicines you take, including this one</p> <p>Stop use and ask a doctor if • you have, or come into contact with someone who has, chicken pox, measles or tuberculosis • your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection. • you get a constant whistling sound from your nose. This may be a sign of damage inside your nose. • you get an allergic reaction to this product. Seek medical help right away. • you get new changes to your vision that develop after starting this product • you have severe or frequent nosebleeds</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p>	<p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>Directions • read the Quick Start Guide for how to: • prime the bottle • use the spray • clean the spray nozzle • shake gently before each use • use this product only once a day • do not use more than directed.</p> <p>ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER • Week 1 – use 2 sprays in each nostril once daily • Week 2 through 6 months – use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms • After 6 months of daily use – ask your doctor if you can keep using</p> <p>CHILDREN 4 TO 11 YEARS OF AGE • the growth rate of some children may be slower while using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year. • an adult should supervise use • use 1 spray in each nostril once daily</p> <p>CHILDREN UNDER 4 YEARS OF AGE • do not use</p> <p>Other information • you may start to feel relief the first day and full effect after several days of regular, once-a-day use • store between 4° and 30°C (39° and 86°F) • keep this label and enclosed materials. They contain important additional information.</p> <p>Inactive ingredients benzalkonium chloride, dextrose, microcrystalline cellulose, phenylethylalcohol, polysorbate 80, purified water, sodium carboxymethylcellulose</p> <p>Questions or comments? call toll-free 1-844-FLONASE (1-844-356-6273) (English/Spanish) weekdays (9:00am-5:00pm ET)</p>

What problems can FLONASE Allergy Relief help with?

FLONASE Allergy Relief helps relieve a broad range of uncomfortable symptoms like congestion and itchy eyes.

- Nasal symptoms
- Eye symptoms
- Outdoor allergens
- Animal allergens
- Indoor allergens

These symptoms can be triggered by allergens like pollen, mold, dust or pet dander.

TAMPER-EVIDENT features for your protection. The product is packaged in a sealed plastic container. Under the cap and nozzle, each bottle has an aluminum seal around bottle neck. Do not use if any of these features are torn or damaged.

3 0000-0000-00 1

FLONASE, the FLONASE logo, the bottle and cap design, and other design elements are trademarks of the GSK group of companies.

Distributed by:
GlaxoSmithKline Consumer Healthcare, L.P.
Moon Township, PA 15108 Made in Canada
©2014 GSK 14-0187AWL

Lot: [Redacted]
Exp: [Redacted]

GSK Regulatory Spec Box		Verified Date: 7.22.14
Drug Facts Info		
Drug Facts (Title)	Font Name: Helvetica Neue 77 Bold Condensed Oblique	10.0 point type
Drug Facts (continued)	Font Name: Helvetica Neue 77 Bold Condensed Oblique/Helvetica Neue 57 Condensed	8.00 point type
Headings	Font Name: Helvetica Neue 77 Bold Condensed Oblique	8.00 point type
Subheadings	Font Name: Helvetica Neue 77 Bold Condensed	7.00 point type
Body text	Font Name: Helvetica Neue 57 Condensed/Helvetica Neue 77 Bold Condensed	7.00 point type
Bullets	Font Name: Helvetica Neue 55 Roman	5.00 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		Yes
Spacing of the hair lines from edge of box – i.e. Minimum of 2 spaces either side of Drug Fact Box		Yes
Tracking	0	Horizontal Scale: 94%-100%
Leading (Minimum space in body copy of Drug Facts)	7.50 pt.	Maximum Characters/Inch: 30
Barlines	1.00 pt.	Hairlines: 0.50 pt.
Primary Display Panel Info		
Font size of Net Wt/Contents (Smallest character height in inches)		0.1742 in.
PDP dimensions (in square inches)		98.91 sq. in.
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")	V 0.00 pt. H 9.76 pt.	
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")	V 0.00 pt. H 57.09 pt.	
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)	V 0% H 17%	

INSIDE PAGE 8 SPINE FRONT COVER PAGE 1

IMPORTANT - Peel here for complete Drug Facts label. Children 4-11: do not use for more than 2 months a year.

Be sure to read the Quick Start Guide and Question & Answer Book inside package

Drug Facts
Active IngredientPurpose
(in each spray)
Fluticasone propionate
(glucocorticoid) 50 mcg.....Allergy symptom reliever

TAMPER-EVIDENT features for your protection.
The product is packaged in a sealed plastic container. Under the cap and nozzle, each bottle has an aluminum seal around bottle neck. Do not use if any of these features are torn or damaged.

Distributed by:
GlaxoSmithKline
Consumer Healthcare, L.P.
Moon Township, PA 15108
Made in Canada ©2015 GSK 104448XB

DATA MATRIX QUITE ZONE

GSK
Data Matrix Code #: 104448XB

INSIDE PAGE 2 SPINE INSIDE PAGE 3

Drug Facts (continued)
Uses
Temporarily relieves these symptoms of hay fever or other upper respiratory allergies:
• nasal congestion • itchy nose
• runny nose • itchy, watery eyes
• sneezing

Warnings
Only for use in the nose. Do not spray into your eyes or mouth.

Do not use
• in children under 4 years of age
• to treat asthma
• if you have an injury or surgery to your nose that is not fully healed
• if you have ever had an allergic reaction to this product or any of the ingredients

Ask a doctor before use if you have or had glaucoma or cataracts

Ask a doctor or pharmacist before use if you are taking
• medicine for HIV infection (such as ritonavir)
• a steroid medicine for asthma, allergies or skin rash
• ketoconazole pills (medicine for fungal infection)

Drug Facts (continued)
When using this product
• the growth rate of some children may be slower
• stinging or sneezing may occur for a few seconds right after use
• do not share this bottle with anyone else as this may spread germs
• remember to tell your doctor about all the medicines you take, including this one

Stop use and ask a doctor if
• you have, or come into contact with someone who has, chicken pox, measles or tuberculosis
• your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection.
• you get a constant whistling sound from your nose. This may be a sign of damage inside your nose.
• you get an allergic reaction to this product. Seek medical help right away.
• you get new changes to your vision that develop after starting this product
• you have severe or frequent nosebleeds

INSIDE PAGE 4 SPINE INSIDE PAGE 5

Drug Facts (continued)
If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
• read the Quick Start Guide for how to:
• prime the bottle
• use the spray
• clean the spray nozzle
• shake gently before each use
• use this product only once a day
• do not use more than directed

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER
• Week 1 – use 2 sprays in each nostril once daily
• Week 2 through 6 months – use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms
• After 6 months of daily use – ask your doctor if you can keep using

Drug Facts (continued)
CHILDREN 4 TO 11 YEARS OF AGE
• the growth rate of some children may be slower while using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.
• an adult should supervise use
• use 1 spray in each nostril once daily

CHILDREN UNDER 4 YEARS OF AGE
• do not use

Other information
• you may start to feel relief the first day and full effect after several days of regular, once-a-day use
• store between 4° and 30°C (39° and 86°F)
• keep this label and enclosed materials. They contain important additional information.

Inactive ingredients
benzalkonium chloride, dextrose, microcrystalline cellulose, phenylethylalcohol, polysorbate 80, purified water, sodium carboxymethylcellulose

Questions or comments?
call toll-free 1-844-FLOXONASE (1-844-356-6273) (English/Spanish) weekdays

GSK Regulatory Spec Box		Verified Date: 5.14.15
Drug Facts Info		
Drug Facts (Title)	Font Name: Helvetica Neue 76 Bold Italic	12.00 point type
Drug Facts (continued)	Font Name: Helvetica Neue 76 Bold Italic/Helvetica Neue 55 Roman	8.00 point type
Headings	Font Name: Helvetica Neue 76 Bold Italic	7 point type/8 point type
Subheadings	Font Name: Helvetica Neue 75 Bold	6.00 point type
Body text	Font Name: Helvetica Neue 55 Roman/Helvetica Neue 75 Bold	6.00 point type
Bullets	Font Name: Helvetica Neue 55 Roman	5.00 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		Yes
Spacing of the hair lines from edge of box – i.e. Minimum of 2 spaces either side of Drug Fact Box		Yes
Tracking	0 to -3	Horizontal Scale: 79%-100%
Leading (Minimum space in body copy of Drug Facts)	6.30 pt.	Maximum Characters/Inch: 33
Barlines	1.00 pt.	Hairlines: 0.50 pt.
Primary Display Panel Info		
Font size of Net Wt/Contents (Smallest character height in inches)		N/A
PDP dimensions (in square inches)		N/A
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")	V N/A	H N/A
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")	V N/A	H N/A
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)	V N/A	H N/A

APPROVALS

GlaxoSmithKline

PLEASE CHECK ONE:
 Artwork Prepress Copy

NAME DATE NAME DATE

(b) (4)

INSIDE PAGE 6 SPINE INSIDE PAGE 7

What problems can FLOXONASE® Allergy Relief help with?


FLOXONASE® Allergy Relief helps relieve a broad range of uncomfortable symptoms like congestion and itchy eyes.

Nasal symptoms **Eye symptoms**

These symptoms can be triggered by allergens like pollen, mold, dust or pet dander.

Outdoor allergens **Animal allergens**
Indoor allergens

FLOXONASE, the FLOXONASE logo, the bottle and cap designs, and other design elements are trademarks of the GSK group of companies.



FLONASE® ALLERGY RELIEF QUESTIONS & ANSWERS

WHAT FLONASE IS, HOW TO USE IT, AND WHAT TO EXPECT.



UNDERSTANDING FLONASE

What FLONASE is, and how it works.

What is FLONASE® Allergy Relief?
FLONASE Allergy Relief is an effective, allergy medicine that you can now buy without a prescription. It works directly in the nose to help block your allergic reactions. FLONASE relieves allergy symptoms caused by pollen, mold, dust and pets.

What is the active ingredient in FLONASE® Allergy Relief?
The active ingredient in FLONASE Allergy Relief is called **fluticasone propionate**. Fluticasone propionate is a glucocorticoid—a substance produced naturally by your body to help fight inflammation. It works in your nose to relieve your allergy symptoms. Barely any of it travels through your body. It's been prescribed by doctors for over 20 years, and used effectively by millions.

A glucocorticoid is a kind of steroid that is different from the anabolic (muscle-building) steroids sometimes misused by athletes. In fact, world class athletes are allowed to use glucocorticoids during competition to treat their allergies.


Who should not use FLONASE® Allergy Relief?
For complete guidance, check the **Drug Facts** label on the back of the FLONASE Allergy Relief package.

Can I use FLONASE® Allergy Relief for asthma?
No, FLONASE is not a treatment for asthma. Ask your doctor what medicine to take for your asthma.

Can I use FLONASE® Allergy Relief for colds?
No, use FLONASE to treat only your allergies — not your cold symptoms. If you're not sure whether your symptoms come from allergies or a cold, ask your doctor.


What happens when you have allergies?
Allergies start when allergens like pollen or pet dander enter your body and trigger your immune system to respond.

Your body's natural response is to release multiple inflammatory substances, (also referred to as mediators) that cause your allergy symptoms.



How does FLONASE® work?
FLONASE Allergy Relief works right in your nose to help block your allergic reaction at the source to relieve the symptoms that make you uncomfortable.

What problems can FLONASE® Allergy Relief help with?
Allergies can cause uncomfortable symptoms like congestion and itchy eyes. These symptoms can be triggered by allergens like pollen, mold, dust or pet dander.



FLONASE acts on multiple inflammatory substances, including histamine, prostaglandins, cytokines, tryptases, chemokines and leukotrienes.

Most common OTC allergy pills act on histamine alone. Because of the way it works, it may take several days for FLONASE to reach maximum effect. That's why it's best to use FLONASE regularly, once a day.

FLONASE not only relieves sneezing, itchy nose, runny nose and itchy, watery eyes, but also relieves nasal congestion.

Who should not use FLONASE or check with a doctor first?
Some people should not use FLONASE, or need to check with a health professional first. This table offers a quick summary of these situations.

If you...	Here's what to do...
Are you younger than 4	Do not use FLONASE
Are pregnant or breast-feeding	Talk to a health professional before using FLONASE
Have or had glaucoma or cataracts	Talk to your doctor before using FLONASE
Have an injury or surgery to your nose that is not fully healed	Do not use FLONASE
Have ever had an allergic reaction to Flonase or any of its ingredients	Do not use FLONASE
Are taking a medicine for HIV infection (such as ritonavir)	Talk to your doctor or pharmacist before using FLONASE
Are taking ketoconazole pills (medicine for fungal infection)	Talk to your doctor or pharmacist before using FLONASE
Are using a steroid medicine for asthma, allergies, skin rash, allergic reactions, inflammation or eye conditions	Talk to your doctor or pharmacist before using FLONASE

USING FLONASE

How to get the best results with FLONASE.

Read the Drug Facts label on the back of the package or the Quick Start Guide on the other side for simple directions on using FLONASE® Allergy Relief.

Watch for purple color - it shows where there is different information for children ages 4-11, compared to users age 12 or older.

If you still have questions about using FLONASE after reading the Quick Start Guide, read this section for answers.

I know how to use a nasal spray. Why do I have to follow the directions? If you don't use the spray bottle correctly, you might not get a full dose. Without a full dose each time, you might not get the relief you deserve.

Follow the simple directions in the Quick Start Guide on other side.

If my symptoms go away, should I stop using FLONASE® Allergy Relief?
You may be tempted to stop using FLONASE when you start to feel better. **It's important you keep using FLONASE daily as long as you're exposed to allergens** that bother you, like pollen, mold, dust or pet dander. This way you'll keep feeling relief. If you suffer allergy symptoms only during certain times, like when pollen levels are high, you may stop using FLONASE when that time ends. If you are age 12 or older and need to use daily for longer than 6 months or age 4-11 and need to use for longer than 2 months a year, check with your doctor.

What if I miss a dose, just use your regular dose the next day. Don't add an extra dose to make up for it.

Can I keep using FLONASE® Allergy Relief year round?
Some people suffer from allergies all year. If you are age 12 or older and have used FLONASE Allergy Relief for six months or age 4-11 and have used for two months a year, check with your doctor to make sure it's OK to keep using FLONASE. In fact, it's a good idea for anyone with persistent allergies to talk with a doctor every so often about symptoms and medicines.

Can I share my FLONASE® Allergy Relief?
Do not share a bottle of FLONASE. Sharing the bottle can spread germs, because you insert the nozzle in your nose.

Can I spray FLONASE® Allergy Relief in my eyes or mouth? No, FLONASE is meant to work only in your nose to relieve your allergy symptoms, including itchy, watery eyes.

Never spray FLONASE in your eyes or your mouth.

Some decongestants may increase blood pressure. Does FLONASE increase blood pressure? When used as directed, FLONASE does not increase blood pressure.

Won't I waste product by priming? It's not a waste to prime the pump, because it helps you get a full dose. Getting a full dose is important for getting the relief you deserve. See the Quick Start Guide for when and how to prime the pump.

How long should a bottle of FLONASE® Allergy Relief last? This table shows roughly how long your bottle will last. It assumes you follow the instructions for priming the pump, and that those age 12 or older use two sprays in each nostril every day while children age 4-11 use one spray in each nostril every day.

After you've used the number of sprays shown on the label, each spray may not deliver a full dose—even if there is liquid left in the bottle.

Don't worry about running out due to priming. There is enough medicine in the spray bottle to allow for priming sprays plus the number of sprays labeled on the bottle. **Always point the spray bottle away from your face** when priming.

If the label says...	The bottle should last age 12+...	The bottle should last age 4-11...
30 sprays	1 week	2 weeks
60 sprays	2 weeks	4 weeks
120 sprays	4 weeks	8 weeks
150 sprays	5 weeks	10 weeks*

*Check with a doctor if a child 4-11 needs to use longer than 2 months a year.

What are the differences in the way children age 4-11 should use FLONASE® Allergy Relief?
Children age 4-11 should use a lower dose of Flonase for a shorter period of time.

Ages	Children 4-11 years of age	Users 12 years of age and older
Dosage	1 spray in each nostril once daily	Up to 2 sprays in each nostril once daily
Duration before checking with a doctor	Up to 2 months of use a year	Up to 6 months of daily use

Why is the use of FLONASE® Allergy Relief for children age 4-11 limited to 2 months a year before checking with a doctor?
When used long-term, intranasal glucocorticoids like FLONASE may cause the growth rate of some children to be slower. Whether this will affect a child's ultimate height is not known. As a precaution, children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than 2 months a year.

Is FLONASE® Allergy Relief OK to use with other medicines?
You should tell your doctor about all the medicines you take, including FLONASE. FLONASE Allergy Relief can be used with most non-prescription and prescription medicines. However, there are a few medicines to look out for because they may cause the level of FLONASE in your body to become too high.

Just to be safe, check this table to see if you're taking any of these medicines.

If you're taking	Here's what to do...
Medicines for HIV infection (such as ritonavir)	Talk to your doctor or pharmacist before using FLONASE
Medicines with glucocorticoids including some medicines for skin rash such as eczema, as well as inflammation, allergic reactions, or eye conditions	Talk to your doctor or pharmacist before using FLONASE
Ketoconazole Pills for fungal infection	Talk to your doctor or pharmacist before using FLONASE

WHAT TO EXPECT

What it's like to use FLONASE.

How soon will I get relief? You may start to feel relief the first day you use FLONASE Allergy Relief. Keep using it every day, though. It takes several days before FLONASE builds up to full effectiveness.

How long will the relief last? FLONASE is meant to control your symptoms every day, all day and all night. To help you get this lasting relief, it's important to use FLONASE regularly, once a day.

Does FLONASE® Allergy Relief cause a "rebound" effect? No, FLONASE Allergy Relief does not cause a rebound effect.
Some nasal decongestant sprays may cause your nasal passages to swell up even more when you use them too often or for longer than their label says you should (three days). This is sometimes called a "rebound effect."

FLONASE is a different kind of medicine and does not cause any rebound effect. You can use FLONASE for up to six months if you are age 12 or older or up to two months a year if you are age 4-11 before checking with a doctor.

Will FLONASE® make me drowsy? No, FLONASE does not cause drowsiness. Some allergy medications can cause drowsiness, but FLONASE does not.

Why does FLONASE® have a smell? The light floral scent you may notice comes from one of the important ingredients in the FLONASE formula. No fragrance is added to FLONASE.

What if little or nothing is spraying out? Try priming the spray bottle. It may take a few pumps to get the dispenser spraying again.

If that doesn't work, the spray nozzle may be clogged. You can clean it following the directions in the Quick Start Guide on the other side.

What if I feel stinging in my nose, or I sneeze? Some people may feel a slight stinging, or may sneeze, after spraying FLONASE Allergy Relief in their nostrils. This feeling should go away in a few seconds.

What if I feel or taste the medicine in my throat? Generally, you can avoid this by taking a shallower breath next time you spray FLONASE into your nostrils. For example, take the kind of breath you would use to smell a flower.

What if I have chicken pox, measles or tuberculosis or come into contact with someone who does? Stop using FLONASE Allergy Relief and ask your doctor. What if I'm having severe sinus pain? If you feel severe pain in your face, have thick nasal discharge, or think you may have a sinus infection, **stop using FLONASE Allergy Relief and see your doctor.** Your doctor may want to consider if other medicines are needed.

What if my symptoms aren't better after one week? If you have used FLONASE for a week and your allergy symptoms are not getting better, **stop use and ask your doctor.** You may have an infection.

Does FLONASE® Allergy Relief have side effects? Serious side effects are rare with FLONASE Allergy Relief because FLONASE works in your nose, and barely any of it travels through your body.

However, like all medicines, FLONASE can cause side effects in some people. Here are some side effects that have been reported when using FLONASE. If you have any concerns about side effects, talk with your doctor.

Side effect	What could happen	What to do
Allergic reaction to the product	•Sudden swelling of face or tongue •A rash •Wheezing or feeling faint	If you feel any of these symptoms, stop using FLONASE and see a doctor right away.
Nose injury	•Severe or frequent nosebleeds •Constant whistling sound that does not go away	Apply pressure to your nose. Stop using FLONASE and see a doctor. This could be a sign of damage to your nose. Stop using FLONASE and see a doctor right away.
Eye conditions such as cataracts or glaucoma	•Cloudy vision •Reduced vision	Have a yearly eye exam to check for these conditions. Read the Drug Facts on the back of the FLONASE package for more details.
Growth effects	•Slower growth rate in some children while using product	Talk to your doctor if you are concerned or if a child age 4-11 needs to use FLONASE for longer than two months a year.
Other side effects	•Headaches or sneezing •Mild nosebleeds •Dry or irritated nose or throat.	Talk to your doctor or pharmacist if you are concerned.

STILL HAVE QUESTIONS? Call 1-844-FLONASE (1-844-356-6273)

MANUFACTURER'S COUPON EXPIRES 00/00/00

\$XXX OFF

ANY ONE

ALLERGY RELIEF

FLONASE® ALLERGY RELIEF QUICK START GUIDE

HOW TO START GETTING ALLERGY RELIEF RIGHT NOW



USE THE RIGHT DOSE

FLONASE® Allergy Relief works best when you use it daily. Here's how to get started.

Children age 4-11

An adult should supervise use

Use one spray in each nostril once daily.



Don't use more than one spray in each nostril per day.

If you miss a dose, just use your regular dose the next day. Don't add an extra dose.

Check with a doctor if a child needs to use FLONASE for longer than two months a year.

Users age 12 or older

In your first week

Use two sprays in each nostril every day.



Don't use more than two sprays in each nostril per day.

After your first week
If your symptoms are under

control, you may reduce to one spray in each nostril every day. If your symptoms get worse, go back to two sprays in each nostril.

If you miss a dose, just use your regular dose the next day. Don't add an extra dose.



WARNING: Do not spray in your eyes. Only for use in your nose.



KEEP IT CLEAN

A clean spray nozzle helps ensure a full dose. Clean it weekly, or if it's clogged. Don't try to unblock nozzle with pin or sharp object—that can damage it.

1



Remove spray nozzle by grasping at base and pulling up.

2



Rinse under running tap, and dry at room temperature.

3




Aim away from your face and gently replace spray nozzle until you hear a soft click.



If spray nozzle is clogged, soak in warm water. Then repeat steps 2 and 3.

FLONASE is a registered trademark and various design elements are trademarks of the GSK group of companies.

Redeemable at food, drug and mass merchandise stores. CONSUMER: Limit 1 coupon per purchase of indicated product(s). You pay any sales tax. RETAILER: GSK will reimburse you the face value of this coupon plus 12¢ Handling Fee if submitted in compliance with our Redemption Policy. Copy available upon request. Cash value 1/100 of 1¢. Coupon is void if altered, transferred, exchanged, sold or auctioned, copied or if prohibited by law. Good only in USA and at APOs, FPOs. Send coupons to: GSK Consumer Healthcare, P.O. Box 880658, El Paso, Texas 88588-0658. ©2014 GSK. Read and follow label directions.



GET THE RELIEF YOU NEED.
FLONASE Allergy Relief can relieve your allergy symptoms. For best results, it's important to get a full dose. Here's how, in five easy steps.



1 Shake



Gently shake spray bottle.



Remove green cap.

2 Prime



Do this when:

- Starting new bottle
- Haven't used it in a week
- Just cleaned nozzle

Otherwise go to Step 3.

Aim away from face. Grasp spray bottle as shown. Pump until fine mist appears.

Pumped six times and still no mist? Spray nozzle may be clogged. See **KEEP IT CLEAN**.

3 Blow




Blow nose gently to clear nostrils.

4 Aim



Close one nostril and put tip of spray nozzle in other nostril.



Put just the tip into your nose.



Aim slightly away from center of nose.

5 Breathe and Spray



While sniffing gently, press down on spray nozzle once or twice (according to dosing instructions). You'll feel a light mist in your nose. Breathe out through your mouth.

Repeat in other nostril.

Wipe spray nozzle with clean tissue and replace cap.

13-116ST

This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

THERESA M MICHELE
09/30/2015