

FULL PRESCRIPTION STRENGTH • NON-DROWSY

NDC 0000-0000-00



**CHILDREN'S**  
**FLONASE**<sup>®</sup>  
ALLERGY RELIEF

Fluticasone Propionate (Glucocorticoid) 50 mcg Per Spray  
Allergy Symptom Reliever Nasal Spray

**24 Hour Relief of:**

- Itchy, Watery Eyes
- Nasal Congestion
- Runny Nose
- Itchy Nose
- Sneezing



2 Bottles / 0.34 fl oz (9.9 mL) each  
0.68 fl oz (19.8 mL) total

**2x60** METERED  
SPRAYS

15-027CHFS



Fluticasone Propionate (Glucocorticoid) 50 mcg Per Spray  
Allergy Symptom Reliever Nasal Spray

**What problems can CHILDREN'S FLONASE Allergy Relief help with?**

CHILDREN'S FLONASE Allergy Relief helps relieve a broad range of uncomfortable symptoms like congestion and itchy eyes.



These symptoms can be triggered by allergens like pollen, mold, dust or pet dander.



See below for important information about use in children.

Drug Facts		Drug Facts (continued)
<b>Active Ingredient (in each spray)</b> Fluticasone propionate (glucocorticoid) 50 mcg	<b>Purpose</b> Allergy symptom reliever	<b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.
<b>Uses</b> Temporarily relieves these symptoms of hay fever or other upper respiratory allergies: • nasal congestion • runny nose • sneezing • itchy nose • itchy, watery eyes	<b>Warnings</b> Only for use in the nose. Do not spray into your eyes or mouth. <b>Do not use</b> • in children under 4 years of age • to treat asthma • if you have an injury or surgery to your nose that is not fully healed • if you have ever had an allergic reaction to this product or any of the ingredients	<b>Directions</b> • read the Quick Start Guide for how to: • prime the bottle • use the spray • clean the spray nozzle • shake gently before each use • use this product only once a day • do not use more than directed
<b>Ask a doctor before use if you have or had glaucoma or cataracts</b>	<b>Ask a doctor or pharmacist before use if you are taking</b> • a steroid medicine for asthma, allergies or skin rash • ketoconazole pills (medicine for fungal infection)	<b>ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER</b> • Week 1 – use 2 sprays in each nostril once daily • Week 2 through 6 months – use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms • After 6 months of daily use – ask your doctor if you can keep using
<b>When using this product</b> • the growth rate of some children may be slower • stinging or sneezing may occur for a few seconds right after use • do not share this bottle with anyone else as this may spread germs • remember to tell your doctor about all the medicines you take, including this one	<b>Stop use and ask a doctor if</b> • you have, or come into contact with someone who has, chicken pox, measles or tuberculosis • your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection. • you get a constant whistling sound from your nose. This may be a sign of damage inside your nose. • you get an allergic reaction to this product. Seek medical help right away. • you get new changes to your vision that develop after starting this product • you have severe or frequent nosebleeds	<b>CHILDREN 4 TO 11 YEARS OF AGE</b> • the growth rate of some children may be slower while using this product. <b>Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.</b> • an adult should supervise use • use 1 spray in each nostril once daily
<b>If pregnant or breast-feeding, ask a health professional before use.</b>		<b>CHILDREN UNDER 4 YEARS OF AGE</b> • do not use
		<b>Other information</b> • you may start to feel relief the first day and full effect after several days of regular, once-a-day use • store between 4° and 30°C (39° and 86°F) • keep this label and enclosed materials. They contain important additional information.
		<b>Inactive ingredients</b> benzalkonium chloride, dextrose, microcrystalline cellulose, phenylethylalcohol, polysorbate 80, purified water, sodium carboxymethylcellulose
		<b>Questions or comments?</b> call toll-free 1-844-FLONASE (1-844-356-6273) (English/Spanish) weekdays



**TAMPER-EVIDENT** features for your protection. The product is packaged in a sealed plastic container. Under the cap and nozzle, each bottle has an aluminum seal around bottle neck. Do not use if any of these features are torn or damaged.

FLONASE, the FLONASE logo, the bottle and cap design, and other design elements are trademarks of the GSK group of companies.  
Distributed by: **GlaxoSmithKline** Consumer Healthcare, LP, Moon Township, PA 15108 Made in Canada ©2015 GSK 15-028CHFS


**Lot:** [Redacted]  
**Exp:** [Redacted]



GSK Regulatory Spec Box		Verified Date: 5.13.15
<b>Drug Facts Info</b>		
<b>Drug Facts (Title)</b>	Font Name: Helvetica Neue 77 Bold Condensed Oblique	10.0 point type
<b>Drug Facts (continued)</b>	Font Name: Helvetica Neue 77 Bold Condensed Oblique/Helvetica Neue 57 Condensed	8.00 point type
<b>Headings</b>	Font Name: Helvetica Neue 77 Bold Condensed Oblique	8.00 point type
<b>Subheadings</b>	Font Name: Helvetica Neue 77 Bold Condensed	7.00 point type
<b>Body text</b>	Font Name: Helvetica Neue 57 Condensed/Helvetica Neue 77 Bold Condensed	7.00 point type
<b>Bullets</b>	Font Name: Helvetica Neue 55 Roman	5.00 point type
Bullets on same lines: end of statement separated from bulleted statement by two ems		Yes
Spacing of the hair lines from edge of box – i.e. Minimum of 2 spaces either side of Drug Fact Box		Yes
<b>Tracking</b>	0	Horizontal Scale: 94%-100%
<b>Leading (Minimum space in body copy of Drug Facts)</b>	7.50 pt.	Maximum Characters/Inch: 30
<b>Barlines</b>	1.00 pt.	Halflines: 0.50 pt.
<b>Primary Display Panel Info</b>		
Font size of Net Wt/Contents (Smallest character height in inches)		N/A
PDP dimensions (in square inches)		N/A
Font size of Statement of Identity (if not live text, to be measured in Helvetica capital "M")		V N/A H 10.05 pt.
Font size of Logo/Largest Copy on PDP (if not live text, to be measured in Helvetica capital "M")		V N/A H 55.89 pt.
Ratio of Statement of Identity to Logo/Largest Copy on PDP		
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)		V N/A H 18%



GSK Regulatory Spec Box		Verified Date: 5.26.15
<b>Drug Facts Info</b>		
Drug Facts (Title)	Font Name: N/A	N/A
Drug Facts (continued)	Font Name: N/A	N/A
Headings	Font Name: N/A	N/A
Subheadings	Font Name: N/A	N/A
Body text	Font Name: N/A	N/A
Bullets	Font Name: N/A	N/A
Bullets on same lines: end of statement separated from bulleted statement by two ems		
Spacing of the hair lines from edge of box – i.e. Minimum of 2 spaces either side of Drug Fact Box		
Tracking	N/A	N/A
Leading (Minimum space in body copy of Drug Facts)	N/A	N/A
Barlines	N/A	N/A
<b>Primary Display Panel Info</b>		
Font size of Net Wt/Contents (Smallest character height in inches)		
PDP dimensions (in square inches)	0.0688 in.	
Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")	23.91 sq. in.	
Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")	V 6.00 pt.	H N/A
Ratio of Statement of Identity to Logo/Largest Copy on PDP	V 34.84 pt.	H N/A
Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)	V 17%	H N/A



GSK Regulatory Spec Box		Verified Date: 10.6.15	
<b>Drug Facts Info</b>			
<b>Drug Facts (Title)</b>	Font Name: Helvetica Neue LT Std 77 Bold Condensed Oblique	13.00 point type	
<b>Drug Facts (continued)</b>	Font Name: Helvetica Neue LT Std 77 Bold Condensed Oblique/Helvetica Neue LT Std 57 Condensed Oblique	8.00 point type	
<b>Headings</b>	Font Name: Helvetica Neue LT Std 77 Bold Condensed Oblique	8.00 point type	
<b>Subheadings</b>	Font Name: Helvetica Neue LT Std 77 Bold Condensed	6.00 point type	
<b>Body text</b>	Font Name: Helvetica LT Std Condensed/Helvetica Neue LT Std 77 Bold Condensed	6.00 point type	
<b>Bullets</b>	Font Name: Helvetica LT Std Condensed	5.00 point type	
Bullets on same lines: end of statement separated from bulleted statement by two ems			
Spacing of the hair lines from edge of box – i.e. Minimum of 2 spaces either side of Drug Fact Box			
<b>Tracking</b>	0 to 16	Horizontal Scale:	81%-100%
<b>Leading (Minimum space in body copy of Drug Facts)</b>	6.45 pt.	<b>Maximum Characters/Inch:</b>	40
<b>Barlines</b>	1.00 pt.	<b>Barlines</b>	0.50 pt.
<b>Primary Display Panel Info</b>			
<b>Font size of Net Wt/Contents (Smallest character height in inches)</b>			
		0.1250 in.	
<b>PDP dimensions (in square inches)</b>			
		8.41 sq. in.	
<b>Font size of Statement of Identity (If not live text, to be measured in Helvetica capital "M")</b>			
		V 6 pt. H 0.00 pt.	
<b>Font size of Logo/Largest Copy on PDP (If not live text, to be measured in Helvetica capital "M")</b>			
		V 20.65 pt. H 0.00 pt.	
<b>Ratio of Statement of Identity to Logo/Largest Copy on PDP</b>			
		V 29% H 0%	
<b>Statement of Identity (pt.) (Divided by) Largest Logo Copy (pt.)</b>			