

**NEW
LOOK**

HALEON

FLONASE

SENSIMIST ALLERGY RELIEF

Fluticasone Furoate Nasal Spray
27.5 mcg Per Spray Allergy Symptom
Reliever (Glucocorticoid)*

Non-Drowsy

Relief of:

- Nasal congestion
- Itchy, watery eyes
- Itchy nose
- Runny nose
- Sneezing

FULL PRESCRIPTION STRENGTH

*Fluticasone furoate is a steroid medicine known as a glucocorticoid.
NPA015347

**3 Bottles / 0.31 fl oz (9.1 mL) each
0.93 fl oz (27.3 mL) total**



SCENT FREE
GENTLE MIST



Three bottles
120 sprays per bottle

FLONASE

SENSIMIST ALLERGY RELIEF

Fluticasone Furoate Nasal Spray
27.5 mcg Per Spray Allergy Symptom Reliever (Glucocorticoid)*
*Fluticasone furoate is a steroid medicine known as a glucocorticoid.



See below for important information about use in children.

Drug Facts

Active ingredient (in each spray) Fluticasone furoate (glucocorticoid)* 27.5 mcg.....Allergy symptom reliever
Purpose *Read the Question & Answer Leaflet

Uses
Temporarily relieves these symptoms of hay fever or other upper respiratory allergies:
• nasal congestion • runny nose • sneezing • itchy nose
• itchy, watery eyes (for ages 12 and older)

Warnings
Only for use in the nose. Do not spray into your eyes or mouth.

Do not use
• in children under 2 years of age
• to treat asthma
• if you have an injury or surgery to your nose that is not fully healed
• if you have ever had an allergic reaction to this product or any of the ingredients

Ask a doctor before use if you have or had glaucoma or cataracts

Ask a doctor or pharmacist before use if you are taking
• medicine for HIV infection (such as ritonavir)
• a steroid medicine for asthma, allergies or skin rash
• ketoconazole pills (medicine for fungal infection)

When using this product
• the growth rate of some children may be slower
• stinging or sneezing may occur for a few seconds right after use
• do not share this bottle with anyone else as this may spread germs
• remember to tell your doctor about all the medicines you take, including this one

Stop use and ask a doctor if
• you have, or come into contact with someone who has, chicken pox, measles or tuberculosis
• your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection.
• you get a constant whistling sound from your nose. This may be a sign of damage inside your nose.
• you get an allergic reaction to this product. Seek medical help right away.
• you get new changes to your vision that develop after starting this product
• you have severe or frequent nosebleeds

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Lot:
Exp:

Distributed by: Haleon, Warren, NJ 07059
Made in Singapore
Trademarks owned or licensed by Haleon, ©2024 Haleon or licensor.
NPA015346

TAMPER-EVIDENT features for your protection. The product is packaged in a sealed container. The bottle is housed within a plastic dispenser that prevents direct access to the bottle. **Do not use if the container or any part of the plastic dispenser, including the dispenser bottom, is damaged or broken.**



To Open:
Pull Away
and Break Apart

Drug Facts (continued)

Directions
• read the Quick Start Guide for how to:
• shake vigorously before each use
• prime the bottle • use the spray
• sniff gently after each spray
• clean the spray nozzle with a clean dry tissue • use this product only once a day
• do not use more than directed

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER

• Week 1 – use 2 sprays in each nostril once daily
• Week 2 through 6 months – use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms
• After 6 months of daily use – ask your doctor if you can keep using

CHILDREN 2 TO 11 YEARS OF AGE

• the growth rate of some children may be slower while using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.
• an adult should supervise use
• use 1 spray in each nostril once daily

CHILDREN UNDER 2 YEARS OF AGE

• do not use

Other information

• you may start to feel relief the first day and full effect after several days of regular, once-a-day use
• store between 15° - 30°C (59° - 86°F)
• do not refrigerate or freeze
• keep this label and enclosed materials. They contain important additional information.

Inactive ingredients
benzalkonium chloride solution, carbomethylcellulose sodium, dextrose anhydrous, edetate disodium, microcrystalline cellulose, polysorbate 80, purified water

Questions or comments?
call toll-free 1-844-FLONASE
(1-844-358-6273)

**NEW
LOOK**

HALEON

FLONASE

ALLERGY RELIEF

Fluticasone Propionate Nasal Spray
50 mcg Per Spray Allergy Symptom
Reliever (Glucocorticoid)*

Non-Drowsy

Relief of:

- Nasal congestion
- Itchy, watery eyes
- Itchy nose
- Runny nose
- Sneezing

FULL PRESCRIPTION STRENGTH

*Fluticasone propionate is a steroid medicine known as a glucocorticoid.
NPA015349

**3 Bottles / 0.62 fl oz (18.2 mL) each
1.86 fl oz (54.6 mL) total**



**Three bottles
144 sprays per bottle**

FLONASE

ALLERGY RELIEF

Fluticasone Propionate Nasal Spray
50 mcg Per Spray Allergy Symptom Reliever (Glucocorticoid)*
*Fluticasone propionate is a steroid medicine known as a glucocorticoid.



See below for important information about use in children.

Drug Facts

Active ingredient (in each spray) Fluticasone propionate (glucocorticoid)* 50 mcg
Purpose Allergy symptom reliever
*read the Question & Answer Leaflet

Uses
Temporarily relieves these symptoms of hay fever or other upper respiratory allergies:

- nasal congestion
- itchy nose
- runny nose
- itchy, watery eyes
- sneezing

Warnings
Only for use in the nose. Do not spray into your eyes or mouth.

Do not use

- in children under 4 years of age
- to treat asthma
- if you have an injury or surgery to your nose that is not fully healed
- if you have ever had an allergic reaction to this product or any of the ingredients

Ask a doctor before use if you have or had glaucoma or cataracts

Ask a doctor or pharmacist before use if you are taking

- medicine for HIV infection (such as ritonavir)
- a steroid medicine for asthma, allergies or skin rash
- ketconazole pills (medicine for fungal infection)

When using this product

- the growth rate of some children may be slower
- stinging or sneezing may occur for a few seconds right after use
- do not share this bottle with anyone else as this may spread germs
- remember to tell your doctor about all the medicines you take, including this one

Stop use and ask a doctor if

- you have, or come into contact with someone who has, chicken pox, measles or tuberculosis
- your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection.
- you get a constant whistling sound from your nose. This may be a sign of damage inside your nose.
- you get an allergic reaction to this product. Seek medical help right away.
- you get new changes to your vision that develop after starting this product
- you have severe or frequent nosebleeds

If pregnant or breast-feeding, ask a health professional before use.


Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Lot:
Exp:

Distributed by: Haleon, Warren, NJ 07059
Made in Canada
Trademarks owned or licensed by Haleon. ©2024 Haleon or licensor.
NPA015348

TAMPER-EVIDENT features for your protection. The product is packaged in a sealed container. Under the cap and nozzle, each bottle has an aluminum seal around bottle neck. **Do not use if any of these features are torn or damaged.**

To Open:
Pull Away
and Break Apart



Drug Facts (continued)

Directions

• read the Quick Start Guide for how to:

- prime the bottle
- use the spray
- clean the spray nozzle
- shake gently before each use
- use this product only once a day

• do not use more than directed

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER

• Week 1 – use 2 sprays in each nostril once daily
• Week 2 through 6 months – use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms
• After 6 months of daily use – ask your doctor if you can keep using

CHILDREN 4 TO 11 YEARS OF AGE

• the growth rate of some children may be slower while using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.
• an adult should supervise use
• use 1 spray in each nostril once daily

CHILDREN UNDER 4 YEARS OF AGE

• do not use

Other information

• you may start to feel relief the first day and full effect after several days of regular, once-a-day use
• store between 4° and 30°C (39° and 86°F)
• keep this label and enclosed materials. They contain important additional information.

Inactive ingredients

benzalkonium chloride, dextrose, microcrystalline cellulose, phenylethyl alcohol, polyacrylate 80, purified water, sodium carboxymethylcellulose

Questions or comments?
call toll-free 1-844-FLONASE (1-844-356-6273)

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

MARTHA K LENHART
01/10/2025 01:39:10 PM