



This label may not be the latest approved by FDA.  
For current labeling information, please visit <https://www.fda.gov/drugsatfda>



Carton contains  
4 x 10 gram packets

VISTOGARD<sup>®</sup> 10g  
(uridine triacetate) oral granules

NDC 69468-151-04



  
**VISTOGARD<sup>®</sup> 10g**  
(uridine triacetate) oral granules

Rx Only

Each carton contains 4 packets.

Each single-dose packet contains 10 g of uridine triacetate.

**Directions for use:** Each Vistogard<sup>®</sup> dose should be mixed into a soft food (such as applesauce, pudding, or yogurt) immediately prior to administration. For pediatric administration, see prescribing information and discard unused portion of granules.

An unopened packet must be used for each dose.

**Usual dosage:** See prescribing information.

See package insert for complete information.

Store at 25°C (77°F); excursions permitted to 15°C to 30°C (59°F to 86°F).

**Keep this and all medication out of the reach of children.**

**Manufactured for:**

Wellstat Therapeutics Corporation  
Gaithersburg, MD 20878



Made in UK

**Distributed by:**

BTG International Inc.  
West Conshohocken, PA 19428



Carton contains  
4 x 10 gram packets

NDC 69468-151-04

Rx Only

  
**VISTOGARD<sup>®</sup> 10g**  
(uridine triacetate) oral granules

Carton contains  
4 x 10 gram packets

VISTOGARD<sup>®</sup> 10g  
(uridine triacetate) oral granules

VISTOGARD<sup>®</sup> 10g  
(uridine triacetate) oral granules

Lot: XXXXXXX

Exp: DD MMM YY

Label may not be the latest approved by the FDA. For the latest information, please visit <https://www.fda.gov>

NDC 69468-151-10

R<sub>x</sub> Only



# VISTOGARD® 10g

(uridine triacetate) oral granules

Each single-dose packet contains 10 g of uridine triacetate.

**Directions for use:** Each Vistogard® dose should be mixed into a soft food (such as applesauce, pudding, or yogurt) immediately prior to administration. For pediatric administration, see prescribing information and discard unused portion of granules.

**Usual dosage:** See prescribing information. See package insert for complete information.

Store at 25°C (77°F); excursions permitted to 15°C to 30°C (59°F to 86°F).

**Keep this and all medication out of the reach of children.**

**Manufactured for:**  
Wellstat Therapeutics  
Corporation  
Gaithersburg, MD 20878

**Distributed by:**  
BTG International Inc.  
West Conshohocken,  
PA 19428

**Wellstat Therapeutics**  
CORPORATION



**BTG**

**Made in UK**



3 69468 15110 6

Lot: XXXXXXX

Exp: DD MMM YY