







Naloxone HCl Nasal Spray 4 mg
NARCAN


Drug Facts (continued)
Directions

1 CHECK

 • **CHECK** for a suspected overdose: the person will not wake up or is very sleepy or not breathing well
 • yell "Wake up!"
 • shake the person gently
 • if the person is not awake, go to Step 2

2 GIVE

 • **HOLD** the nasal spray device with your thumb on the bottom of the plunger
 • **INSERT** the nozzle into either **NOSTRIL**
 • **PRESS** the plunger firmly to give the 1st dose
 • 1 nasal spray device contains 1 dose

3 CALL

 • **CALL 911** immediately after giving the 1st dose

4 WATCH/GIVE

 • **WAIT** 2-3 minutes after the 1st dose to give the medicine time to work
 • if the person **wakes up**: Go to Step 5
 • if the person does **not wake up**:
 • **CONTINUE TO GIVE** doses every 2-3 minutes until the person wakes up
 • it is safe to keep giving doses

5 STAY

 • **STAY** until ambulance arrives: even if the person wakes up
 • **GIVE** another dose if the person becomes very sleepy again
 • You may need to give all the doses in the pack

Drug Facts (continued)
Warning
 When using this product some people may experience symptoms when they wake up, such as shaking, sweating, nausea, or feeling angry. This is to be expected.

Other information
 • store at room temperature or refrigerated, between 2°C to 25°C (36°F to 77°F)
 • do not freeze
 • avoid excessive heat above 40°C (104°F)
 • protect from light
 • the product is packaged in individually-sealed blisters. Do not use if the blister is open or torn, or if the device appears damaged.

Inactive ingredients
 benzalkonium chloride, edetate disodium, hydrochloric acid, sodium chloride, water

Questions?
 call 1-844-4NARCAN (1-844-462-7226) or go to www.narcan.com

Safe to Use
Even if Opioids are Not Present

LBL040716

Original Prescription Strength | Easy to Use | Can Save a Life

Designed to Rapidly Reverse the Effects of a Life-Threatening Opioid Emergency

NARCAN
Naloxone HCl Nasal Spray 4 mg

Emergency Treatment of Opioid Overdose



2 Single-Dose Nasal Spray Devices
0.003 fl oz (0.1 mL) each

Includes Carrying Case
For use in nose only

For use in nose only



Nozzle
Plunger

Do not test nasal spray device before use

1 nasal spray device contains 1 dose of medicine

Each device sprays 1 time only

Read Directions Before Use

Drug Facts

Active ingredient (in each spray)	Purpose
Naloxone hydrochloride 4 mg	Emergency treatment of opioid overdose

Uses

- to "revive" someone during an overdose from many prescription pain medications or street drugs such as heroin
- this medicine can save a life

EXP YYYY-MM
LOT XXXXXX



Distributed by Emergent Devices Inc.
Plymouth Meeting, PA 19462 USA
©2025 Emergent Devices Inc. Plymouth Meeting, PA.
All rights reserved.
NARCAN® is a registered trademark of Emergent Operations Ireland Limited.
NDC 69547-627-05



3 69547 62705 8



117529



 **NARCAN**[®]
Naloxone HCl Nasal Spray 4 mg

Always carry two doses of NARCAN[®].
Replace used or missing devices with NARCAN[®] promptly.
See carton for Directions (Directions are also enclosed with device).

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
01/09/2026 11:51:36 AM