

NARCAN
Naloxone HCl Nasal Spray 4 mg

NOT FOR RESALE
FOR NON-RETAIL DISTRIBUTION
DISTRIBUTE IN PAIRS


NARCAN
Naloxone HCl Nasal Spray 4 mg

Designed to Rapidly Reverse
the Effects of a Life-Threatening
Opioid Emergency

6 Single-Dose Nasal Spray Devices
0.003 fl oz (0.1 mL) each



For use in
nose only



Do not test nasal
spray device
before use

1 nasal spray
device contains
1 dose of medicine

Each device
sprays 1 time only

Before Use

Drug Facts	Purpose
Active ingredient (in each spray) Naloxone hydrochloride 4 mg	Emergency treatment of opioid overdose
Uses	
<ul style="list-style-type: none"> to "revive" someone during an overdose from many prescription pain medications or street drugs such as heroin this medicine can save a life 	



Drug Facts (continued)

Warning
When using this product some people may experience symptoms when they wake up, such as shaking, sweating, nausea, or feeling angry. This is to be expected.

Other information

- store at room temperature or refrigerator, between 2°C to 25°C (36°F to 77°F)
- do not freeze
- avoid excessive heat above 40°C (104°F)
- protect from light
- the product is packaged in individually-sealed blisters.

Do not use if the blister is open or torn, or if the device appears damaged.

Inactive ingredients
benzalkonium chloride, edetate disodium, hydrochloric acid, sodium chloride, water

Questions?
call 1-844-4NARCAN (1-844-462-7226) or go to www.narcan.com

Distributed by Emergent Devices Inc.
Plymouth Meeting, PA 19462 USA
©2025 Emergent Devices Inc. Plymouth Meeting, PA.
All rights reserved.
NARCAN® is a registered trademark of Emergent Operations
Ireland Limited.
NDC 69547-627-06

Drug Facts (continued)

Directions

1 CHECK
WAKE UP

2 GIVE

3 CALL

4 WATCH & GIVE
2-3 minutes

5 STAY

Step 1: CHECK if you suspect an overdose:

- CHECK for a suspected overdose: the person will not wake up or is very sleepy or not breathing well
- yell "Wake up!"
- shake the person gently
- if the person is not awake, go to Step 2

Step 2: GIVE 1st dose in the nose

- HOLD the nasal spray device with your thumb on the bottom of the plunger
- INSERT the nozzle into either NOSTRIL
- PRESS the plunger firmly to give the 1st dose
- 1 nasal spray device contains 1 dose

Step 3: CALL

- CALL 911 immediately after giving the 1st dose

Step 4: WATCH & GIVE

- WAIT 2-3 minutes after the 1st dose to give the medicine time to work
- if the person wakes up: Go to Step 5
- if the person does not wake up:
 - CONTINUE TO GIVE doses every 2-3 minutes until the person wakes up
 - it is safe to keep giving doses

Step 5: STAY

- STAY until ambulance arrives: even if the person wakes up
- GIVE another dose if the person becomes very sleepy again
- You may need to give all the doses in the pack





24 Single-Dose Nasal Spray Devices
0.003 fl oz (0.1 mL) each



Naloxone HCl Nasal Spray 4 mg
NARCAN[®]

For use in nose only

NOT FOR RESALE
FOR NON-RETAIL
DISTRIBUTION
DISTRIBUTE IN PAIRS

NARCAN[®]
Naloxone HCl Nasal Spray 4 mg

CAN[®]

Agent of Opioid Overdose



Nozzle

Plunger

Designed to rapidly reverse
the effects of a life-threatening
opioid emergency

Do not test nasal spray device before use

1 nasal spray device contains 1 dose of medicine

Each device sprays 1 time only

24 Single-Dose Nasal Spray Devices
0.003 fl oz (0.1 mL) each

See carton for Directions (Directions are also enclosed with device).

NARCAN[®]
Naloxone HCl Nasal Spray 4 mg

117550

NARCAN[®]
Naloxone HCl Nasal Spray 4 mg



24 Single-Dose Nasal Spray Devices
0.003 fl oz (0.1 mL) each

Drug Facts

Active ingredient (in each spray) Naloxone hydrochloride 4 mg. **Purpose** Emergency treatment of opioid overdose such as heroin.

Uses

- to "revive" someone during an overdose from many prescription pain medications or street drugs such as heroin.
- this medicine can save a life.

Directions

Step 1: CHECK if you suspect an overdose:

- CHECK** for a suspected overdose; the person will not wake up or is very sleepy or not breathing well
- yell "Wake up!"
- shake the person gently
- if the person is not awake, go to Step 2

Step 2: GIVE 1st dose in the nose

- HOLD** the nasal spray device with your thumb on the bottom of the plunger
- INSERT** the nozzle into either NOSTRIL
- PRESS** the plunger firmly to give the 1st dose
- 1 nasal spray device contains 1 dose

Step 3: CALL

- CALL 911** immediately after giving the 1st dose

Step 4: WATCH & GIVE

- WAIT** 2-3 minutes after the 1st dose to give the medicine time to work
- if the person **wakes up**: Go to Step 5
- if the person does **not wake up**:
 - CONTINUE TO GIVE** doses every 2-3 minutes until the person wakes up
 - it is safe to keep giving doses

Step 5: STAY

- STAY** until ambulance arrives: even if the person wakes up
- GIVE** another dose if the person becomes very sleepy again
- You may need to give all the doses in the pack

Drug Facts (continued)

Warning
When using this product some people may experience symptoms when they wake up, such as shaking, sweating, nausea, or feeling angry. This is to be expected.

Other information

- store at room temperature or refrigerator, between 2°C to 25°C (36°F to 77°F)
- do not freeze
- avoid excessive heat above 40°C (104°F)
- protect from light
- the product is packaged in individually-sealed blisters.
- Do not use if the blister is open or torn, or if the device appears damaged.

Inactive ingredients
benzalkonium chloride, edetate disodium, hydrochloric acid, sodium chloride, water

Questions?
call 1-844-4NARCAN (1-844-462-7226) or go to www.narcan.com



Distributed by Emergent Devices Inc.
Plymouth Meeting, PA 19462 USA
©2025 Emergent Devices Inc. Plymouth Meeting, PA.
All rights reserved.
NARCAN® is a registered trademark of Emergent Operations Ireland Limited.
NDC 69547-627-24

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
02/11/2026 02:38:08 PM