

*Each tablet contains 20 mg of cabozantinib (equivalent to 25 mg of cabozantinib (S)-malate).

Take once each day on an empty stomach. Cabometyx should not be taken with food. Take Cabometyx at least 1 hour before or at least 2 hours after eating. Swallow Cabometyx tablets whole. Do not crush Cabometyx tablets.

Store Cabometyx at 20°C to 25°C (68°F to 77°F); excursions are permitted from 15°C to 30°C (59°F to 86°F) [see USP Controlled Room Temperature].

Keep out of the reach of children.

NDC 42388-024-26

Cabometyx[®]
(cabozantinib) tablets

20 mg*

Rx Only
30 tablets
EXELIXIS[®]

Manufactured for Exelixis, Inc.
Alameda, CA 94502
Made in Germany

314287

4 2 3 8 8 0 2 4 2 6

2

GTIN: XXXXXXXXXXXX
SN: YYYYYYYYYYYY
EXP: MMM YYYY
LOT: LLLLL



*Each tablet contains 40 mg of cabozantinib (equivalent to 51 mg of cabozantinib (S)-malate).

Take once each day on an empty stomach. Cabometyx should not be taken with food. Take Cabometyx at least 1 hour before or at least 2 hours after eating. Swallow Cabometyx tablets whole. Do not crush Cabometyx tablets.

Store Cabometyx at 20°C to 25°C (68°F to 77°F); excursions are permitted from 15°C to 30°C (59°F to 86°F) [see USP Controlled Room Temperature].

Keep out of the reach of children.

NDC 42388-025-26

Cabometyx[®]
(cabozantinib) tablets

40 mg*

Rx Only
30 tablets
EXELIXIS[®]

Manufactured for Exelixis, Inc.
Alameda, CA 94502
Made in Germany

314288

4 2 3 8 8 0 2 5 2 6 9

N 3

GTIN: XXXXXXXXXXXX
SN: YYYYYYYYYYYY
EXP: MMM YYYY
LOT: LLLLL



*Each tablet contains 60 mg of cabozantinib (equivalent to 76 mg of cabozantinib (S)-malate).

Take once each day on an empty stomach. Cabometyx should not be taken with food. Take Cabometyx at least 1 hour before or at least 2 hours after eating. Swallow Cabometyx tablets whole. Do not crush Cabometyx tablets.

Store Cabometyx at 20°C to 25°C (68°F to 77°F); excursions are permitted from 15°C to 30°C (59°F to 86°F) [see USP Controlled Room Temperature].

Keep out of the reach of children.

NDC 42388-023-26

Cabometyx[®]
(cabozantinib) tablets

60 mg*

Rx Only
30 tablets
EXELIXIS[®]

Manufactured for Exelixis, Inc.
Alameda, CA 94502
Made in Germany

314289

GTIN: XXXXXXXXXXXX
SN: YYYYYYYYYYYY
EXP: MMM YYYY
LOT: LLLLL





Ramesh
Raghavachari

This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>

Digitally signed by Ramesh Raghavachari
Date: 11/05/2020 02:57:00PM
GUID: 502d0913000029f375128b0de8c50020