

Children's Xyzal Allergy 24 Hour Liquid

Liquid 5 oz Carton

10.09.20

XYZ_Kids_24hr_5oz Liq_CTN_FDA_0165705-01_DSN5.ai
(PDF of art being shown is submitted at 100% actual size)



children's
XYZAL[®]
ALLERGY 24HR

NDC 41167-3530-1

Ages 2 Years & Older **2+**

Drug Facts

Active ingredient (in each 5 mL)
Levocetirizine dihydrochloride 2.5 mg....Antihistamine

Purpose
temporarily relieves these symptoms due to hay fever or other respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Uses
temporarily relieves these symptoms due to hay fever or other respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

- if you have kidney disease
- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine

Ask a doctor before use if you have

- ever had trouble urinating or emptying your bladder

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- you have trouble urinating or emptying your bladder
- an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use

Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

Directions
■ use only with enclosed dosing cup

adults 65 years of age and older	■ ask a doctor
adults and children 12-64 years of age	■ take 5 mL or 10 mL once daily in the evening depending upon severity of symptoms ■ do not take more than 10 mL in 24 hours
children 6-11 years of age	■ take 5 mL once daily in the evening ■ do not take more than 5 mL in 24 hours
children 2-5 years of age	■ take 2.5 mL once daily in the evening ■ do not take more than 2.5 mL in 24 hours
children under 2 years of age	■ do not use
consumers with kidney disease	■ do not use

Note: mL=milliliters

Other information

- each 5 mL contains: sodium 3 mg
- store between 20° and 25°C (68° and 77°F)
- safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing

Inactive ingredients
flavor, glacial acetic acid, glycerin, maltitol solution, methylparaben, propylparaben, purified water, saccharin sodium, sodium acetate trihydrate

Questions or comments?
call 1-800-633-1610

Read directions and warnings before use. Keep this carton. It has important information.

0165705-01 



0 41167 35301 1

LOT:
EXP:



children's
XYZAL[®]
ALLERGY 24HR

Alcohol Free • Sugar Free • Dye Free

Children's
XYZAL[®]
ALLERGY 24HR
levocetirizine dihydrochloride oral solution
2.5 mg / 5mL antihistamine

24 HOUR RELIEF

- RUNNY NOSE • SNEEZING
- ITCHY, WATERY EYES
- ITCHY NOSE OR THROAT

• Alcohol Free
• Sugar Free
• Dye Free

Use Only With Enclosed Dosing Cup

Liquid



Tutti Frutti Flavor

Wash and let air dry after each use

Liquid



5 fl. oz. (148 mL)

Tutti Frutti Flavor

Children's Xyzal Allergy 24 Hour Liquid

Liquid 5 oz Bottle Label

10.09.20

XYZ_Kids_24hr_5oz_Liq_LBL_FDA_0165706-01_DSN3.ai

(PDF of art being shown is submitted at 100% actual size)

NDC 41167-3530-1 **Ages 2 Years & Older**

Alcohol Free • Sugar Free • Dye Free

Children's XYZAL[®]
ALLERGY 24HR
levocetirizine dihydrochloride oral solution
2.5 mg/5mL antihistamine

24 HOUR RELIEF

• RUNNY NOSE • SNEEZING
• ITCHY, WATERY EYES
• ITCHY NOSE OR THROAT

Tutti Frutti Flavor **5 fl. oz. (148 mL)**

Active ingredient (in each 5 mL)
Levocetirizine dihydrochloride 2.5 mg.....Antihistamine

Purpose
Uses temporarily relieves these symptoms due to hay fever or other respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat **Warnings Do not use** ■ if you have kidney disease ■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine **Ask a doctor before use if you have** ■ ever had trouble urinating or emptying your bladder **When using this product** ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery **Stop use and ask a doctor if** ■ you have trouble urinating or emptying your bladder ■ an allergic reaction to this product occurs. Seek medical help right away. **If pregnant or breast-feeding:** ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). ▶

Directions ■ use only with enclosed dosing cup **adults 65 years of age and older** ■ ask a doctor **adults and children 12-64 years of age** ■ take 5 mL or 10 mL once daily in the evening depending upon severity of symptoms ■ do not take more than 10 mL in 24 hours **children 6-11 years of age** ■ take 5 mL once daily in the evening ■ do not take more than 5 mL in 24 hours **children 2-5 years of age** ■ take 2.5 mL once daily in the evening ■ do not take more than 2.5 mL in 24 hours **children under 2 years of age** ■ do not use **consumers with kidney disease** ■ do not use

Note: mL = milliliters **Other information** ■ each 5 mL contains: **sodium 3 mg** ■ store between 20° and 25°C (68° and 77°F) ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing

Inactive ingredients flavor, glacial acetic acid, glycerin, maltitol solution, methylparaben, propylparaben, purified water, saccharin sodium, sodium acetate trihydrate

Questions or comments?
call 1-800-633-1610

0165706-01
Lot:
Exp.:

The trade dress of this Xyzal[®] package is subject to trademark protection.
Dist. By: Chatterm, Inc., a Sanofi Company, Chattanooga, TN 37409-0219 ©2020
Origin: Switzerland

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
11/10/2020 08:27:55 AM