



COMPONENTS ASSEMBLED:

PRINT at 71% for 11-inch x 17-inch size paper

STANDARD FORMAT

TYPE SIZES:
TITLE: 9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique (continued)
HEADINGS: 8 pt Helvetica Neue LT Std 57 Condensed
SUBHEADINGS: 6 pt Helvetica Neue LT Std 77 Bold Condensed
TEXT: 6 pt Helvetica Neue LT Std 57 Condensed
LEADING: 6.5 pt
BULLETS: 5 pt Square with 2 MR's spacing between statements
TELEPHONE #: 6 pt Helvetica Neue LT Std 77 Bold Condensed
HEAVY LINES: 1.5 pt
HAIRLINES: 0.5 pt
Hairlines extend to within two spaces of the "Drug Facts" box

Drug Facts

Active ingredient (in each tablet)
Omeprazole 20 mg

Purpose
Acid reducer

Use
■ treats frequent heartburn (occurs 2 or more days a week)
■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings
Alert: do not use if you are allergic to omeprazole
Do not use if you have:
■ trouble or pain swallowing food vomiting with blood, or bloody or black stools
■ heartburn with lightheadedness, sweating or dizziness
■ chest or shoulder pain with shortness of breath, sweating, pain spreading to arms, neck or shoulders; or lightheadedness
■ frequent chest pain
These may be signs of a serious condition. See your doctor.
Ask a doctor before use if you have:
■ had heartburn over 3 months. This may be a sign of a more serious condition.
■ frequent wheezing, particularly with heartburn
■ unexplained weight loss
■ nausea or vomiting ■ stomach pain
Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.
Stop use and ask a doctor if:
■ your heartburn continues or worsens
■ you need to take this product for more than 14 days
■ you need to take more than 1 course of treatment every 4 months
■ you get itchy or rash
■ you develop a rash or joint pain
If pregnant or breastfeeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
■ for adults 18 years of age and older
■ this product is to be used once a day every 24 hours, every day for 14 days
■ it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours
14-Day Course of Treatment
■ take 1 tablet before eating in the morning
■ do not crush or chew tablets
■ place the tablet on tongue; tablet disintegrates, with or without water. The tablets can also be swallowed whole with water.
■ take every day for 14 days
■ do not take more than 1 tablet a day
■ do not use for more than 14 days unless directed by your doctor
■ do not take this medicine with alcohol
Repeated 14-Day Course (if needed)
■ you may repeat a 14-day course every 4 months
■ do not take for more than 14 days or more often than every 4 months unless directed by a doctor
■ children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information
■ read the directions and warnings before use
■ keep the carton. It contains important information.
■ store at 20-25°C (68-77°F); keep product out of high heat and moisture

Inactive ingredients aminomethacrylate copolymer, ascorbic acid, cetyl alcohol, colloidal silicon dioxide, croscopolone, ferric oxide, flavor, hydroxypropyl methylcellulose, hypromellose, polyethylene glycol, mannitol, microcrystalline cellulose, propylene glycol, silicon dioxide, sodium stearate, sodium stearyl fumarate, sorbitol, sucrose, sugars, stearic acid, titanium dioxide, triethyl citrate

Questions or comments? 1-800-719-9260, weekdays 7:30 AM to 5:00 PM EST

Tips for Managing Heartburn
■ Do not lie flat or bend over after eating
■ Do not wear tight-fitting clothing around the stomach
■ Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
■ Eat slowly and avoid big meals
■ If overweight, lose weight
■ Quit smoking

Drug Facts (continued)

Other information
■ read the directions and warnings before use
■ keep the carton. It contains important information.
■ store at 20-25°C (68-77°F); keep product out of high heat and moisture

Inactive ingredients aminomethacrylate copolymer, ascorbic acid, cetyl alcohol, colloidal silicon dioxide, croscopolone, ferric oxide, flavor, hydroxypropyl methylcellulose, hypromellose, polyethylene glycol, mannitol, microcrystalline cellulose, propylene glycol, silicon dioxide, sodium stearate, sodium stearyl fumarate, sorbitol, sucrose, sugars, stearic acid, titanium dioxide, triethyl citrate

Questions or comments? 1-800-719-9260, weekdays 7:30 AM to 5:00 PM EST

Tips for Managing Heartburn
■ Do not lie flat or bend over after eating
■ Do not wear tight-fitting clothing around the stomach
■ Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
■ Eat slowly and avoid big meals
■ If overweight, lose weight
■ Quit smoking

Drug Facts (continued)

Other information
■ read the directions and warnings before use
■ keep the carton. It contains important information.
■ store at 20-25°C (68-77°F); keep product out of high heat and moisture

Inactive ingredients aminomethacrylate copolymer, ascorbic acid, cetyl alcohol, colloidal silicon dioxide, croscopolone, ferric oxide, flavor, hydroxypropyl methylcellulose, hypromellose, polyethylene glycol, mannitol, microcrystalline cellulose, propylene glycol, silicon dioxide, sodium stearate, sodium stearyl fumarate, sorbitol, sucrose, sugars, stearic acid, titanium dioxide, triethyl citrate


Questions or comments? 1-800-719-9260, weekdays 7:30 AM to 5:00 PM EST

Tips for Managing Heartburn
■ Do not lie flat or bend over after eating
■ Do not wear tight-fitting clothing around the stomach
■ Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
■ Eat slowly and avoid big meals
■ If overweight, lose weight
■ Quit smoking

Location for lot number and expiration date



PAPER INSERT LOCATION



PROMOTIONAL STICKER

PROMOTIONAL STICKER

FRONT / OUTSIDE VIEW




FINISHED LABEL ASSEMBLED

BACK / INSIDE VIEW





CLEAR OVERLAY LABEL

PAPER INSERT FRONT




PRINT ON BACK PAPER INSERT



Location for lot number and expiration date

1Y030 FA C4 062718



- Tips for Managing Heartburn**
- Do not lie flat or bend over after eating
 - Do not wear tight-fitting clothing around the stomach
 - Do not eat before bedtime
 - Raise the head of your bed
 - Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
 - Eat slowly and avoid big meals
 - If overweight, lose weight
 - Quit smoking

Safety Feature –
Do not use if printed tablet blister unit is open or torn.



STANDARD FORMAT

TYPE SIZES:
TITLE: 9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
TITLE (continued): 8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique (continued)
HEADING: 8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
SUBHEADING: 6 pt Helvetica Neue LT Std 77 Bold Condensed
TEXT: 6 pt Helvetica Neue LT Std 57 Condensed
LEADING: 6.5 pt
BULLETS: 5 pt Square
TELEPHONE #: 6 pt Helvetica Neue LT Std 77 Bold Condensed
HEAVY LINES: 1.5 pt
HAIRLINES: 0.5 pt
Hairlines extend to within two spaces of the "Drug Facts" box

PRINT at 65% for 11-inch x 17-inch size paper

COMPONENTS ASSEMBLED:





COMPONENTS ASSEMBLED:

PRINT at 65% for 11-inch x 17-inch size paper

STANDARD FORMAT
 TYPE SIZES:
 TITLE: 9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
 (continued) 8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
 HEADINGS: 8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
 SUBHEADINGS: 6 pt Helvetica Neue LT Std 77 Bold Condensed
 TEXT: 6 pt Helvetica Neue LT Std 57 Condensed
 LEADING: 6.5 pt
 BULLET: 5 pt square
 TELEPHONE #: 6 pt Helvetica Neue LT Std 77 Bold Condensed
 HEAVY LINES: 1.5 pt
 HAIRLINES: 0.5 pt
 Hairlines extend to within two spaces of the "Drug Facts" box



Location for lot number and expiration date



PAPER INSERT
PRINT ON BACK



PAPER INSERT FRONT



NO PRINT ON WHOLE LABEL



BACK / INSIDE VIEW



PAPER INSERT LOCATION

FRONT / OUTSIDE VIEW

PROMOTIONAL STICKER

FINISHED LABEL ASSEMBLED

CLEAR OVERLAY LABEL


PROMOTIONAL STICKER

FRONT / OUTSIDE VIEW



FINISHED LABEL ASSEMBLED

BACK / INSIDE VIEW




CLEAR OVERLAY LABEL

PAPER INSERT FRONT



PRINT ON BACK PAPER INSERT



STANDARD FORMAT

TYPE SIZES:
 TITLE: 8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
 TITLE (continued): 8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
 (continued) 8 pt Helvetica Neue LT Std 57 Condensed
 HEADINGS: 8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
 SUBHEADINGS: 6 pt Helvetica Neue LT Std 77 Bold Condensed
 TEXT: 6 pt Helvetica Neue LT Std 57 Condensed
 LEADING: 6.5 pt
 BULLETS: 5 pt Square
 TELEPHONE #: 6 pt Helvetica Neue LT Std 77 Bold Condensed
 HEAVY LINES: 1.5 pt
 HAIRLINES: 0.5 pt
 Hairlines extend to within two spaces of the "Drug Facts" box

PRINT at 63% for 11-inch x 17-inch size paper

COMPONENTS ASSEMBLED:



This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

KAREN M MAHONEY
04/29/2020 01:35:22 PM