

Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed

- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

Drug Facts

Use ■ Treat frequent heartburn (occurs 2 or more days a week) 4 days for full effect

Warnings Allergic reactions may include: ■ rash ■ skin redness ■ hives ■ severe allergic reactions. Symptoms may include: ■ trouble breathing, particularly with heartburn ■ nausea or vomiting ■ stomach pain ■ frequent weight loss ■ unexplained weight loss ■ Ask a doctor before use if you have: ■ had heartburn over 3 months. This may be a sign of an erosive condition. ■ Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Directions ■ For adults 18 years of age and older ■ This product is to be used once a day every 24 hours every day for 14 days ■ This product is to be used once a day every 24 hours every day for 14 days ■ This product is to be used once a day every 24 hours every day for 14 days ■ This product is to be used once a day every 24 hours every day for 14 days

Other information ■ Keep the tablets in their original container. Do not store the tablets outside the blister pack for future use.

Questions or comments? 1-800-719-9226 on weekdays 7:30 AM to 5:00 PM EST

1Y074 FA CG-A 002822

Location for lot number and expiration date



Safety Feature – Do not use if printed tablet blister unit is open or torn.

NDC 64239-XXX-01

Treats FREQUENT Heartburn!

24 HR

Omeprazole

Delayed Release
Orally Disintegrating Tablets 20 mg
Acid Reducer

Dissolve Tabs

14 TABLETS

One 14-day course of treatment
May take 1 to 4 days for full effect

Melts In Your Mouth

Compare to Prilosec OTC®*

FDA Approved

Strawberry Flavor

Actual size

FORMAT: STANDARD	
TYPE SIZES:	
TITLE	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
TITLE (continued)	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
(continued)	8 pt Helvetica Neue LT Std 57 Condensed
HEADINGS	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
SUBHEADINGS	6 pt Helvetica Neue LT Std 77 Bold Condensed
TEXT	6 pt Helvetica Neue LT Std 57 Condensed
LEADING	6.5 pt
BULLETS	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
TELEPHONE #	6 pt Helvetica Neue LT Std 77 Bold Condensed
HEAVY LINES	1.5 pt
HAIRLINES	0.5 pt Extend to within 2 spaces of the "Drug Facts" box

Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

Questions or comments? 1-800-719-9226 on weekdays 7:30 AM to 5:00 PM EST

If you get a rash or diarrhea, ask a health professional before use. If you get a rash or diarrhea, ask a health professional before use. If you get a rash or diarrhea, ask a health professional before use.

Other information ■ Keep the tablets in their original container. Do not store the tablets outside the blister pack for future use.

Warnings ■ Do not use if you are allergic to omeprazole. ■ Do not use if you are allergic to omeprazole.

Use ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

14-Day Course of Treatment ■ Take 1 tablet before eating in the morning.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Purpose ■ Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) for 14 days.

Location for lot number and expiration date

1Y074 FA C6 06 2822



Safety Feature – Do not use if printed tablet blister unit is open or torn.

NDC 64239-XXX-01



Treats FREQUENT Heartburn! 24 HR

Omeprazole
Delayed Release
Orally Disintegrating Tablets 20 mg
Acid Reducer



Strawberry Flavor

Dissolve Tabs

14 TABLETS

One 14-day course of treatment
May take 1 to 4 days for full effect

Melts in your mouth
Dissolves without water



FORMAT: STANDARD	
TYPE SIZES:	
TITLE	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
TITLE (continued)	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
(continued)	8 pt Helvetica Neue LT Std 57 Condensed
HEADINGS	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
SUBHEADINGS	6 pt Helvetica Neue LT Std 77 Bold Condensed
TEXT	6 pt Helvetica Neue LT Std 57 Condensed
LEADING	6.5 pt
BULLETS	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
TELEPHONE #	6 pt Helvetica Neue LT Std 77 Bold Condensed
HEAVY LINES	1.5 pt
HAIRLINES	0.5 pt Extend to within 2 spaces of the "Drug Facts" box

Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed

- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

Drug Facts

Active ingredient (in each tablet) Omeprazole 20 mg

Purpose Acid reducer

Use Treat frequent heartburn (occurs 2 or more days a week) or heartburn (occurs 1 to 4 days a week) that does not respond to over-the-counter antacids.

Warnings Allergic reactions: Omeprazole may cause severe allergic reactions. Symptoms may include: skin redness, hives, rash, swelling, difficulty breathing, or difficulty swallowing. If you are allergic to omeprazole, do not use. If you are allergic to any of the ingredients, do not use. If you are allergic to any of the ingredients, do not use. If you are allergic to any of the ingredients, do not use. If you are allergic to any of the ingredients, do not use.

Directions For adults 18 years of age and older: Take 1 tablet before eating in the morning with water. For children 1 to 11 years of age: Ask your doctor for the correct dose. Do not use for more than 14 days unless directed by your doctor. Do not take the medicine with alcohol. Do not take the medicine with other medicines unless directed by your doctor. Do not take the medicine with other medicines unless directed by your doctor.

Other information Keep the tablets in their original container. Do not store in a plastic bag. Do not use if the blister pack is damaged. Do not use if the blister pack is damaged. Do not use if the blister pack is damaged.

Questions or comments? Call 1-800-719-9226 on weekdays 7:30 AM to 5:00 PM EST.

1Y074 FA C6-B 002822

Location for lot number and expiration date



Safety Feature – Do not use if printed tablet blister unit is open or torn.

NDC 64239-XXX-01

Treats FREQUENT Heartburn!

24 HR

Omeprazole

Delayed Release
Orally Disintegrating Tablets 20 mg
Acid Reducer

Dissolve Tabs

14 TABLETS

One 14-day course of treatment
May take 1 to 4 days for full effect

Melts In Your Mouth

Compare to Prilosec OTC®*

Child-resistant

Strawberry Flavor

Actual size

FORMAT: STANDARD	
TYPE SIZES:	
TITLE	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
TITLE (continued)	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
(continued)	8 pt Helvetica Neue LT Std 57 Condensed
HEADINGS	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
SUBHEADINGS	6 pt Helvetica Neue LT Std 77 Bold Condensed
TEXT	6 pt Helvetica Neue LT Std 57 Condensed
LEADING	6.5 pt
BULLETS	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
TELEPHONE #	6 pt Helvetica Neue LT Std 77 Bold Condensed
HEAVY LINES	1.5 pt
HAIRLINES	0.5 pt Extend to within 2 spaces of the "Drug Facts" box

OUTSIDE VIEW

Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

Drug Facts (continued)

Directions For adults 18 years of age and older
 This product is to be used once a day (every 24 hours), every day for 14 days. It may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours.

Warnings

Do not use if you are allergic to omeprazole or any of the ingredients. Symptoms may include: rash, hives, itching, red, swollen, blistered, or peeling skin, especially around the mouth, face, lips, or tongue; difficulty breathing or swallowing; dizziness; lightheadedness; chest or shoulder pain with shortness of breath; sweating; pain spreading to the back or arms; trouble or pain swallowing, vomiting, or blood or black stools; dizziness or lightheadedness; fainting or feeling like you are going to faint; or changes in vision.

Do not use if you are allergic to omeprazole or any of the ingredients. Symptoms may include: rash, hives, itching, red, swollen, blistered, or peeling skin, especially around the mouth, face, lips, or tongue; difficulty breathing or swallowing; dizziness; lightheadedness; chest or shoulder pain with shortness of breath; sweating; pain spreading to the back or arms; trouble or pain swallowing, vomiting, or blood or black stools; dizziness or lightheadedness; fainting or feeling like you are going to faint; or changes in vision.

Do not use if you are allergic to omeprazole or any of the ingredients. Symptoms may include: rash, hives, itching, red, swollen, blistered, or peeling skin, especially around the mouth, face, lips, or tongue; difficulty breathing or swallowing; dizziness; lightheadedness; chest or shoulder pain with shortness of breath; sweating; pain spreading to the back or arms; trouble or pain swallowing, vomiting, or blood or black stools; dizziness or lightheadedness; fainting or feeling like you are going to faint; or changes in vision.

Other information Read the directions and warnings before use. Keep the cap on, it contains important information. Store at 20-25°C (68-77°F); keep product out of high heat and moisture. Take the tablet immediately after opening individual blister. Do not store the tablet outside the blister pack for future use.

Active ingredients (in each tablet) Omeprazole 20 mg. Add reducer.

Questions or comments? 1-800-719-9299, weekdays 7:30 AM to 5:00 PM EST. Contact a Patient Control Center right away (1-800-222-1222).

Manufactured by: Dexcel Pharma Technologies Ltd
 10 Haidama Street, Yokneam 2099001, Israel

14-Day Course (if needed)

Repeat 14-Day Course every 4 months. Do not take more than 14 days or more than 14 tablets in an every 4 months. Do not take more than 14 days or more than 14 tablets in an every 4 months. Do not take more than 14 days or more than 14 tablets in an every 4 months. Do not take more than 14 days or more than 14 tablets in an every 4 months.

INSIDE VIEW

MANUFACTURER'S COUPON EXPIRATION DATE: XX/XX/XXXX

\$X OFF "STORE BRAND" 14 CT. OMEPRAZOLE DELAYED RELEASE ORALLY DISINTEGRATING TABLETS 20 MG WITH THIS COUPON.

"Store Brand"

14 ct. Omeprazole Delayed Release Orally Disintegrating Tablets 20 mg product image here

CONSUMER: Only one coupon is redeemable per purchase. REMAINDER: This coupon will be redeemed for retail value on specified product (plus a handling fee) if returned in compliance with the terms of this offer. Cash value: 1/100th of one cent. Limit one coupon per customer. DO NOT DOUBLE. Coupon void if transferred, sold, assigned, reproduced or altered from original. Coupon not redeemable if packaging products for resale. Coupons cannot be combined. No cash or credit in excess of the face price for the specified benefit may be returned to consumer or applied to transaction. CUSTOMER PAYS ANY SALES TAX. See properly handled coupon for full terms. Purrigo Company (US), WCH Marketing, PO Box 500001, El Paso, TX 79950-0001. Purrigo Company is a part of the C® Member Coupon Integrity Program.

Location for lot number and expiration date

1Y074 FA C6-PP-CP4 062822

FORMAT: STANDARD	
TYPE SIZES:	
TITLE	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
TITLE (continued)	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
(continued)	8 pt Helvetica Neue LT Std 57 Condensed
HEADINGS	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
SUBHEADINGS	6 pt Helvetica Neue LT Std 77 Bold Condensed
TEXT	6 pt Helvetica Neue LT Std 57 Condensed
LEADING	6.5 pt
BULLETS	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
TELEPHONE #	6 pt Helvetica Neue LT Std 77 Bold Condensed
HEAVY LINES	1.5 pt
HAIRLINES	0.5 pt Extend to within 2 spaces of the "Drug Facts" box

PRINT at 83% for 11-inch x 17-inch size paper

PROMOTIONAL STICKER

FRONT / OUTSIDE VIEW




FINISHED LABEL ASSEMBLED

BACK / INSIDE VIEW



CLEAR OVERLAY LABEL

PAPER INSERT FRONT



PRINT ON BACK PAPER INSERT



Location for lot number and expiration date

FORMAT: STANDARD	
TYPE SIZES:	
TITLE	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
TITLE (continued)	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
(continued)	8 pt Helvetica Neue LT Std 57 Condensed
HEADINGS	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
SUBHEADINGS	6 pt Helvetica Neue LT Std 77 Bold Condensed
TEXT	6 pt Helvetica Neue LT Std 57 Condensed
LEADING	6.5 pt
BULLETS	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
TELEPHONE #	6 pt Helvetica Neue LT Std 77 Bold Condensed
HEAVY LINES	1.5 pt
HAIRLINES	0.5 pt Extend to within 2 spaces of the "Drug Facts" box

PRINT at 70% for 11-inch x 17-inch size paper

COMPONENTS ASSEMBLED:



PROMOTIONAL STICKER

FRONT / OUTSIDE VIEW



FINISHED LABEL ASSEMBLED

BACK / INSIDE VIEW



CLEAR OVERLAY LABEL

PAPER INSERT FRONT



PRINT ON BACK PAPER INSERT



Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

Drug Facts (continued)

Indications ■ Treats frequent heartburn (occurs 2 or more days a week) and heartburn with throat or chest pain, or difficulty swallowing, or difficulty swallowing food, or difficulty swallowing liquid, or difficulty swallowing pills.

Warnings ■ Do not use if you are allergic to omeprazole or any of the ingredients. ■ Do not use if you are taking other medicines that may interact with omeprazole. ■ Do not use if you are taking other medicines that may interact with omeprazole. ■ Do not use if you are taking other medicines that may interact with omeprazole. ■ Do not use if you are taking other medicines that may interact with omeprazole.

Directions ■ For adults 18 years of age and older: Take 1 tablet before eating in the morning. ■ For children 1 to 11 years of age: Take 1 tablet before eating in the morning.

Other information ■ Keep this and all other medicines out of the reach of children. ■ Do not use if the seal is broken or the tablets are discolored.

Contains 14 tablets

Compare to Prilosec OTC®**

MELTech™
Melts In Your Mouth

Treats FREQUENT Heartburn! **24 HR**

Omeprazole
Delayed Release
Orally Disintegrating Tablets 20 mg
Acid Reducer
Dissolve Tabs
14 TABLETS

One 14-day course of treatment
May take 1 to 4 days for full effect

Melts in your mouth
Dissolves without water

Strawberry Flavor

Actual size

1Y074 FA C6 002822

Safety Feature -
Do not use if printed tablet
blister unit is open or torn.

NDC 64236-XXX-01

Location for lot number and expiration date

FORMAT: STANDARD	
TYPE SIZES:	
TITLE	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
TITLE (continued)	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
(continued)	8 pt Helvetica Neue LT Std 57 Condensed
HEADINGS	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
SUBHEADINGS	6 pt Helvetica Neue LT Std 77 Bold Condensed
TEXT	6 pt Helvetica Neue LT Std 57 Condensed
LEADING	6.5 pt
BULLETS	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
TELEPHONE #	6 pt Helvetica Neue LT Std 77 Bold Condensed
HEAVY LINES	1.5 pt
HAIRLINES	0.5 pt Extend to within 2 spaces of the "Drug Facts" box

PRINT at 70% for 11-inch x 17-inch size paper

COMPONENTS ASSEMBLED:



This label may not be the latest approved by FDA.
current labeling information, please visit <https://www.fda.gov/drugsat>

FRONT PANEL

peel off
coupon


Instant Redeemable Coupon - Expires XX-XX-XX

SAVE \$X NOW!
On This Purchase

MELTech™
Melts In Your Mouth

Compare to Prilosec OTC®*
NDC 64239-XXX-01

Treats FREQUENT Heartburn!

 24 HR

Omeprazole

Delayed Release
Orally Disintegrating Tablets 20 mg
Acid Reducer

Dissolve Tabs

14 TABLETS

One 14-day course of treatment
May take 1 to 4 days for full effect

Melts in your mouth
Dissolves without water



Strawberry
Flavor



Actual
size

1Y974 FA CP4 062822

BACK PANEL

SAVE \$X NOW!

MANUFACTURER'S COUPON EXPIRATION DATE XX/XX/XXXX

SAVE \$X^{XX} on your purchase of
14 COUNT SIZE
"Store Brand" Omeprazole
Delayed Release Orally Disintegrating Tablets 20 mg

CONSUMER: Only one coupon is redeemable
per purchase. RETAILER: This coupon will be
redeemable for face value on specified
products (plus a handling fee) if submitted

COUPON NOT SUBJECT
TO DOUBLING
Customer pays any sales tax.

in compliance with the terms
of this offer. Cash value
1/100th of one cent. Limit
one coupon per customer.
Do Not Double. Coupon is
non-reproducible. Coupons
cannot be combined. Mail
properly handled coupons to:
L. Perrigo Company (#1565),
NCH Marketing, PO Box 690001,
El Paso, TX 88588-0001



Omeprazole

Delayed Release
Orally Disintegrating Tablets 20 mg

14 TABLETS

*This product is not manufactured or distributed by
Procter & Gamble, distributor of Prilosec OTC®.

PROMOTIONAL STICKER

FRONT / OUTSIDE VIEW



FINISHED LABEL ASSEMBLED

BACK / INSIDE VIEW




CLEAR OVERLAY LABEL

PAPER INSERT FRONT



PRINT ON BACK PAPER INSERT



Location for lot number and expiration date

- Tips for Managing Heartburn**
- Do not lie flat or bend over after eating
 - Do not wear tight-fitting clothing around the stomach
 - Do not eat before bedtime
 - Raise the head of your bed
 - Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
 - Eat slowly and avoid big meals
 - If overweight, lose weight
 - Quit smoking

Safety Feature –
Do not use if printed tablet blister unit is open or torn.

FORMAT: STANDARD	
TYPE SIZES:	
TITLE	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
TITLE (continued)	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
HEADINGS	8 pt Helvetica Neue LT Std 57 Condensed
SUBHEADINGS	6 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
TEXT	6 pt Helvetica Neue LT Std 57 Condensed
LEADING	6.5 pt
BULLETS	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
TELEPHONE #	6 pt Helvetica Neue LT Std 77 Bold Condensed
HEAVY LINES	1.5 pt
HAIRLINES	0.5 pt Extend to within 2 spaces of the "Drug Facts" box

PRINT at 64% for 11-inch x 17-inch size paper

COMPONENTS ASSEMBLED:



This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatf>

FRONT PANEL

Peel off
coupon

Instant Redeemable Coupon - Expires XX-XX-XX

SAVE \$X NOW!
On This Purchase

MELTech™
Melts In Your Mouth

Compare to Prilosec OTC®*
NDC 64239-XXX-02

Treats FREQUENT Heartburn!

 **24 HR**

Omeprazole

Delayed Release
Orally Disintegrating Tablets 20 mg
Acid Reducer

Dissolve Tabs

28 TABLETS

Two 14-day courses of treatment
May take 1 to 4 days for full effect

Melts in your mouth
Dissolves without water



Strawberry
Flavor



Actual
size

1Y930 FA CP4 062822

BACK PANEL

SAVE \$X NOW!

MANUFACTURER'S COUPON EXPIRATION DATE XX/XX/XXXX

SAVE \$XXX on your purchase of
28 COUNT SIZE
"Store Brand" Omeprazole
Delayed Release Orally Disintegrating Tablets 20 mg

CONSUMER: Only one coupon is redeemable per purchase. RETAILER: This coupon will be redeemable for face value on specified products (plus a handling fee) if submitted in compliance with the terms of this offer. Cash value 1/100th of one cent. Limit one coupon per customer. Do Not Double. Coupon is non-reproducible. Coupons cannot be combined. Mail properly handled coupons to: L. Perrigo Company (#1565), NCI Marketing, PO Box 880001, El Paso, TX 88588-0001

COUPON NOT SUBJECT
TO DOUBLING
Customer pays any sales tax.



Omeprazole

Delayed Release
Orally Disintegrating Tablets 20 mg

28 TABLETS

*This product is not manufactured or distributed by Procter & Gamble, distributor of Prilosec OTC®.




This product is not manufactured or distributed by Procter & Gamble, distributor of Phoslo OTC.
10 Hekdemna Street, Yokneam 2069204, Israel
Manufactured by:
Dexcel Pharma Technologies Ltd
Made in Israel

Location for
lot number and
expiration date




This product is not manufactured or distributed by Procter & Gamble, distributor of Phoslo OTC.
10 Hekdemna Street, Yokneam 2069204, Israel
Manufactured by:
Dexcel Pharma Technologies Ltd
Made in Israel

Location for
lot number and
expiration date



This product is not manufactured or distributed by Procter & Gamble, distributor of Phoslo OTC.
10 Hekdemna Street, Yokneam 2069204, Israel
Manufactured by:
Dexcel Pharma Technologies Ltd
Made in Israel

Location for
lot number and
expiration date



This product is not manufactured or distributed by Procter & Gamble, distributor of Phoslo OTC.
10 Hekdemna Street, Yokneam 2069204, Israel
Manufactured by:
Dexcel Pharma Technologies Ltd
Made in Israel

Location for
lot number and
expiration date



This product is not manufactured or distributed by Procter & Gamble, distributor of Phoslo OTC.
10 Hekdemna Street, Yokneam 2069204, Israel
Manufactured by:
Dexcel Pharma Technologies Ltd
Made in Israel

Location for
lot number and
expiration date



This product is not manufactured or distributed by Procter & Gamble, distributor of Phoslo OTC.
10 Hekdemna Street, Yokneam 2069204, Israel
Manufactured by:
Dexcel Pharma Technologies Ltd
Made in Israel

Location for
lot number and
expiration date



This product is not manufactured or distributed by Procter & Gamble, distributor of Phoslo OTC.
10 Hekdemna Street, Yokneam 2069204, Israel
Manufactured by:
Dexcel Pharma Technologies Ltd
Made in Israel


Location for
lot number and
expiration date



This product is not manufactured or distributed by Procter & Gamble, distributor of Phoslo OTC.
10 Hekdemna Street, Yokneam 2069204, Israel
Manufactured by:
Dexcel Pharma Technologies Ltd
Made in Israel

Location for
lot number and
expiration date

FORMAT: STANDARD	
TYPE SIZES:	
TITLE	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
TITLE (continued)	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
(continued)	8 pt Helvetica Neue LT Std 57 Condensed
HEADINGS	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
SUBHEADINGS	6 pt Helvetica Neue LT Std 77 Bold Condensed
TEXT	6 pt Helvetica Neue LT Std 57 Condensed
LEADING	6.5 pt
BULLETS	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
TELEPHONE #	6 pt Helvetica Neue LT Std 77 Bold Condensed
HEAVY LINES	1.5 pt
HAIRLINES	0.5 pt Extend to within 2 spaces of the "Drug Facts" box



This product is not manufactured or distributed by Procter & Gamble, distributor of Phoslo OTC.
10 Hekdemia Street, Yokneam 2069204, Israel
Manufactured by:
Dexcel Pharma Technologies Ltd
Made in Israel

Location for
lot number and
expiration date

Omeprazole


Delayed Release
Orally Disintegrating Tablets 20 mg

<p>Drug Facts (continued)</p> <p>Directions ■ If adult is 18 years of age and older this product is to be used once a day (every 24 hours), every day for 14 days. It may take 1 to 4 days for full effect; some people get complete relief or symptoms within 24 hours.</p> <p>14-Day Course of Treatment</p> <p>Take 1 tablet before eating in the morning.</p> <p>Do not cut or chew tablets.</p> <p>Place the tablet on tongue; tablet disintegrates with or without water.</p> <p>The tablets can also be swallowed whole with water.</p> <p>Take every day for 14 days.</p> <p>Do not take more than 1 tablet a day.</p> <p>Do not use this medicine with alcohol.</p> <p>Do not take this medicine with alcohol.</p> <p>Repeat 14-Day Course (if needed)</p> <p>Do not take for more than 14 days or more than every 4 months unless directed by a doctor.</p> <p>Children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.</p>	<p>Warnings</p> <p>Do not use if you are allergic to omeprazole.</p> <p>Omeprazole may cause severe skin reactions. Symptoms may include: rash, blisters, skin redness.</p> <p>Do not use if you are allergic to omeprazole.</p> <p>Do not use if you are allergic to omeprazole.</p> <p>Do not use if you are allergic to omeprazole.</p> <p>Do not use if you are allergic to omeprazole.</p> <p>Do not use if you are allergic to omeprazole.</p>
<p>Other Information</p> <p>Keep the carton, it contains important information.</p> <p>Store at 20-25°C (68-77°F). Keep product out of light heat and moisture.</p> <p>Take the tablet immediately after opening individual blister. Do not store the tablet outside the blister pack for future use.</p>	<p>Active ingredient (in each tablet)</p> <p>Omeprazole 20 mg.</p> <p>Purpose</p> <p>■ treats frequent heartburn (occurs 2 or more days a week)</p> <p>■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect.</p>
<p>Questions or comments? 1-800-719-9260, weekdays 7:30 AM to 5:00 PM EST</p>	<p>Drug Facts</p> <p>Use</p> <p>■ treats frequent heartburn (occurs 2 or more days a week)</p> <p>■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect.</p>

Safety Feature –
Do not use if printed tablet
blister unit is open or torn.



NDC 64239-XXX-03



Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

Safety Feature –
Do not use if printed tablet
blister unit is open or torn.

1Y055 FA C6-E 062822

NDC 64239-XXX-03

Treats FREQUENT Heartburn!

24 HR

Compare to Prilosec OTC**
**Bonus Pack:
28 + 14 Free**

Omeprazole

Delayed Release
Orally Disintegrating Tablets 20 mg
Acid Reducer


Dissolve Tabs

42 TABLETS

Three 14-day courses of treatment
May take 1 to 4 days for full effect




Strawberry
Flavor



Actual
Size

NDC 64239-XXX-03

FORMAT: STANDARD	
TYPE SIZES:	
TITLE	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
TITLE (continued)	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
(continued)	8 pt Helvetica Neue LT Std 57 Condensed
HEADINGS	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
SUBHEADINGS	6 pt Helvetica Neue LT Std 77 Bold Condensed
TEXT	6 pt Helvetica Neue LT Std 57 Condensed
LEADING	6.5 pt
BULLETS	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
TELEPHONE #	6 pt Helvetica Neue LT Std 77 Bold Condensed
HEAVY LINES	1.5 pt
HAIRLINES	0.5 pt Extend to within 2 spaces of the "Drug Facts" box



Manufactured by:
Dexcel Pharma Technologies Ltd
10 Haldima Street, Yokneam 2069204, Israel

This product is not manufactured or distributed by Procter & Gamble, distributor of Prilosec OTC®.

Location for lot number and expiration date

Omeprazole
Delayed Release
Orally Disintegrating Tablets 20 mg

Drug Facts (continued)

Active ingredient (in each tablet)
Omeprazole 20 mg

Purpose
Acid reducer

Use
■ treats frequent heartburn (occurs 2 or more days a week)
■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings
■ do not use if you are allergic to omeprazole
■ omeprazole may cause severe skin reactions. Symptoms may include:
■ rash ■ skin redness ■ blisters ■ hives
■ an allergic reaction occurs, stop use and seek medical help right away.

Do not use if you have:
■ trouble or pain swallowing food, vomiting with blood, or bloody or black stools
■ heartburn with high pitched wheezing, sweating, or dizziness
■ chest or shoulder pain with shortness of breath, sweating, or pain spreading to arms, neck or shoulder, or lightheadedness
■ frequent chest pain
These may be signs of a serious condition. See your doctor.


Ask a doctor before use if you have:
■ had heartburn over 3 months. This may be a sign of a more serious condition.
■ frequent wheezing, particularly with heartburn
■ unexplained weight loss or vomiting ■ stomach pain


Ask a doctor or pharmacist before use if you are taking a prescription drug.
Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:
■ you hear burn continues or worsens
■ you need to take more than 1 course of treatment every 4 months
■ you get diarrhea ■ you develop a rash or joint pain

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Questions or comments? 1-800-719-9260 • weekdays 7:30 AM to 5:00 PM EST






Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

Safety Feature –
Do not use if printed tablet blister unit is open or torn.



NDC 64239-XXX-03

Treats FREQUENT Heartburn!


24 HR


Omeprazole
Delayed Release
Orally Disintegrating Tablets 20 mg
Acid Reducer
Dissolve Tabs
42 TABLETS

Three 14-day courses of treatment
May take 1 to 4 days for full effect


MELTech™
Melts In Your Mouth

Compare to Prilosec OTC®*
Bonus Size!
14 Tablets Free



Strawberry Flavor


Melts in your mouth
Dissolves without water

Actual size




FORMAT: STANDARD	
TYPE SIZES:	
TITLE	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
TITLE (continued)	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
(continued)	8 pt Helvetica Neue LT Std 57 Condensed
HEADINGS	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
SUBHEADINGS	6 pt Helvetica Neue LT Std 77 Bold Condensed
TEXT	6 pt Helvetica Neue LT Std 57 Condensed
LEADING	6.5 pt
BULLETS	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
TELEPHONE #	6 pt Helvetica Neue LT Std 77 Bold Condensed
HEAVY LINES	1.5 pt
HAIRLINES	0.5 pt Extend to within 2 spaces of the "Drug Facts" box




This product is not manufactured or distributed by Procter & Gamble, distributor of Phoslo OTC.
10 Hakedma Street, Yokneam 2069204, Israel
Manufactured by:
Dexcel Pharma Technologies Ltd
Made in Israel

Location for lot number and expiration date




This product is not manufactured or distributed by Procter & Gamble, distributor of Phoslo OTC.
10 Hakedma Street, Yokneam 2069204, Israel
Manufactured by:
Dexcel Pharma Technologies Ltd
Made in Israel

Location for lot number and expiration date



This product is not manufactured or distributed by Procter & Gamble, distributor of Phoslo OTC.
10 Hakedma Street, Yokneam 2069204, Israel
Manufactured by:
Dexcel Pharma Technologies Ltd
Made in Israel

Location for lot number and expiration date



This product is not manufactured or distributed by Procter & Gamble, distributor of Phoslo OTC.
10 Hakedma Street, Yokneam 2069204, Israel
Manufactured by:
Dexcel Pharma Technologies Ltd
Made in Israel

Location for lot number and expiration date



This product is not manufactured or distributed by Procter & Gamble, distributor of Phoslo OTC.
10 Hakedma Street, Yokneam 2069204, Israel
Manufactured by:
Dexcel Pharma Technologies Ltd
Made in Israel

Location for lot number and expiration date



This product is not manufactured or distributed by Procter & Gamble, distributor of Phoslo OTC.
10 Hakedma Street, Yokneam 2069204, Israel
Manufactured by:
Dexcel Pharma Technologies Ltd
Made in Israel

Location for lot number and expiration date



This product is not manufactured or distributed by Procter & Gamble, distributor of Phoslo OTC.
10 Hakedma Street, Yokneam 2069204, Israel
Manufactured by:
Dexcel Pharma Technologies Ltd
Made in Israel

Location for lot number and expiration date



This product is not manufactured or distributed by Procter & Gamble, distributor of Phoslo OTC.
10 Hakedma Street, Yokneam 2069204, Israel
Manufactured by:
Dexcel Pharma Technologies Ltd
Made in Israel

Location for lot number and expiration date

FORMAT: STANDARD	
TYPE SIZES:	
TITLE	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
TITLE (continued)	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
(continued)	8 pt Helvetica Neue LT Std 57 Condensed
HEADINGS	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
SUBHEADINGS	6 pt Helvetica Neue LT Std 77 Bold Condensed
TEXT	6 pt Helvetica Neue LT Std 57 Condensed
LEADING	6.5 pt
BULLETS	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
TELEPHONE #	6 pt Helvetica Neue LT Std 77 Bold Condensed
HEAVY LINES	1.5 pt
HAIRLINES	0.5 pt Extend to within 2 spaces of the "Drug Facts" box

PROMOTIONAL STICKER

FRONT / OUTSIDE VIEW



FINISHED LABEL ASSEMBLED

BACK / INSIDE VIEW





CLEAR OVERLAY LABEL

PAPER INSERT FRONT



PRINT ON BACK PAPER INSERT



FORMAT: STANDARD	
TYPE SIZES:	
TITLE	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
TITLE (continued)	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
(continued)	8 pt Helvetica Neue LT Std 57 Condensed
HEADINGS	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
SUBHEADINGS	6 pt Helvetica Neue LT Std 77 Bold Condensed
TEXT	6 pt Helvetica Neue LT Std 57 Condensed
LEADING	6.5 pt
BULLETS	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
TELEPHONE #	6 pt Helvetica Neue LT Std 77 Bold Condensed
HEAVY LINES	1.5 pt
HAIRLINES	0.5 pt Extend to within 2 spaces of the "Drug Facts" box

PRINT at 61% for 11-inch x 17-inch size paper

COMPONENTS ASSEMBLED:



PROMOTIONAL STICKER

FRONT / OUTSIDE VIEW



FINISHED LABEL ASSEMBLED

BACK / INSIDE VIEW




CLEAR OVERLAY LABEL

PAPER INSERT FRONT



PRINT ON BACK PAPER INSERT



FORMAT: STANDARD	
TYPE SIZES:	
TITLE	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
TITLE (continued)	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
(continued)	8 pt Helvetica Neue LT Std 57 Condensed
HEADINGS	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
SUBHEADINGS	6 pt Helvetica Neue LT Std 77 Bold Condensed
TEXT	6 pt Helvetica Neue LT Std 57 Condensed
LEADING	6.5 pt
BULLETS	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
TELEPHONE #	6 pt Helvetica Neue LT Std 77 Bold Condensed
HEAVY LINES	1.5 pt
HAIRLINES	0.5 pt Extend to within 2 spaces of the "Drug Facts" box

PRINT at 61% for 11-inch x 17-inch size paper

COMPONENTS ASSEMBLED:



This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatf>

FRONT PANEL

Peel off
coupon

Instant Redeemable Coupon - Expires XX-XX-XX

SAVE \$X NOW!
On This Purchase



Compare to Prilosec OTC®*
NDC 64239-XXX-03

Treats FREQUENT Heartburn!

24 HR

Omeprazole

Delayed Release
Orally Disintegrating Tablets 20 mg
Acid Reducer

Dissolve Tabs

42 TABLETS

Three 14-day courses of treatment
May take 1 to 4 days for full effect

Melts in your mouth
Dissolves without water



Strawberry
Flavor



Actual
size

1Y955 FA CP4 062822

BACK PANEL

SAVE \$X NOW!

MANUFACTURER'S COUPON EXPIRATION DATE XX/XX/XXXX

SAVE \$X^{XX} on your purchase of
42 COUNT SIZE
"Store Brand" Omeprazole
Delayed Release Orally Disintegrating Tablets 20 mg

CONSUMER: Only one coupon is redeemable per purchase. RETAILER: This coupon will be redeemable for face value on specified products (plus a handling fee) if submitted in compliance with the terms of this offer. Cash value 1/100th of one cent. Limit one coupon per customer. Do Not Double. Coupon is non-reproducible. Coupons cannot be combined. Mail properly handled coupons to: L. Perrigo Company (#1565), N31 Marketing, PO Box 880001, El Paso, TX 88588-0001

COUPON NOT SUBJECT
TO DOUBLING
Customer pays any sales tax.



Omeprazole

Delayed Release
Orally Disintegrating Tablets 20 mg

42 TABLETS

*This product is not manufactured or distributed by Procter & Gamble, distributor of Prilosec OTC®.

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
10/21/2022 04:58:18 PM