


(b) (4)



Qbrexza™ (glycopyrronium) cloth 2.4%
For Topical Use Only
30 Single-use Cloths
www.Qbrexza.com

Rx Only
NDC 70428-011-12

CAUTION: Flammable; keep away from heat or flame. Keep out of reach of children. Wash hands right away after application. Avoid contact with eyes.

Directions for Use: Wipe cloth across one entire underarm one time. Using the same cloth, wipe the other underarm one time. A single cloth should be used to apply Qbrexza to both underarms. See package insert for more information.

Usual Dosage: See package insert.

Each pouch contains:
glycopyrronium.....66 mg
(equivalent to 105 mg of glycopyrronium tosylate) in a solution of citric acid, dehydrated alcohol, purified water, and sodium citrate.

Store at room temperature, 20°C–25°C (68°F–77°F); excursions permitted to 15°C–30°C (59°F–86°F) [See USP Controlled Room Temperature].

Dermira®
Manufactured for:
Dermira, Inc., Menlo Park, CA 94025
877-337-5553 www.Dermira.com

LOT
EXP
SN
GTIN

FPO

Qbrexza Quick Start Guide
Apply Qbrexza once, every 24 hours

1. Make sure **underarms are clean and dry** before applying Qbrexza
2. Using the same cloth, **wipe each underarm only once**
3. **Discard** cloth in garbage bin; **do not reuse**
4. **Wash hands right away** with soap and water


See package insert for more information.

Qbrexza™ (glycopyrronium) cloth 2.4%
For Topical Use Only
30 Single-use Cloths
www.Qbrexza.com


Qbrexza™ (glycopyrronium) cloth 2.4%
For Topical Use Only
30 Single-use Cloths
www.Qbrexza.com

NON COATING AREA

NON COATING AREA



(b) (4)



Qbrexza Quick Start Guide

Apply Qbrexza once, every 24 hours



Make sure **underarms are clean and dry** before applying Qbrexza



Using the same cloth, **wipe each underarm only once**




Discard cloth in garbage bin; **do not reuse**



Wash hands right away with soap and water

See package insert for more information.



The image shows a flat layout of the Qbrexza (glycopyrronium) cloth 2.4% packaging. The layout includes a top flap with a circular logo, a main front panel with product information, a side panel with a barcode and lot information, a bottom flap with a "NON COATING AREA" label, and a back panel with detailed usage and storage instructions. The product name "Qbrexza (glycopyrronium) cloth 2.4%" is prominently displayed on both the front and back panels. The back panel also includes a "CAUTION" section, "Directions for Use", and "Usual Dosage" information. The manufacturer's name, "Dermira", is visible on the side panel.

Top Flap: (b) (4) logo



Front Panel: Qbrexza™ (glycopyrronium) cloth 2.4%
For Topical Use Only
5 Single-use Cloths
Each pouch contains 1 cloth with 2.8 grams of solution
Physician Sample - Not for Sale

Side Panel: NDC 70428-011-19 Rx Only
30037-1
LOT EXP FPO
Dermira
Manufactured for: Dermira, Inc., Menlo Park, CA 94025 877-337-5553 www.Dermira.com

Bottom Flap: NON COATING AREA

Back Panel: Qbrexza™ (glycopyrronium) cloth 2.4%
www.Qbrexza.com
5 Single-use Cloths

Back Panel Text:
CAUTION: Flammable; keep away from heat or flame. Keep out of reach of children. Wash hands right away after application. Avoid contact with eyes.
Directions for Use: Wipe cloth across one entire underarm one time. Using the same cloth, wipe the other underarm one time. A single cloth should be used to apply Qbrexza to both underarms. See package insert for more information.
Usual Dosage: See package insert.
Each pouch contains: glycopyrronium 66 mg (equivalent to 105 mg of glycopyrronium tosylate) in a solution of citric acid, dehydrated alcohol, purified water, and sodium citrate.
Store at room temperature, 20°C–25°C (68°F–77°F); excursions permitted to 15°C–30°C (59°F–86°F) [See USP Controlled Room Temperature].



This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>



David
Lewis

Digitally signed by David Lewis

Date: 7/20/2020 08:27:57AM

GUID: 508da72000029f287fa31e664741b577