

15 mg

**RINVOQ**<sup>®</sup>  
upadacitinib  
Extended-Release Tablets

NDC 0074-2306-70

**RINVOQ**<sup>®</sup>  
upadacitinib  
Extended-Release Tablets

15 mg

PROFESSIONAL  
SAMPLE  
NOT FOR SALE

RINVOQ and RINVOQ LQ  
are NOT substitutable



Dispense in original packaging  
FLIP CAP TO CUT FOIL  
PEEL BACK FOR INSTRUCTIONS

14 Tablets

Rx only

abbvie

Do not accept if seal over bottle opening is broken or missing. Keep in original container to protect from moisture.

Keep out of reach of children.

Each tablet contains 15.4 mg of upadacitinib hemihydrate equivalent to 15 mg upadacitinib.

Do not split, crush, or chew the tablets.

Store at 2°C to 25°C (36°F to 77°F).

See package insert for full prescribing information.

AbbVie Inc.  
North Chicago, IL 60064  
If required, foreign origin on bottom of carton.  
© 2025 AbbVie. All rights reserved.  
20090713



NDC 0074-2306-70


PROFESSIONAL SAMPLE  
NOT FOR SALE

Dispense in  
Original Packaging

**RINVOQ**<sup>®</sup> COMPLETE  
We're here for you 24/7.

Call 1.800.2.RINVOQ  
(1.800.274.6867)  
or visit RINVOQ.com

FOIL CUTTING TOOL



INSTRUCTIONS  
ON HOW TO  
PUNCTURE FOIL

GTIN: 00300742306706

EXP:

LOT:

PROD  
OF:




20090713


**RINVOQ<sup>®</sup> COMPLETE**

We're here for you 24/7.  
If you have any questions  
or would like to learn about  
resources, including ways  
to save on your RINVOQ,  
Call 1.800.2.RINVOQ  
(1.800.274.6867)  
or visit RINVOQ.com

**1** Flip the cap  
after removing.



**2** Use cutting tool to  
cut foil near edge.



EXP:

LOT:

Product  
of:

20090712

Product Code: 200



**RINVOQ**<sup>®</sup>

upadacitinib

Extended-Release Tablets

**15 mg**

PROFESSIONAL  
**SAMPLE**  
NOT FOR SALE

**RINVOQ and RINVOQ LQ  
are NOT substitutable**

Dispense in original packaging



14 Tablets

Rx only

abbvie



NDC 0074-2306-70

Do not accept if seal over bottle opening is broken or missing. Keep in original container to protect from moisture.

Keep out of reach of children.

Each tablet contains 15.4 mg of upadacitinib hemihydrate equivalent to 15 mg upadacitinib.

Do not split, crush, or chew the tablets.

Store at 2°C to 25°C (36°F to 77°F).

See package insert for full prescribing information.

AbbVie Inc., North Chicago, IL 60064

If required, foreign origin on opposite side of label.

GTIN: 00300742306706

15 mg

**RINVOQ**<sup>®</sup>  
upadacitinib  
Extended-Release Tablets

NDC 0074-2306-30

**RINVOQ**<sup>®</sup>  
upadacitinib  
Extended-Release Tablets

15 mg

RINVOQ and RINVOQ LQ  
are NOT substitutable



Dispense in original packaging  
FLIP CAP TO CUT FOIL  
PEEL BACK FOR INSTRUCTIONS

**Q15** 30 Tablets

Rx only

abbvie

Do not accept if seal over bottle opening is broken or missing. Keep in original container to protect from moisture.  
Keep out of reach of children.  
Each tablet contains 15.4 mg of upadacitinib hemihydrate equivalent to 15 mg upadacitinib.  
Do not split, crush, or chew the tablets.  
Store at 2°C to 25°C (36°F to 77°F).  
See package insert for full prescribing information.

AbbVie Inc.  
North Chicago, IL 60064  
If required, foreign origin on bottom of carton.  
© 2025 AbbVie. All rights reserved.  
20090709



NDC 0074-2306-30

Dispense in  
Original Packaging

Place Pharmacy  
Label Here

**RINVOQ**<sup>®</sup> COMPLETE  
We're here for you 24/7.

Call 1.800.2.RINVOQ  
(1.800.274.6867)  
or visit RINVOQ.com

FOIL CUTTING TOOL



INSTRUCTIONS  
ON HOW TO  
PUNCTURE FOIL

GTIN: 00300742306300

EXP:

LOT:

PROD  
OF:

SN:




20090709

**RINVOQ<sup>®</sup> COMPLETE**

We're here for you 24/7.  
If you have any questions  
or would like to learn about  
resources, including ways  
to save on your RINVOQ,  
Call 1.800.2.RINVOQ  
(1.800.274.6867)  
or visit RINVOQ.com


**1**

**Flip the cap  
after removing.**



**2**

**Use cutting tool to  
cut foil near edge.**



HRI

elements

EXP:

LOT:

Product  
of:

20090708



NDC 0074-2306-30

**RINVOQ**<sup>®</sup>

upadacitinib

Extended-Release Tablets

**15 mg**

**RINVOQ and RINVOQ LQ  
are NOT substitutable**

Dispense in original packaging



30 Tablets

Rx only

abbvie



Do not accept if seal over bottle opening is broken or missing. Keep in original container to protect from moisture.

Keep out of reach of children.

Each tablet contains 15.4 mg of upadacitinib hemihydrate equivalent to 15 mg upadacitinib.

Do not split, crush, or chew the tablets.

Store at 2°C to 25°C (36°F to 77°F).

See package insert for full prescribing information.

AbbVie Inc., North Chicago, IL 60064

If required, foreign origin on opposite side of label.

GTIN: 00300742306300

30 mg




NDC 0074-2310-20



30 mg

PROFESSIONAL SAMPLE NOT FOR SALE

RINVOQ and RINVOQ LQ are NOT substitutable



Dispense in original packaging  
FLIP CAP TO CUT FOIL  
PEEL BACK FOR INSTRUCTIONS



14 Tablets

Rx only **abbvie**

Do not accept if seal over bottle opening is broken or missing. Keep in original container to protect from moisture.

Keep out of reach of children.

Each tablet contains 30.7 mg of upadacitinib hemihydrate equivalent to 30 mg upadacitinib.

Do not split, crush, or chew the tablets.

Store at 2°C to 25°C (36°F to 77°F).

See package insert for full prescribing information.

AbbVie Inc.  
North Chicago, IL 60064  
If required, foreign origin on bottom of carton.  
© 2025 AbbVie. All rights reserved.

20090715



Product Code: 201

NDC 0074-2310-20


PROFESSIONAL SAMPLE NOT FOR SALE

Dispense in Original Packaging

**RINVOQ** COMPLETE  
We're here for you 24/7.

Call 1.800.2.RINVOQ  
(1.800.274.6867)  
or visit RINVOQ.com

FOIL CUTTING TOOL



INSTRUCTIONS ON HOW TO PUNCTURE FOIL

GTIN: 00300742310208

EXP:

LOT:

PROD OF:




20090715

**RINVOQ<sup>®</sup> COMPLETE**

We're here for you 24/7.  
If you have any questions  
or would like to learn about  
resources, including ways  
to save on your RINVOQ,  
Call 1.800.2.RINVOQ  
(1.800.274.6867)  
or visit RINVOQ.com


**1**



**Flip the cap  
after removing.**



**2**



**Use cutting tool to  
cut foil near edge.**

EXP:

LOT:

Product  
of:

20090714

Product Code: 201

3 00742 31020 8



3 00742 31020 8



14 Tablets

Rx only  
abbvie



NDC 0074-2310-20



**RINVOQ**<sup>®</sup>

upadacitinib

Extended-Release Tablets

**30 mg**

PROFESSIONAL  
**SAMPLE**  
NOT FOR SALE

**RINVOQ and RINVOQ LQ  
are NOT substitutable**

Dispense in original packaging

Do not accept if seal over bottle opening is broken or missing. Keep in original container to protect from moisture.

Keep out of reach of children.

Each tablet contains 30.7 mg of upadacitinib hemihydrate equivalent to 30 mg upadacitinib.

Do not split, crush, or chew the tablets.

Store at 2°C to 25°C (36°F to 77°F).

See package insert for full prescribing information.

AbbVie Inc., North Chicago, IL 60064

If required, foreign origin on opposite side of label.

GTIN: 00300742310208

30 mg

**RINVOQ**<sup>®</sup>  
upadacitinib  
Extended-Release Tablets

NDC 0074-2310-30

**RINVOQ**<sup>®</sup>  
upadacitinib  
Extended-Release Tablets

30 mg

RINVOQ and RINVOQ LQ  
are NOT substitutable



Dispense in original packaging  
FLIP CAP TO CUT FOIL  
PEEL BACK FOR INSTRUCTIONS



30 Tablets

Rx only

abbvie

Do not accept if seal over bottle opening is broken or missing. Keep in original container to protect from moisture.  
Keep out of reach of children.  
Each tablet contains 30.7 mg of upadacitinib hemihydrate equivalent to 30 mg upadacitinib.  
Do not split, crush, or chew the tablets.  
Store at 2°C to 25°C (36°F to 77°F).  
See package insert for full prescribing information.

AbbVie Inc.  
North Chicago, IL 60064  
If required, foreign origin on bottom of carton.  
© 2025 AbbVie. All rights reserved.  
20090711



NDC 0074-2310-30

Dispense in  
Original Packaging

Place Pharmacy  
Label Here

**RINVOQ**<sup>®</sup> COMPLETE  
We're here for you 24/7.

Call 1.800.2.RINVOQ  
(1.800.274.6867)  
or visit RINVOQ.com

FOIL CUTTING TOOL



GTIN: 00300742310307

EXP:  
LOT:  
PROD  
OF:  
SN:




20090711

**RINVOQ<sup>®</sup> COMPLETE**

We're here for you 24/7.  
If you have any questions  
or would like to learn about  
resources, including ways  
to save on your RINVOQ,  
Call 1.800.2.RINVOQ  
(1.800.274.6867)  
or visit RINVOQ.com

1



Flip the cap  
after removing.



2



Use cutting tool to  
cut foil near edge.

EXP:

LOT:

PROD  
OF:

HRI  
elements

20090710



NDC 0074-2310-30

**RINVOQ**<sup>®</sup>

upadacitinib

Extended-Release Tablets

**30 mg**

**RINVOQ and RINVOQ LQ  
are NOT substitutable**

Dispense in original packaging



30 Tablets

Rx only

abbvie



Do not accept if seal over bottle opening is broken or missing. Keep in original container to protect from moisture.

Keep out of reach of children.

Each tablet contains 30.7 mg of upadacitinib hemihydrate equivalent to 30 mg upadacitinib.

Do not split, crush, or chew the tablets.

Store at 2°C to 25°C (36°F to 77°F).

See package insert for full prescribing information.

AbbVie Inc., North Chicago, IL 60064  
If required, foreign origin on opposite side of label.

GTIN: 00300742310307

45 mg

**RINVOQ**<sup>®</sup>  
upadacitinib  
Extended-Release Tablets


NDC 0074-1043-14

**RINVOQ**<sup>®</sup>  
upadacitinib  
Extended-Release Tablets

45 mg

PROFESSIONAL  
SAMPLE  
NOT FOR SALE

RINVOQ and RINVOQ LQ  
are NOT substitutable



Dispense with Medication Guide  
FLIP CAP TO CUT FOIL  
PEEL BACK FOR INSTRUCTIONS



14 Tablets

Rx only

abbvie

Do not accept if seal over bottle opening is broken or missing. Keep in original container to protect from moisture.  
Keep out of reach of children.  
Each tablet contains 46.1 mg of upadacitinib hemihydrate equivalent to 45 mg upadacitinib.  
Do not split, crush, or chew the tablets.  
Store at 2°C to 25°C (36°F to 77°F).  
Recommended Dosage:  
See prescribing information.

AbbVie Inc.  
North Chicago, IL 60064  
If required, foreign origin on bottom of carton.  
© 2025 AbbVie. All rights reserved.  
20090719



NDC 0074-1043-14


Dispense in Original  
Packaging with enclosed  
Medication Guide to  
each patient.

PROFESSIONAL SAMPLE  
NOT FOR SALE

**RINVOQ**<sup>®</sup> COMPLETE  
We're here for you 24/7.

Call 1.800.2.RINVOQ  
(1.800.274.6867)  
or visit RINVOQ.com

FOIL CUTTING TOOL



INSTRUCTIONS  
ON HOW TO  
PUNCTURE FOIL

GTIN: 00300741043145

EXP:  
LOT:  
PROD  
OF:




20090719

**RINVOQ** COMPLETE

We're here for you 24/7.  
If you have any questions  
or would like to learn about  
resources, including ways  
to save on your RINVOQ,  
Call 1.800.2.RINVOQ  
(1.800.274.6867)  
or visit RINVOQ.com


**1**



Flip the cap  
after removing.



**2**



Use cutting tool  
to cut foil near edge.

EXP:

LOT:

Product  
of:

20090718

Product Code: 206



14 Tablets

Rx only

abbvie



NDC 0074-1043-14



**RINVOQ**<sup>®</sup>

upadacitinib

Extended-Release Tablets

**45 mg**

PROFESSIONAL  
**SAMPLE**  
NOT FOR SALE

**RINVOQ and RINVOQ LQ  
are NOT substitutable**

Dispense with Medication Guide

Do not accept if seal over bottle opening is broken or missing. Keep in original container to protect from moisture.

Keep out of reach of children.

Each tablet contains 46.1 mg of upadacitinib hemihydrate equivalent to 45 mg upadacitinib.

Do not split, crush, or chew the tablets. Store at 2°C to 25°C (36°F to 77°F).

Recommended Dosage:  
See prescribing information.

AbbVie Inc., North Chicago, IL 60064  
If required, foreign origin on opposite side of label.

GTIN: 00300741043145



45 mg

RINVOQ<sup>®</sup>  
upadacitinib  
Extended-Release Tablets

NDC 0074-1043-28



**RINVOQ<sup>®</sup>**  
upadacitinib  
Extended-Release Tablets

**45 mg**

← **OPEN HERE**

RINVOQ and RINVOQ LQ  
are NOT substitutable



FLIP CAP TO CUT FOIL

Dispense with Medication Guide  
FLIP CAP TO CUT FOIL  
PEEL BACK FOR INSTRUCTIONS



28 Tablets

Rx only **abbvie**

NDC 0074-1043-28

Do not accept if seal over bottle opening is broken or missing. Keep in original container to protect from moisture.  
Keep out of reach of children.  
Each tablet contains 46.1 mg of upadacitinib hemihydrate equivalent to 45 mg upadacitinib.  
Do not split, crush, or chew the tablets.  
Store at 2° C to 25° C (36° F to 77° F).  
Recommended Dosage:  
See prescribing information.

AbbVie Inc.  
North Chicago, IL 60064  
If required, foreign origin on bottom of carton.  
© 2025 AbbVie. All rights reserved.  
20090717



NDC 0074-1043-28


Dispense in Original Packaging with enclosed Medication Guide to each patient.

Place Pharmacy Label Here


**RINVOQ<sup>®</sup> COMPLETE**  
We're here for you 24/7.

Call 1.800.2.RINVOQ  
(1.800.274.6867)  
or visit RINVOQ.com

**FOIL CUTTING TOOL**




**INSTRUCTIONS ON HOW TO PUNCTURE FOIL**



GTIN: 00300741043282

EXP: [Redacted]  
LOT: [Redacted]  
PROD OF: [Redacted]  
SN: [Redacted]




20090717

**RINVOQ** COMPLETE

We're here for you 24/7.  
If you have any questions  
or would like to learn about  
resources, including ways  
to save on your RINVOQ,  
Call 1.800.2.RINVOQ  
(1.800.274.6867)  
or visit RINVOQ.com


**1**



Flip the cap  
after removing.



**2**



Use cutting tool  
to cut foil near edge.

EXP:

LOT:

Product  
of:

20090716



28 Tablets

Rx only

abbvie



NDC 0074-1043-28



**RINVOQ**<sup>®</sup>

upadacitinib

Extended-Release Tablets

**45 mg**

**RINVOQ and RINVOQ LQ  
are NOT substitutable**

Dispense with Medication Guide

Do not accept if seal over bottle opening is broken or missing. Keep in original container to protect from moisture.

Keep out of reach of children.

Each tablet contains 46.1 mg of upadacitinib hemihydrate equivalent to 45 mg upadacitinib.

Do not split, crush, or chew the tablets. Store at 2°C to 25°C (36°F to 77°F).

Recommended Dosage:  
See prescribing information.

AbbVie Inc., North Chicago, IL 60064  
If required, foreign origin on opposite side of label.

GTIN: 00300741043282