

NDA 211746/S-002  
 Page 3

PN 117485

**Ryaltris**  
(olopatadine hydrochloride and mometasone furoate)


NDC 59467-700 -27

**Ryaltris**  
(olopatadine hydrochloride and mometasone furoate)  
**NASAL SPRAY**  
**665 mcg/25 mcg\*  
 per spray**


\*calculated on the anhydrous basis

**FOR INTRANASAL USE ONLY**


**After using your RYALTRIS**




Wipe the spray pump tip with a clean dry tissue or cloth.




Hold the spray pump unit and push the dust cap back on the spray pump tip of the bottle until you hear a click.



Remove the pump unit by gently pulling upward.



Remove the dust cap and place only the spray pump unit in warm water to soak.



After soaking for 15 minutes, rinse the spray pump unit and dust cap with warm water and allow them to dry completely. Place the dust cap on the spray pump tip and put the spray pump unit back on the bottle.

Each metered spray delivers 100 mg of suspension containing 645 mcg olopatadine hydrochloride (equivalent to 600 mcg olopatadine [as base]) and 25 mcg mometasone furoate\*.

Contents: An aqueous suspension containing: olopatadine hydrochloride, mometasone furoate monohydrate, carboxymethyl-cellulose sodium, microcrystalline cellulose, dibasic sodium phosphate heptahydrate, sodium chloride, edetate disodium, polysorbate 80, benzalkonium chloride, hydrochloric acid, sodium hydroxide and water for injection. The pH is approximately 3.7.

**SHAKE THE BOTTLE WELL BEFORE EACH USE**

**INITIAL PRIMING:** 6 Sprays or until a fine mist appears.

**REPRIMING** (only if you have not used RYALTRIS for 14 days): 2 sprays or until a fine mist appears.

**Recommended Dosage:** See prescribing information.

**Storage:** Store upright with the dust cap on at controlled room temperature, 20°C - 25°C (68°F - 77°F).

Do not store in the freezer or refrigerator.

**Keep out of reach of children.**

**FOR INTRANASAL USE ONLY**

NDC 59467-700 -27

**Ryaltris**  
(olopatadine hydrochloride and mometasone furoate)  
**NASAL SPRAY**  
**665 mcg/25 mcg\*  
 per spray**


\*calculated on the anhydrous basis

**FOR INTRANASAL USE ONLY**

**240 Metered Sprays**  
 29 g net fill weight

**SHAKE THE BOTTLE WELL BEFORE EACH USE**

**Rx only**




Read **PATIENT INSTRUCTIONS FOR USE** for **CLEANING INSTRUCTIONS** if spray pump unit gets blocked and for additional information on **How to Use the Product**.

**DOSING INSTRUCTIONS**


**SHAKE THE BOTTLE WELL BEFORE EACH USE**

Remove the purple plastic dust cap from the spray pump tip of the bottle.



**BLOW YOUR NOSE AND LOOK DOWN**

Clear your nostrils by gently blowing your nose. Tilt your head forward slightly.




**SPRAY WHILE INHALING GENTLY**

While holding one nostril closed, insert the tip into the other nostril and breathe in gently while you spray. Breathe out gently through your mouth.

**Two sprays per nostril. Discard after 240 actuations.**

Distr. by: Hikma Specialty USA Inc. Columbus, OH 43228  
 RYALTRIS and the RYALTRIS logo are trademarks of Glermark Specialty SA  
 PN 117485



3 59467 70027 6

For assistance call: 1-800-962-8364 or visit [www.RYALTRIS.com](http://www.RYALTRIS.com)

**hikma.**

PN 117485

UNVARNISHED AREA  
 43 mm x 26 mm  
 LOT NO.  
 EXPIRATION DATE

NDA 211746/S-002  
 Page 4

PN 117484

(olopatadine hydrochloride and mometasone furoate)

**Ryalttris™**

NDC 59467-700 -84


**Ryalttris™**  
 (olopatadine hydrochloride and mometasone furoate)


Professional Sample  
 Not for Sale

**NASAL SPRAY**  
**665 mcg/25 mcg\***  
**per spray**


\*calculated on the anhydrous basis  
**FOR INTRNASAL USE ONLY**


After using your RYALTRIS


 Wipe the spray pump tip with a clean dry tissue or cloth.

 Hold the spray pump unit and push the dust cap back on the spray pump tip of the bottle until you hear a click.

How to clear the RYALTRIS spray pump unit if it gets blocked

 Remove the pump unit by gently pulling upward.

 Remove the dust cap and place only the spray pump unit in warm water to soak.

 After soaking for 15 minutes, rinse the spray pump unit and dust cap with warm water and allow them to dry completely. Place the dust cap on the spray pump tip and put the spray pump unit back on the bottle.

Each metered spray delivers 100 mg of suspension containing 665 mcg olopatadine hydrochloride (equivalent to 600 mcg olopatadine [as base]) and 25 mcg mometasone furoate\*.

Contents: An aqueous suspension containing: olopatadine hydrochloride, mometasone furoate monohydrate, carbomethyl-cellulose sodium, microcrystalline cellulose, dibasic sodium phosphate heptahydrate, sodium chloride, edetate disodium, polysorbate 80, benzalkonium chloride, hydrochloric acid, sodium hydroxide and water for injection. The pH is approximately 3.7.

**SHAKE THE BOTTLE WELL BEFORE EACH USE**

**INITIAL PRIMING:** 6 Sprays or until a fine mist appears.

**REPRIMING** (only if you have not used RYALTRIS for 14 days): 2 sprays or until a fine mist appears.

**Recommended Dosage:** See prescribing information.

**Storage:** Store upright with the dust cap on at controlled room temperature, 20°C - 25°C (68°F - 77°F). Do not store in the freezer or refrigerator.

**Keep out of reach of children.**

**FOR INTRNASAL USE ONLY**

PN 117484

(olopatadine hydrochloride and mometasone furoate)

**Ryalttris™**


NDC 59467-700 -84

**Ryalttris™**  
 (olopatadine hydrochloride and mometasone furoate)


Professional Sample  
 Not for Sale

**NASAL SPRAY**  
**665 mcg/25 mcg\***  
**per spray**


\*calculated on the anhydrous basis  
**FOR INTRNASAL USE ONLY**

 **BLOW YOUR NOSE AND LOOK DOWN**

Clear your nostrils by gently blowing your nose. Tilt your head forward slightly.

 **SPRAY WHILE INHALING GENTLY**

While holding one nostril closed, insert the tip into the other nostril and breathe in gently while you spray. Breathe out gently through your mouth.



**56 Metered Sprays**  
 9 g net fill weight

**SHAKE THE BOTTLE WELL BEFORE EACH USE**

**Rx only**

PN 117484

(olopatadine hydrochloride and mometasone furoate)

**Ryalttris™**

NDC 59467-700 -84

**Ryalttris™**  
 (olopatadine hydrochloride and mometasone furoate)

Professional Sample  
 Not for Sale

**NASAL SPRAY**  
**665 mcg/25 mcg\***  
**per spray**

\*calculated on the anhydrous basis  
**FOR INTRNASAL USE ONLY**

**56 Metered Sprays**  
 9 g net fill weight

**SHAKE THE BOTTLE WELL BEFORE EACH USE**

**Rx only**

**FOR INTRNASAL USE ONLY**

UNVARNISHED AREA  
 43 mm x 26 mm  
 LOT NO.  
 EXPIRATION DATE

(olopatadine hydrochloride and mometasone furoate)

**Ryalttris™**

NDC 59467-700 -84

**Ryalttris™**  
 (olopatadine hydrochloride and mometasone furoate)

Professional Sample  
 Not for Sale

**NASAL SPRAY**  
**665 mcg/25 mcg\***  
**per spray**

\*calculated on the anhydrous basis  
**FOR INTRNASAL USE ONLY**

**56 Metered Sprays**  
 9 g net fill weight

**SHAKE THE BOTTLE WELL BEFORE EACH USE**

**Rx only**


**FOR INTRNASAL USE ONLY**

Read **PATIENT INSTRUCTIONS FOR USE** for **CLEANING INSTRUCTIONS** if spray pump unit gets blocked and for additional information on How to Use the Product.


**DOSE INSTRUCTIONS**

**SHAKE THE BOTTLE WELL BEFORE EACH USE**

Remove the purple plastic dust cap from the spray pump tip of the bottle.

 **BLOW YOUR NOSE AND LOOK DOWN**

Clear your nostrils by gently blowing your nose. Tilt your head forward slightly.

 **SPRAY WHILE INHALING GENTLY**

While holding one nostril closed, insert the tip into the other nostril and breathe in gently while you spray. Breathe out gently through your mouth.

**Two sprays per nostril. Discard after 56 actuations.**

Distr. by: Hikma Specialty USA Inc. Columbus, OH 43228

RYALTRIS and the RYALTRIS logo are trademarks of Glenmark Specialty SA PN 117484

For assistance call: 1-800-962-8364 or visit [www.RYALTRIS.com](http://www.RYALTRIS.com)

**hikma.**



Ramesh  
Raghavachari

Digitally signed by Ramesh Raghavachari  
Date: 9/30/2022 11:27:52PM  
GUID: 502d0913000029f375128b0de8c50020