

*This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>*

SUN AM	MON AM	TUE AM	WED AM	THU AM	FRI AM	SAT AM
SUN PM	MON PM	TUE PM	WED PM	THU PM	FRI PM	SAT PM

This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>

20078641



GTIN: 00300741017566



Exp.:
Lot:
Product:
SN:



elagolix, estradiol and norethindrone acetate capsules
and elagolix capsules 300 mg/1 mg/0.5 mg and 300 mg

Co-Packaged for Oral Use

Keep out of reach of children

Store at 20°C to 25°C (68°F to 77°F),
with excursions permitted 15°C to 30°C (59°F to 86°F),
[See USP Controlled Room Temperature].

Do NOT flush unused medicine

Recommended Dosage: See Prescribing Information

For **PATIENT SUPPORT**
visit OriaHnn.com
or call 1-800-ORIAHNN (1-800-674-2466)

abbvie

56 CAPSULES
FOR 28 DAYS

NDC 0074-1017-56
Rx only

56 CAPSULES
FOR 28 DAYS



3 00741 01756 6

AbbVie Inc.
North Chicago, IL 60064

See top of carton for
Customs Country of Origin

©2023 AbbVie Inc.

20078641

NDC 0074-1017-56
Rx only



elagolix, estradiol and norethindrone acetate capsules
and elagolix capsules 300 mg/1 mg/0.5 mg and 300 mg

Co-Packaged for Oral Use

300 mg / 1 mg / 0.5 mg 300 mg

*Elagolix 300 mg (equivalent to 310 mg
of elagolix sodium)
Contains FD&C Yellow No.5 (Tartrazine)
as a color additive



Each weekly blister pack contains
7 capsules to be taken in the morning
Each capsule contains elagolix* (300 mg),
estradiol (1 mg) and norethindrone acetate
(0.5 mg)

Each weekly blister pack contains
7 capsules to be taken in the evening
Each capsule contains elagolix* (300 mg)

56 CAPSULES
FOR 28 DAYS IN 4 WEEKLY BLISTER PACKS

NDC 0074-1017-56
Rx only

56 CAPSULES
FOR 28 DAYS

This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>

IMPORTANT INFORMATION



Oriahnn does **NOT** prevent pregnancy. Ask your healthcare provider about proper **birth control**.

Contraindications: See Prescribing Information



Take 1 white/yellow capsule in the **morning** and 1 white/blue capsule in the **evening**, every day.



If you **miss a capsule**, take it within 4 hours of the time it was supposed to be taken. If more than 4 hours have passed, **DO NOT** take it and take your next dose as planned. Only take one morning white/yellow capsule and one evening white/blue capsule per day.

Reminder:
It is time to refill your prescription.

*This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>*



Ramesh
Raghavachari

Digitally signed by Ramesh Raghavachari
Date: 8/28/2024 10:14:28PM
GUID: 502d0913000029f375128b0de8c50020