

72A1E SYS1



**24HR RELIEF of:**  
 nasal congestion / runny nose  
 sneezing / itchy nose

Divided by  
**Perrigo**  
 Allergan, MI 48010  
 ©2022. All rights reserved.




3 70050 16577 3



See below for important information about use in children.

<b>Drug Facts</b> (continued)	<ul style="list-style-type: none"> <li>■ You get new changes to your skin that develop after starting this product.</li> <li>■ You have severe or frequent nose bleeds.</li> <li>■ You have a health profession</li> </ul>
<b>Active ingredient</b> (in each spray)	<ul style="list-style-type: none"> <li>■ Mometasone furoate (glucocorticoid) 50 mcg</li> <li>■ Benzalkonium chloride</li> <li>■ Polyethylene glycol</li> <li>■ Propylene glycol</li> <li>■ Sodium chloride</li> <li>■ Water</li> </ul>
<b>Uses</b>	<ul style="list-style-type: none"> <li>■ To relieve nasal symptoms of hay fever or other upper respiratory allergies.</li> <li>■ To relieve nasal symptoms of allergic rhinitis.</li> </ul>
<b>Warnings</b>	<ul style="list-style-type: none"> <li>■ Only use in the nose. Do not spray into your eyes or mouth.</li> <li>■ Do not use in children under 2 years of age.</li> <li>■ Do not use in patients who are taking other nasal sprays.</li> <li>■ Do not use in patients who are taking other nasal sprays.</li> <li>■ Do not use in patients who are taking other nasal sprays.</li> </ul>
<b>Directions</b>	<ul style="list-style-type: none"> <li>■ Read the label for how to use the spray.</li> <li>■ Do not use more than once a day.</li> <li>■ Do not use more than once a day.</li> <li>■ Do not use more than once a day.</li> </ul>
<b>Other information</b>	<ul style="list-style-type: none"> <li>■ Keep package and insert. They contain important information.</li> <li>■ Do not use if sealed package is torn or damaged.</li> <li>■ Do not use if sealed package is torn or damaged.</li> </ul>
<b>Questions or comments?</b>	<ul style="list-style-type: none"> <li>■ Call toll-free 1-800-848-4848.</li> <li>■ Call toll-free 1-800-848-4848.</li> <li>■ Call toll-free 1-800-848-4848.</li> </ul>
<b>Ingredients</b>	<ul style="list-style-type: none"> <li>■ Mometasone furoate</li> <li>■ Benzalkonium chloride</li> <li>■ Polyethylene glycol</li> <li>■ Propylene glycol</li> <li>■ Sodium chloride</li> <li>■ Water</li> </ul>
<b>How to use</b>	<ul style="list-style-type: none"> <li>■ Do not use in children under 2 years of age.</li> <li>■ Do not use in patients who are taking other nasal sprays.</li> <li>■ Do not use in patients who are taking other nasal sprays.</li> </ul>



**IMPORTANT:** Read Drug Facts label and enclosed materials for important information. Children 2-11: 1 spray per nostril per day. Talk to a doctor if your child needs to use for longer than two months a year. Keep out of reach of children. Only for use in the nose, do not spray into eyes. Store between 20°-25°C (68°-77°F). Shake well before each use.

MDC 0115-1720-02

**NASONEX**  
24HR ALLERGY

Mometasone Furoate Nasal Spray 50 mcg per spray  
Allergy Symptom Reliever (glucocorticoid)

120 SPRAYS 0.57 FL. OZ. (17.0 mL)

Questions or comments?  
Call to 1-free  
1-800-964-9649

72A1ESY F1



Distributed By  
Parip  
Alegu, M 48010  
©2022, All rights reserved.



**IMPORTANT:** Read Drug Facts label and enclosed materials for important information. Children 2-11: 1 spray per nostril per day. Talk to a doctor if your child needs to use for longer than two months a year. Keep out of reach of children. Only for use in the nose, do not spray into eyes. Store between 20°-25°C (68°-77°F). Shake well before each use.

NOC 0113-1720-11

**NASONEX**  
24HR ALLERGY

Mometasone Furoate Nasal Spray 50 mcg per spray  
Allergy Symptom Reliever (glucocorticoid)

60 SPRAYS 0.34 FL. OZ. (10.0 mL)

Questions or comments?  
Call toll-free  
1-800-864-9649

72A11 SY F1



Distributed by  
Paragon  
Allergies, Inc. 40010  
60322. All rights reserved.



 **IMPORTANT:** Read Drug Facts label and enclosed materials for important information. Children 2-11: 1 spray per nostril per day. Talk to a doctor if your child needs to use for longer than two months a year. Keep out of reach of children. Only for use in the nose, do not spray into eyes. Store between 20°-25°C (68°-77°F). Shake well before each use.

**72A10 SY F1**

**NASONEX**  
24HR ALLERGY  
Mometasone furoate  
Nasal Spray 50 mcg per spray  
Allergy Symptom Reliever  
(glucocorticoid)

Established by Paripio  
Alanya, TR 40610  
©2022, All rights  
reserved.

30 SPRAYS  
0.25 FL OZ (7.5 mL)

Questions? 1-800-864-9649

# NASONEX™

## 24HR ALLERGY

72A00 SY J1

### A GETTING STARTED




NASONEX™ 24HR Allergy works best at relieving your allergy symptoms when you get a full dose. Here's how to get started, in five easy steps.

#### 1 SHAKE



Shake spray bottle well.



Remove cap.

#### 2 PRIME

- Do this when:**
- Starting a new bottle
  - Bottle has not been used in one week
  - Just cleaned nozzle
- Otherwise go to step 3**



Aim away from face. Grasp spray bottle as shown. Pump until fine mist appears. Pumped ten times and still no mist? Spray nozzle may be clogged. See **KEEP IT CLEAN**, other side.

NOTE: There is enough medicine in the bottle to allow for priming sprays plus the number of sprays labeled on the bottle.

#### 3 BLOW




Blow nose gently to clear nostrils.

#### 4 AIM



Close one nostril and put tip of spray nozzle in other nostril.



Put just the tip into your nose.



Aim slightly away from center of nose.

#### 5 BREATHE AND SPRAY



While sniffing gently, press down on spray nozzle once or twice (according to dosing instructions). You'll feel a light mist in your nose. Breathe out through your mouth.

**Repeat in other nostril.**

Wipe spray nozzle with clean tissue and replace cap.

Dosing and Cleaning instructions See other side

SIDE 1

### B DIRECTIONS FOR USE

NASONEX™ 24HR Allergy works best when you use it daily. Here's how to get started.

#### Children age 2-11



**An adult should supervise use**  
Use one spray in each nostril once daily.

**Check with your child's doctor** if child needs to use NASONEX for longer than two months a year.



**WARNING:**  
Do not spray in your eyes. Only for use in your nose.

#### Users age 12 or older



Use two sprays in each nostril every day.

#### Other important information for use

- Do not use more than directed.
- If you forget a dose, do not double the next dose.
- Do not spray into eyes or mouth.
- If you get the spray in your eyes, rinse well with water.
- If allergy symptoms do not improve after one week, stop using and talk to a doctor.
- Do not share this bottle with anyone else as this may spread germs.
- Discard 75 days after first use of the product.

### C KEEP IT CLEAN

A clean spray nozzle helps ensure a full dose. Clean it weekly, or if it's clogged. Don't try to unblock nozzle with pin or sharp object – that can damage it.



Remove spray nozzle by grasping at base and pulling up.



Rinse under running tap water, and dry at room temperature.



Aim away from your face and gently, but firmly, replace spray nozzle.



If spray nozzle is clogged, soak in warm water. Then repeat steps 2 and 3.

Questions or comments? Call toll-free 1-800-864-9649

Store between 20°-25°C (68°-77°F)

Nasonex, the Nasonex logo, the bottle and cap designs, and other design elements are trademarks of Merck Sharp & Dohme Corporation or its affiliates and used under license.

Distributed By  
**Perrigo**

Allegan, MI 49010

©2022. All rights reserved.

SIDE 2

-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

NUSHIN F TODD  
03/17/2022 11:49:28 AM