

6 1 G I D S Y S 1



FP0

Children's
24HR ALLERGY

24HR RELIEF of:
 nasal congestion / runny nose / sneezing / itchy nose

30 SPRAYS 0.25 FL. OZ. (7.5 mL)

*Mometasone Furoate is a steroid medicine known as a glucocorticoid

Children's
ALLERGY + CONGESTION

NEW! NDC 0000-0000-00

Children's non-drowsy / scent-free mist
NASONEX™
24HR ALLERGY MOMETASONE FUROATE NASAL SPRAY,
 50 MCG/SPRAY ALLERGY SYMPTOM
 RELIEVER (GLUCOCORTICOID)*

ALLERGY + CONGESTION
 FULL PRESCRIPTION STRENGTH

24HR
 RELIEF of:



Drug Facts (continued)

Drug Facts (continued) you get relief from your symptoms. See below for important information about use in children.

Acute ingredient (in each spray) Purpose: you get relief from your symptoms. See below for important information about use in children.

Uses Temporary relief of symptoms such as sneezing, runny nose, itchy nose, watery eyes, and red, itchy eyes. Do not use if you have had an allergic reaction to any of the ingredients listed above. Do not use if you are pregnant or breastfeeding. Do not use if you are taking any other nasal sprays. Do not use if you are taking any other medicines. Do not use if you are taking any other medicines. Do not use if you are taking any other medicines.

Warnings Only use the nose. Do not spray into your eyes or mouth. Do not use if you have had an allergic reaction to any of the ingredients listed above. Do not use if you are pregnant or breastfeeding. Do not use if you are taking any other nasal sprays. Do not use if you are taking any other medicines. Do not use if you are taking any other medicines.

Directions Adults & Children 12 years of age and older: 2 sprays in each nostril once daily. Children 6 to 11 years of age: 1 spray in each nostril once daily. Children under 6 years of age: Do not use. Do not use if you are pregnant or breastfeeding. Do not use if you are taking any other nasal sprays. Do not use if you are taking any other medicines. Do not use if you are taking any other medicines.

Other information Do not use if you are pregnant or breastfeeding. Do not use if you are taking any other nasal sprays. Do not use if you are taking any other medicines. Do not use if you are taking any other medicines.

Questions or comments? Call 1-800-441-4444





IMPORTANT: Read Drug Facts label and enclosed materials for important information. Children 2-11: 1 spray per nostril per day. Talk to a doctor if your child needs to use for longer than two months a year. Keep out of reach of children. Only for use in the nose, do not spray into eyes. Store between 20°-25°C (68°-77°F). Shake well before each use.

**Children's
NASONEX
24HR ALLERGY**

Mometasone Furoate Nasal Spray 50 mcg per spray
Allergy Symptom Reliever (glucocorticoid)

60 SPRAYS 0.34 FL. OZ. (10.0 mL)

Questions or comments?
Call toll-free
1-800-864-9649

61G11 SY F1



Distributed by
Paragon
Allergies, MA 02010
©2022. All rights reserved.

6 10XXX SY 14

0 00000-00000

FP0

©2022. All rights reserved.

Manufactured by
Pfizer Inc.
Allergan, Inc. 01010

nasal congestion / runny nose
sneezing / itchy nose

24HR RELIEF of:

NASONEX
24HR ALLERGY

Children's
ALLERGY + CONGESTION

NEW!

TWIN PACK

NDC 0000-0000-00

non-drowsy / scent-free mist

NASONEXTM

24HR ALLERGY MOMETASONE FUROATE NASAL SPRAY,
50 MCG/SPRAY ALLERGY SYMPTOM
RELIEVER (GLUCOCORTICOID)*

ALLERGY + CONGESTION

**FULL PRESCRIPTION
STRENGTH**

24HR

RELIEF of:

2x
60
SPRAYS

*Mometasone Furoate is
a steroid medicine known
as a glucocorticoid

TWO 60 SPRAY BOTTLES
0.34 FL. OZ. (10.0 mL) EACH

Drug Facts (continued)

Purpose
Nasonex is a steroid medicine used to relieve the symptoms of allergic rhinitis (hay fever) and allergic conjunctivitis (itchy, watery eyes) in children.

Indications
Nasonex is used to relieve the symptoms of allergic rhinitis (hay fever) and allergic conjunctivitis (itchy, watery eyes) in children.

Warnings
Do not use if you have had a recent eye infection or if you have had a recent eye surgery. Do not use if you have had a recent eye surgery or if you have had a recent eye infection.

Directions
Nasonex should be used as directed. Do not use more than the recommended amount. Do not use more than the recommended amount.

Other information
Nasonex should be used as directed. Do not use more than the recommended amount. Do not use more than the recommended amount.

Questions or comments?
Call toll-free 1-800-84-9888.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222).

Drug Facts

Important information:
Nasonex is a steroid medicine. It may cause side effects. Do not use if you have had a recent eye infection or if you have had a recent eye surgery. Do not use if you have had a recent eye surgery or if you have had a recent eye infection.

Warnings:
Do not use if you have had a recent eye infection or if you have had a recent eye surgery. Do not use if you have had a recent eye surgery or if you have had a recent eye infection.

Directions:
Nasonex should be used as directed. Do not use more than the recommended amount. Do not use more than the recommended amount.

Other information:
Nasonex should be used as directed. Do not use more than the recommended amount. Do not use more than the recommended amount.

Questions or comments?
Call toll-free 1-800-84-9888.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222).



This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
09/20/2022 01:27:29 PM