

**NDA 215712**  
**Unbranded Labeling**  
**Mometasone Furoate Nasal Spray, 50 mcg/spray**  
**60 spray count – Carton**



FORMAT: STANDARD	
TYPE SIZES:	
TITLE	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
TITLE (continued)	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
(continued)	8 pt Helvetica Neue LT Std 57 Condensed
HEADINGS	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
SUBHEADINGS	6 pt Helvetica Neue LT Std 77 Bold Condensed
TEXT	6 pt Helvetica Neue LT Std 57 Condensed
LEADING	6.5 pt
BULLETS	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
TELEPHONE #	6 pt Helvetica Neue LT Std 77 Bold Condensed
HEAVY LINES	1.5 pt
HAIRLINES	0.5 pt Extend to within 2 spaces of the "Drug Facts" box
MAXIMUM CHARACTERS PER INCH	33

NDA 215712  
Unbranded Labeling  
Mometasone Furoate Nasal Spray, 50 mcg/spray  
60 spray count – Carton

EFB7151

CONVENIENT RECLOSING TAB  
**ALLERGY + CONGESTION**

Perrigo®

Compare to  
Nasonex™ 24HR Allergy™

NDC XXXXX-XXXX-XX

**New!**

Non-Drowsy/Scent-Free Mist

# Mometasone Furoate Nasal Spray, 50 mcg/spray

## Allergy Symptom Reliever (Glucocorticoid)\*

**ALLERGY + CONGESTION**  
FULL PRESCRIPTION STRENGTH


**24HR RELIEF OF:**  
Nasal Congestion/Runny Nose  
Sneezing/Itchy Nose

**60 SPRAYS**

**0.34 FL. OZ. (10.0 mL)**

\*Mometasone Furoate is a steroid medicine known as a glucocorticoid

ACTUAL SIZE




See below for important information about use in children.

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active ingredient (in each spray)</b> Mometasone furoate monohydrate (glucocorticoid) 50 mcg.....Allergy symptom reliever	
<b>Uses</b> temporarily relieves these symptoms of hay fever or other upper respiratory allergies: ■ nasal congestion ■ runny nose ■ sneezing ■ itchy nose	
<b>Warnings</b> Only for use in the nose. Do not spray into your eyes or mouth.	
<b>Do not use</b> ■ in children under 2 years of age ■ to treat asthma ■ if you have an injury or surgery to your nose that is not fully healed ■ if you have ever had an allergic reaction to this product or any of the ingredients	
<b>Ask a doctor before use if you</b> ■ have an eye infection ■ have or had glaucoma or cataracts	
<b>Ask a doctor or pharmacist before use if you are taking</b> ■ medicine for HIV infection (such as ritonavir) ■ a steroid medicine for asthma, allergies or skin rash ■ ketoconazole pills (medicine for fungal infection)	
<b>When using this product</b> ■ the growth rate of some children may be slower ■ stinging may occur for a few seconds right after use ■ you may start to feel relief within 12 hours and full effect after several days of regular, once-a-day use ■ do not share this bottle with anyone else as this may spread germs ■ remember to tell your doctor about all the medicines you take, including this one	
<b>Stop use and ask a doctor if</b> ■ you have, or come into contact with someone who has chickenpox, measles or tuberculosis ■ your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection. ■ you get a constant whistling sound from your nose. This may be a sign of damage inside your nose. ■ you get an allergic reaction to this product. Seek medical help right away.	
<b>Drug Facts (continued)</b> ■ you get new changes to your vision that develop after starting this product ■ you have severe or frequent nosebleeds If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).	
<b>Directions</b> Head insert (inside package) for how to: ■ prime the bottle ■ use the spray ■ clean the nozzle ■ shake well before each use ■ use this product only once a day ■ do not use more than directed <b>Adults &amp; children 12 years of age and older</b> ■ 2 sprays in each nostril once daily while sniffing gently <b>Children 2 to 11 years of age</b> ■ the growth rate of some children may be slower while using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year. ■ an adult should supervise use ■ 1 spray in each nostril once daily while sniffing gently <b>Children under 2 years of age</b> ■ do not use	
<b>Other information</b> ■ do not use if printed bottle wrap is torn or opened ■ keep package and insert. They contain important information. ■ store between 20-25°C (68-77°F) ■ discard 75 days after first use of the product	
<b>Inactive ingredients</b> benzalkonium chloride, citric acid, glycerin, microcrystalline cellulose and carboxymethylcellulose sodium, polysorbate 80, purified water, sodium citrate	
<b>Questions or comments?</b> Call toll-free 1-800-719-9260	
*Nasonex is a trademark of Merck Sharp & Dohme Corporation or its affiliates.	

**Mometasone Furoate Nasal Spray, 50 mcg/spray**  
Allergy Symptom Reliever (Glucocorticoid)\*

**24HR RELIEF OF:**  
Nasal Congestion/Runny Nose  
Sneezing/Itchy Nose

Distributed By  
**Perrigo®**  
Allegan, MI 49010



OPEN OTHER END

1Y811 FA C1

Location for lot number and expiration date

**PRINT at 95% for 11-inch x 17-inch size paper**

<b>FORMAT: STANDARD</b>	
<b>TYPE SIZES:</b>	
<b>TITLE</b>	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
<b>TITLE (continued)</b>	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
<b>(continued)</b>	8 pt Helvetica Neue LT Std 57 Condensed
<b>HEADINGS</b>	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
<b>SUBHEADINGS</b>	6 pt Helvetica Neue LT Std 77 Bold Condensed
<b>TEXT</b>	6 pt Helvetica Neue LT Std 57 Condensed
<b>LEADING</b>	6.5 pt
<b>BULLETS</b>	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
<b>TELEPHONE #</b>	6 pt Helvetica Neue LT Std 77 Bold Condensed
<b>HEAVY LINES</b>	1.5 pt
<b>HAIRLINES</b>	0.5 pt Extend to within 2 spaces of the "Drug Facts" box
<b>MAXIMUM CHARACTERS PER INCH</b>	33

**NDA 215712**  
**Unbranded Labeling**  
**Mometasone Furoate Nasal Spray, 50 mcg/spray**  
**120 spray count – Carton**



FORMAT: STANDARD	
TYPE SIZES:	
TITLE	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
TITLE (continued)	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
(continued)	8 pt Helvetica Neue LT Std 57 Condensed
HEADINGS	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
SUBHEADINGS	6 pt Helvetica Neue LT Std 77 Bold Condensed
TEXT	6 pt Helvetica Neue LT Std 57 Condensed
LEADING	6.5 pt
BULLETS	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
TELEPHONE #	6 pt Helvetica Neue LT Std 77 Bold Condensed
HEAVY LINES	1.5 pt
HAIRLINES	0.5 pt Extend to within 2 spaces of the "Drug Facts" box
MAXIMUM CHARACTERS PER INCH	33

NDA 215712  
Unbranded Labeling  
Mometasone Furoate Nasal Spray, 50 mcg/spray  
120 spray count – Carton

EFB7151

CONVENIENT RECLOSING TAB  
**ALLERGY + CONGESTION**

Perrigo®

Compare to  
Nasonex™ 24HR Allergy™

NDC XXXXX-XXXX-XX

**New!**

Non-Drowsy/Scent-Free Mist

# Mometasone Furoate Nasal Spray, 50 mcg/spray

## Allergy Symptom Reliever (Glucocorticoid)\*

**ALLERGY + CONGESTION**  
FULL PRESCRIPTION STRENGTH


**24HR RELIEF OF:**  
Nasal Congestion/Runny Nose  
Sneezing/Itchy Nose

**120 SPRAYS**

**0.57 FL. OZ. (17.0 mL)**

\*Mometasone Furoate is a steroid medicine known as a glucocorticoid

ACTUAL SIZE



See below for important information about use in children.

Drug Facts	
Active ingredient (in each spray)	Purpose
Mometasone furoate monohydrate (glucocorticoid) 50 mcg	Allergy symptom reliever
Uses	
temporarily relieves these symptoms of hay fever or other upper respiratory allergies:	
nasal congestion	runny nose
sneezing	itchy nose
Warnings	
Only for use in the nose. Do not spray into your eyes or mouth.	
Do not use	
in children under 2 years of age	
to treat asthma	
if you have an injury or surgery to your nose that is not fully healed	
if you have ever had an allergic reaction to this product or any of the ingredients	
Ask a doctor before use if you	
have or had glaucoma or cataracts	have an eye infection
Ask a doctor or pharmacist before use if you are taking	
medicine for HIV infection (such as ritonavir)	a steroid medicine for asthma, allergies or skin rash
ketconazole pills (medicine for fungal infection)	
When using this product	
the growth rate of some children may be slower	
stinging may occur for a few seconds right after use	
you may start to feel relief within 12 hours and full effect after several days of regular, once-a-day use	
do not share this bottle with anyone else as this may spread germs	
remember to tell your doctor about all the medicines you take, including this one	
Stop use and ask a doctor if	
you have, or come into contact with someone who has chickenpox, measles or tuberculosis	
your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection.	
you get a constant whistling sound from your nose. This may be a sign of damage inside your nose.	
you get an allergic reaction to this product. Seek medical help right away.	

## Mometasone Furoate Nasal Spray, 50 mcg/spray

### Allergy Symptom Reliever (Glucocorticoid)\*

**24HR RELIEF OF:**  
Nasal Congestion/Runny Nose  
Sneezing/Itchy Nose

Distributed By  
**Perrigo®**  
Allegan, MI 49010



OPEN OTHER END

1Y81E FA C1

Location for lot number and expiration date

**PRINT at 95% for 11-inch x 17-inch size paper**

<b>FORMAT: STANDARD</b>	
<b>TYPE SIZES:</b>	
<b>TITLE</b>	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
<b>TITLE (continued)</b>	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
<b>(continued)</b>	8 pt Helvetica Neue LT Std 57 Condensed
<b>HEADINGS</b>	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
<b>SUBHEADINGS</b>	6 pt Helvetica Neue LT Std 77 Bold Condensed
<b>TEXT</b>	6 pt Helvetica Neue LT Std 57 Condensed
<b>LEADING</b>	6.5 pt
<b>BULLETS</b>	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
<b>TELEPHONE #</b>	6 pt Helvetica Neue LT Std 77 Bold Condensed
<b>HEAVY LINES</b>	1.5 pt
<b>HAIRLINES</b>	0.5 pt Extend to within 2 spaces of the "Drug Facts" box
<b>MAXIMUM CHARACTERS PER INCH</b>	33

NDA 215712  
Unbranded Labeling  
Mometasone Furoate Nasal Spray, 50 mcg/spray  
2x120 spray count – Carton

EFB7151

CONVENIENT RECLOSING TAB  
**ALLERGY + CONGESTION**

Perrigo®

**TWIN PACK**

Compare to  
Nasonex™ 24HR Allergy™

NDC XXXXX-XXXX-XX

**New!**

Non-Drowsy/Scent-Free Mist

**Mometasone Furoate  
Nasal Spray, 50 mcg/spray**  
Allergy Symptom Reliever  
(Glucocorticoid)\*

**ALLERGY + CONGESTION**  
FULL PRESCRIPTION STRENGTH


**24HR RELIEF OF:**  
Nasal Congestion/Runny Nose  
Sneezing/Itchy Nose

**2x120 SPRAYS**

**TWO 120 SPRAY BOTTLES**  
**0.57 FL. OZ. (17.0 mL) EACH**

\*Mometasone Furoate is a steroid medicine known as a glucocorticoid

ACTUAL SIZE



1Y8H7 FA C1

Location for  
lot number and  
expiration date

See below for important information about use in children.

Drug Facts	
Active ingredient (in each spray)	Purpose
Mometasone furoate monohydrate (glucocorticoid) 50 mcg	Allergy symptom reliever
Uses	
temporarily relieves these symptoms of hay fever or other upper respiratory allergies:	
nasal congestion	runny nose
sneezing	itchy nose
Warnings	
Only for use in the nose. Do not spray into your eyes or mouth.	
Do not use	
in children under 2 years of age	
to treat asthma	
if you have an injury or surgery to your nose that is not fully healed	
if you have ever had an allergic reaction to this product or any of the ingredients	
Ask a doctor before use if you	
have an eye infection	
have or had glaucoma or cataracts	
Ask a doctor or pharmacist before use if you are taking	
medicine for HIV infection (such as ritonavir)	
a steroid medicine for asthma, allergies or skin rash	
ketconazole pills (medicine for fungal infection)	
When using this product	
the growth rate of some children may be slower	
stinging may occur for a few seconds right after use	
you may start to feel relief within 12 hours and full effect after several days of regular, once-a-day use	
do not share this bottle with anyone else as this may spread germs	
remember to tell your doctor about all the medicines you take, including this one	
Stop use and ask a doctor if	
you have, or come into contact with someone who has chickenpox, measles or tuberculosis	
your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection.	
you get a constant whistling sound from your nose. This may be a sign of damage inside your nose.	
you get an allergic reaction to this product. Seek medical help right away.	
Drug Facts (continued)	
you get new changes to your vision that develop after starting this product	
you have severe or frequent nosebleeds	
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).	
Directions	
Head insert (inside package) for how to:	
prime the bottle	use the spray
clean the nozzle	
shake well before each use	
use this product only once a day	
do not use more than directed	
Adults & children 12 years of age and older	
2 sprays in each nostril once daily while sniffing gently	
Children 2 to 11 years of age	
the growth rate of some children may be slower while using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.	
an adult should supervise use	
1 spray in each nostril once daily while sniffing gently	
Children under 2 years of age	
do not use	
Other information	
do not use if printed bottle wrap is torn or opened	
keep package and insert. They contain important information.	
store between 20-25°C (68-77°F)	
discard 75 days after first use of the product	
Inactive ingredients	
benzalkonium chloride, citric acid, glycerin, microcrystalline cellulose and carboxymethylcellulose sodium, polysorbate 80, purified water, sodium citrate	
Questions or comments?	
Call toll-free 1-800-719-9260	
*Nasonex is a trademark of Merck Sharp & Dohme Corporation or its affiliates.	

**Mometasone Furoate Nasal Spray, 50 mcg/spray**  
Allergy Symptom Reliever (Glucocorticoid)\*

**24HR RELIEF OF:**  
Nasal Congestion/Runny Nose  
Sneezing/Itchy Nose

Distributed By  
**Perrigo®**  
Allegan, MI 49010

<b>FORMAT: STANDARD</b>	
<b>TYPE SIZES:</b>	
<b>TITLE</b>	9 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
<b>TITLE (continued)</b>	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
(continued)	8 pt Helvetica Neue LT Std 57 Condensed
<b>HEADINGS</b>	8 pt Helvetica Neue LT Std 77 Bold Condensed Oblique
<b>SUBHEADINGS</b>	6 pt Helvetica Neue LT Std 77 Bold Condensed
<b>TEXT</b>	6 pt Helvetica Neue LT Std 57 Condensed
<b>LEADING</b>	6.5 pt
<b>BULLETS</b>	5 pt ITC Zapf Dingbats Std Medium (square) with 2 ems (MM) spacing between statements
<b>TELEPHONE #</b>	6 pt Helvetica Neue LT Std 77 Bold Condensed
<b>HEAVY LINES</b>	1.5 pt
<b>HAIRLINES</b>	0.5 pt Extend to within 2 spaces of the "Drug Facts" box
<b>MAXIMUM CHARACTERS PER INCH</b>	33

**PRINT at 95% for 11-inch x 17-inch size paper**

This label may not be the latest approved by FDA.  
For current labeling information, please visit <https://www.fda.gov/drugsatfda>



Ramesh  
Raghavachari

Digitally signed by Ramesh Raghavachari  
Date: 11/17/2022 09:52:34PM  
GUID: 502d0913000029f375128b0de8c50020