



NDC 0338-9647-12

Vasopressin
in 0.9% Sodium Chloride Injection
40 units per 100 mL
(0.4 units/mL)

For Intravenous Infusion Only Rx only
100 mL Single-Dose Container Sterile
Discard Unused Portion

Each mL of the 0.4 units/mL strength also contains 9 mg sodium chloride, 0.336 mg sodium DL-lactate, and water for injection. pH may have been adjusted with sodium hydroxide or hydrochloric acid.

Dosage: See prescribing information.

Store refrigerated (2°C to 8°C [36°F to 46°F]).

If needed, product may be stored at room temperature up to 25°C (77°F) for up to 6 months. Discard after 6 months if stored at room temperature.

Protect from light. Protect from freezing.

Do not add supplemental medication or additives.

Baxter
Baxter Healthcare Corporation, Deerfield, IL 60015 USA

Code 2G3499
Product of USA
07-94-00-2343

BAR CODE
POSITION ONLY UPC-A
303389647126

Store refrigerated (2°C to 8°C [36°F to 46°F]).

If needed, product may be stored at room temperature up to 25°C (77°F) for up to 6 months. Discard after 6 months if stored at room temperature.

The drug product must be stored in its light protective carton during storage. Protect from freezing.

Do not add supplemental medication or additives.



Contains: 6 x 100 mL Single-Dose bags.
Each bag contains 100 mL.

Baxter Rx only

NDC 0338-9647-12
Code 2G3499



(01) 20303389647120

For Intravenous Infusion only

Each mL of the 0.4 units/mL strength also contains 9 mg sodium chloride, 0.336 mg sodium DL-lactate, and water for injection. pH may have been adjusted with sodium hydroxide or hydrochloric acid.

Dosage: See prescribing information.

Baxter Healthcare Corporation, Deerfield, IL 60015 USA

07-04-00-1401

Store refrigerated (2°C to 8°C [36°F to 46°F]).

If needed, product may be stored at room temperature up to 25°C (77°F) for up to 6 months. Discard after 6 months if stored at room temperature.

The drug product must be stored in its light protective carton during storage. Protect from freezing.

Do not add supplemental medication or additives.



Contains: 6 x 100 mL Single-Dose bags.
Each bag contains 100 mL.

Baxter Rx only

NDC 0338-9647-12
Code 2G3499



(01) 20303389647120

For Intravenous Infusion only

Each mL of the 0.4 units/mL strength also contains 9 mg sodium chloride, 0.336 mg sodium DL-lactate, and water for injection. pH may have been adjusted with sodium hydroxide or hydrochloric acid.

Dosage: See prescribing information.

Baxter Healthcare Corporation, Deerfield, IL 60015 USA

07-04-00-1401

*This artwork requires that the supplier insert a UCC/EAN 128 bar code master in the position indicated. Bar code must match human readable on art and on spec. Do not alter human readable information on art. Bar code must conform to all applicable Baxter specifications.



NDC 0338-9640-12

Vasopressin

in 0.9% Sodium Chloride Injection

20 units per 100 mL
(0.2 units/mL)

For Intravenous Infusion Only Rx only
100 mL Single-Dose Container Sterile
Discard Unused Portion

Each mL of the 0.2 units/mL strength also contains 9 mg sodium chloride, 0.336 mg sodium DL-lactate, and water for injection. pH may have been adjusted with sodium hydroxide or hydrochloric acid.

Dosage: See prescribing information.

Store refrigerated (2°C to 8°C [36°F to 46°F]).

If needed, product may be stored at room temperature up to 25°C (77°F) for up to 6 months. Discard after 6 months if stored at room temperature.

Protect from light. Protect from freezing.

Do not add supplemental medication or additives.

Baxter
Baxter Healthcare Corporation, Deerfield, IL 60015 USA

Code 2G3498
Product of USA
07-94-00-2342

BAR CODE
POSITION ONLY UPC-A
303389640127

Store refrigerated (2°C to 8°C [36°F to 46°F]).
If needed, product may be stored at room temperature up to 25°C (77°F) for up to 6 months.
Discard after 6 months if stored at room temperature.
The drug product must be stored in its light protective carton during storage.
Protect from freezing.
Do not add supplemental medication or additives.

Vasopressin
In 0.9% Sodium Chloride Injection

20 units per 100 mL (0.2 units/mL)

Baxter

Contains: 6 x 100 mL Single-Dose bags.
Each bag contains 100 mL.

Rx only

NDC 0338-9640-12
Code 2G3498

FOR BAR CODE POSITION ONLY

(01) 20303389640121

For Intravenous Infusion only
Each mL of the 0.2 units/mL strength also contains 9 mg sodium chloride, 0.336 mg sodium DL-lactate, and water for injection. pH may have been adjusted with sodium hydroxide or hydrochloric acid.
Dosage: See prescribing information.

Baxter Healthcare Corporation, Deerfield, IL 60015 USA

07-04-00-1385

Store refrigerated (2°C to 8°C [36°F to 46°F]).
If needed, product may be stored at room temperature up to 25°C (77°F) for up to 6 months.
Discard after 6 months if stored at room temperature.
The drug product must be stored in its light protective carton during storage.
Protect from freezing.
Do not add supplemental medication or additives.

Vasopressin
In 0.9% Sodium Chloride Injection

20 units per 100 mL (0.2 units/mL)

Baxter

Contains: 6 x 100 mL Single-Dose bags.
Each bag contains 100 mL.

Rx only

NDC 0338-9640-12
Code 2G3498

FOR BAR CODE POSITION ONLY

(01) 20303389640121

For Intravenous Infusion only
Each mL of the 0.2 units/mL strength also contains 9 mg sodium chloride, 0.336 mg sodium DL-lactate, and water for injection. pH may have been adjusted with sodium hydroxide or hydrochloric acid.
Dosage: See prescribing information.

Baxter Healthcare Corporation, Deerfield, IL 60015 USA

07-04-00-1385

*This artwork requires that the supplier insert a UCC/EAN 128 bar code master in the position indicated. Bar code must match human readable on art and on spec. Do not alter human readable information on art. Bar code must conform to all applicable Baxter specifications.

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

MARY R SOUTHWORTH
02/21/2025 03:30:05 PM