




This label may not be the latest approved by FDA.
For current labeling information, please visit <https://www.fda.gov/drugsatfda>

Front of Vial Ampule w/ Label



Back of Vial Ampule w/ Hot Stamped Lot/Exp



BAUSCH + LOMB

LUMIFY®

PRESERVATIVE FREE

BRIMONIDINE TARTRATE
OPHTHALMIC SOLUTION 0.025%
REDNESS RELIEVER EYE DROPS

**← PRESS & HOLD
ON BOTH SIDES**

This carton is child-resistant.
See opening instructions below.

PRESS BOTH SIDES
FIRMLY AND HOLD WHILE
PUSHING TRAY IN
FROM BOTTOM

TOP
BOTTOM

Store unused single-use vials
in the child-resistant carton.
Keep carton for
important information.

622309 3907900

3 10119 53820 3

BAUSCH + LOMB

NDC 24208-538-20

NEW!

LUMIFY®

PRESERVATIVE FREE

BRIMONIDINE TARTRATE
OPHTHALMIC SOLUTION 0.025%
REDNESS RELIEVER EYE DROPS

- Now available in preservative free
- Works in 1 minute
- Convenient single-use vials

20 single-use vials (4 pouches x 5 single-use vials)
0.013 FL OZ (0.4 mL) per vial

Sterile

LUMIFY® Preservative Free
eye drops, from the
eye care experts at
Bausch + Lomb.

Just one drop works
within a minute to
reduce redness.

**→ PRESS & HOLD
ON BOTH SIDES**

Directions
Single-use vial
To open,
twist tab off.

Instill 1 drop
in the affected
eye(s).
Discard vial
immediately
after use.

**Store unused single-use vials in
the child-resistant carton.**

DO NOT USE IF POUCH IS TORN OR OPEN

Distributed by:
Bausch & Lomb Americas Inc.
Bridgewater, NJ 08807 USA
Patented. See
<https://patents.bausch.com>
LUMIFY is a trademark of
Bausch & Lomb Incorporated or its
affiliates.
© 2023 Bausch & Lomb Incorporated or
its affiliates
Product of Spain

Drug Facts

Active ingredient	Purpose
Brimonidine tartrate (0.025%)	Redness reliever

Use

- relieves redness of the eye due to minor eye irritations

Warnings

For external use only

Do not use

- if solution changes color or becomes cloudy
- if single-use vial is not intact

Stop use and ask a doctor if

- you experience eye pain, changes in vision, continued redness or irritation of the eye
- condition worsens or persists for more than 3 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 5 years of age and over:
 - twist tab completely off to open vial
 - instill 1 drop in the affected eye(s)
 - discard vial immediately after use; do not re-use
 - store unused single-use vials in the child-resistant carton
 - do not use more than 4 times daily
 - remove contact lenses before use
 - wait at least 10 minutes before re-inserting contact lenses after use
 - if using other ophthalmic products while using this product, wait at least 5 minutes between each product
 - to avoid contamination, do not touch tip of container to any surface
- children under 5 years of age: consult a doctor

Other information

- store at 15-25 °C (59-77 °F)
- use only if pouch is sealed and single-use vial is intact
- this carton is child-resistant
- protect from light

Inactive ingredients

boric acid, calcium chloride dihydrate, glycerin, potassium chloride, sodium borate decahydrate, sodium chloride, water for injection. Hydrochloric acid and/or sodium hydroxide may be used to adjust pH.

Questions or comments? (call: 1-800-553-5340



Closed Carton w/Sleeve and Tray



Open Carton w/Sleeve and Tray



DO NOT USE IF POUCH IS TORN OR OPEN

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

BAUSCH + LOMB
NDC 24208-538-05



LUMIFY®
PRESERVATIVE FREE

**BRIMONIDINE TARTRATE
OPHTHALMIC SOLUTION 0.025%
REDNESS RELIEVER EYE DROPS**

- Now available in preservative free
- Works in 1 minute
- Convenient single-use vials

SAMPLE – NOT FOR SALE
5 single-use vials
0.013 FL OZ (0.4 mL) per vial



Sterile

LOT **EXP**

Drug Facts
Active ingredient Brimonidine tartrate (0.025%)
Purpose Redness reliever
Use ■ relieves redness of the eye due to minor eye irritations
Warnings
For external use only. Do not use ■ if solution changes color or becomes cloudy ■ if single-use vial is not intact
Stop use and ask a doctor if ■ you experience eye pain, changes in vision, continued redness or irritation of the eye ■ condition worsens or persists for more than 3 days
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions ■ adults and children 5 years of age and over: ■ twist tab completely off to open vial ■ instill 1 drop in the affected eye(s) ■ discard vial immediately after use; do not re-use ■ store unused single-use vials in the foil pouch ■ do not use more than 4 times daily ■ remove contact lenses before use ■ wait at least 10 minutes before re-inserting contact lenses after use ■ if using other ophthalmic products while using this product, wait at least 5 minutes between each product: ■ to avoid contamination, do not touch tip of container to any surface ■ children under 5 years of age: consult a doctor
Other information ■ store at 15-25 °C (59-77 °F) ■ use only if pouch is sealed and single-use vial is intact ■ protect from light
Inactive ingredients boric acid, calcium chloride dihydrate, glycerin, potassium chloride, sodium borate decahydrate, sodium chloride, water for injection. Hydrochloric acid and/or sodium hydroxide may be used to adjust pH.
Questions or comments? call: 1-800-553-5340

Product of Spain
3909200

LUMIFY is a trademark of Bausch & Lomb
© 2023 Bausch & Lomb Incorporated or its affiliates



62C0MXXXXX

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

PAMELA J HORN
04/19/2024 12:17:09 PM