

MUCUS RELIEF D- guaifenesin and pseudoephedrine hcl tablet, extended release
Walgreens Company

Drug Facts

Active ingredients (in each extended-release tablet)

Guaifenesin USP, 1200 mg.....Expectorant
Pseudoephedrine HCl USP, 120 mg.....Nasal Decongestant

Purpose

Expectorant and Nasal Decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 1 tablet every 12 hours; not more than 2 tablets in 24 hours
- children under 12 years of age: do not use

Other information

- tamper evident: do not use if carton is open or if printed seal on blister is broken or missing
- store between 20° - 25°C (68° - 77°F)

Inactive ingredients

FD & C yellow #6, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide.


Questions?

call **1-888-375-3784**

You may also report side effect to this phone number.

Principal Display Panel

Guaifenesin and Pseudoephedrine HCl ER Tablets 1200 mg/120 mg:



MUCUS RELIEF D
 guaifenesin and pseudoephedrine hcl tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-7064
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Guaifenesin (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)	Guaifenesin	1200 mg
Pseudoephedrine Hydrochloride (UNII: 6V9V2RYJ8N) (Pseudoephedrine - UNII:7CUC9DDI9F)	Pseudoephedrine Hydrochloride	120 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	ORANGE	Score	no score
Shape	CAPSULE	Size	22mm
Flavor		Imprint Code	RDY;799
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-7064-24	4 in 1 CARTON	07/10/2019	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-7064-30	2 in 1 CARTON	06/30/2020	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA208369	07/10/2019	

Labeler - Walgreens Company (008965063)