MINERAL SPF 40, TINTED- titanium dioxide, zinc oxide cream Acne Specialists LLC

Active Ingredients:

Titanium Dioxide 8% Zinc Oxide 3.8%

Purpose:

Sunscreen

Uses:

Helps prevents sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a poison control center right away.

Directions:

- Apply liberally 15 minutes before sun exposure.
- Reapply:
- After 80 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients:

Alumina, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Iron Oxide (CI 77491), Lauryl PEG/PPG-18/18 Methicone, Hydrogen Dimethicone, PEG-10 Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate

Other Information:

- Protect this product from excessive heat and direct sun.
- May stain some fabrics.
- PA +++

Warning:

Keep out of the reach of children

DRUG FACTS

ACTIVE INGREDIENTS: Titanium Dioxide 8% Zinc Oxide 3.8% PURPOSE: Sunscreen Sunscreen

USES:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. **Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

- Apply liberally 15 minutes before sun exposure.
- · Reapply:
 - · After 80 minutes of swimming or sweating
 - · Immediately after towel drying
 - · At least every 2 hours
- · Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - · Limit time in the sun, especially from 10 am-2 pm
 - · Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS:

Alumina, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Iron Oxide (CI 77491), Lauryl PEG/PPG-18/18 Methicone, Hydrogen Dimethicone, PEG-10 Dimethicone, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate

OTHER INFORMATION:

- · Protect this product from excessive heat and direct sun
- · May stain some fabrics
- · PA +++

MANUFACTURED FOR:

acne specialists | Oakland, CA 94611





Mineral SPF 40

Tinted

sunscreen, reef friendly, broad spectrum SPF 40, water resistant (80 minutes)

net wt. 1.8 oz / 53 g

MINERAL SPF 40, TINTED

titanium dioxide, zinc oxide cream

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:85292-203

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) **ZINC OXIDE** (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)

ZINC OXIDE

38 mg in 1 g

Inactive Ingredients				
Ingredient Name	Strength			
ALUMINA (UNII: LMI26O6933)				
LAURYL PEG/PPG-18/18 METHICONE (UNII: ZJ5S27D9NX)				
CYCLOPENTASILOXANE (UNII: 0THT5PCIOR)				
DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6)				
CI 77491 (UNII: 1K09F3G675)				
DIMETHICONOL (2000 CST) (UNII: T74O12AN6Y)				
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)				
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)				
CYCLOHEXASILOXANE (UNII: XHK3U310BA)				
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)				
DIMETHICONE (UNII: 92RU3N3Y1O)				
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)				
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:85292- 203-50	50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	11/09/2022	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	11/09/2022		

Labeler - Acne Specialists LLC (124596903)

Establishment				
Name	Address	ID/FEI	Business Operations	
Fragrance Manufacturing Inc.		793406000	manufacture(85292-203)	

Establishment				
Name	Address	ID/FEI	Business Operations	
Custom Analytics LLC		144949372	analysis (85292-203)	

Revised: 3/2025 Acne Specialists LLC