

CHILDREN ALLERGY- fexofenadine hcl suspension

Walgreens

DRUG FACTS

Active ingredient (in each 5 mL)

Fexofenadine HCl, USP 30 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

kidney disease. Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

Direction

- shake well before using
- use only with enclosed dosing cup

adults and children 12 years of age and over	take 10 mL every 12 hours; do not take more than 20 mL in 24 hours
children 2 to under 12 years of age	take 5 mL every 12 hours; do not take more than 10 mL in 24 hours
children under 2 years of age	ask a doctor
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Note: mL = milliliters

Other information

- **each 5 mL contains:** sodium 17 mg
- store between 20° to 25°C (68° and 77°F)

Inactive ingredients

artificial raspberry flavor, butylparaben, edetate disodium, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic, sodium phosphate monobasic, sucrose, titanium dioxide, xanthan gum, xylitol

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in Children's Allegra® Allergy††

NON-DROWSY

2 YEARS & OLDER

Children's Allergy Relief

FEXOFENADINE HCl ORAL SUSPENSION

30 mg/ 5 mL/ ANTIHISTAMINE

Dye Free Non-Drowsy

12-Hour Relief Alcohol Free

- Indoor/outdoor allergy relief of sneezing, runny nose, itchy nose or throat & itchy, watery eyes

AGES 2 YEARS & OLDER

Berry flavor

FL OZ (mL)

LIQUID ORAL SUSPENSION

USE ONLY WITH ENCLOSED DOSING CUP. WASH AND LET AIR DRY AFTER EACH USE

*This product is not manufactured or distributed by Sanofi Consumer Healthcare NA, distributor of Children's Allegra® Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF SEAL ON BOTTLE PRINTED WITH "SEALED FOR SAFETY" IS TORN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION .

DISTRIBUTED BY: WALGREEN CO.

DEERFIELD, IL 60015

Product Label

Inactive Ingredients	
Ingredient Name	Strength
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS (UNII: KH7I04HPUU)	
SUCROSE (UNII: C151H8M554)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
XANTHAN GUM (UNII: TTV12P4NEE)	
XYLITOL (UNII: VCQ006KQ1E)	

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-2600-04	1 in 1 BOX	10/31/2023	03/01/2027
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:0363-2600-08	1 in 1 BOX	10/31/2023	03/01/2027
2		237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA203330	10/31/2023	03/01/2027

Labeler - Walgreens (008965063)