

CLEAR EYES MAXIMUM ITCHY EYE RELIEF- glycerin and naphazoline hydrochloride and zinc sulfate liquid
Prestige Brands Holdings, Inc.

Clear Eyes Maximum Itchy Eye Relief

Drug Facts

Active Ingredient

Glycerin 0.25%

Purpose

Lubricant

Active Ingredient

Naphazoline hydrochloride 0.012%

Purpose

Redness Reliever

Active Ingredient

Zinc Sulfate 0.25%

Purpose

Astringent

Uses

- for use as a protectant against further irritation or to relieve dryness of the eye
- for the temporary relief of burning & irritation due to dryness of the eye
- relieves redness of the eye due to minor eye irritations

Warnings

For external use only

Do not use if

solution changes color or becomes cloudy

Ask a doctor before use if you have

narrow angle glaucoma

When using this product

- to avoid contamination, do not touch tip to any surface
- replace cap after using
- overuse may produce increased redness of the eye
- overuse may produce increased redness of the eye

Stop use and ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or symptoms last for more than 72 hours

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Instill 1 to 2 drops in the affected eye(s) up to four times daily.

Other Information

- Store at 20-25C (68-77F)
- remove contact lenses before using

Inactive Ingredients

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium chloride, sodium citrate

Questions?

1-877-274-1787 Cleareyes.com

PRINCIPAL DISPLAY PANEL

CLEAR
EYES®
MAXIMUM
ITCHY EYE

RELIEF
ASTRINGENT LUBRICANT/
REDNESS RELIEVER EYE DROPS



PRINCIPAL DISPLAY PANEL

Clear eyes®
 MAXIMUM
 ITCHY EYE RELIEF
 ASTRINGENT/LUBRICANT/REDNESS RELIEVER EYE DROPS




FPO

 831

Drug Facts	
Active ingredients	Purposes
Glycerin 0.25%	Lubricant
Naphazoline hydrochloride 0.012%	Redness reliever
Zinc sulfate 0.25%	Astringent
Uses	
<ul style="list-style-type: none"> ■ for use as a protectant against further irritation or to relieve dryness of the eye ■ for the temporary relief of burning and irritation due to dryness of the eye ■ relieves redness of the eye due to minor eye irritations 	
Warnings	
For external use only	
Do not use if solution changes color or becomes cloudy	
Ask a doctor before use if you have narrow angle glaucoma	
When using this product	
<ul style="list-style-type: none"> ■ pupils may become enlarged temporarily ■ overuse may produce increased redness of the eye ■ remove contact lenses before using ■ to avoid contamination, do not touch tip of container to any surface ■ replace cap after using 	
Stop use and ask a doctor if	
<ul style="list-style-type: none"> ■ you experience eye pain ■ you experience changes in vision ■ you experience continued redness or irritation of the eye ■ the condition worsens ■ symptoms last for more than 12 hours 	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
Directions Instill 1 to 2 drops in the affected eye(s) up to four times daily.	
Other information Store at room temperature	
Inactive ingredients benzalkonium chloride, boric acid, edetate disodium, purified water, sodium chloride, sodium citrate	
Questions? 1-877-274-1787 ClearEyes.com	


 6 78112 11174 9
 Distributed by Mediatech Products Inc.
 Tarrytown, NY 10591, a Prestige Brands Company
 ©2017 Trade dress is owned by Mediatech Products Inc.
 All rights reserved. CE128T01
 Made in Canada

FPO Pillar5 Code2 **PULL HERE TO OPEN**


12 UP TO 12 HOURS SOOTHING COMFORT

Clear eyes
MAXIMUM ITCHY EYE RELIEF
PLUS RELIEVES DRYNESS BURNING REDNESS IRRITATIONS
 ASTRINGENT / LUBRICANT / REDNESS RELIEVER EYE DROPS
THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN
Handy Pocket Pal
 0.2 FL OZ (6 mL) Sterile

CLEAR EYES MAXIMUM ITCHY EYE RELIEF

glycerin and naphazoline hydrochloride and zinc sulfate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67172-999
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2.5 mg in 1 mL
NAPHAZOLINE HYDROCHLORIDE (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV)	NAPHAZOLINE HYDROCHLORIDE	.12 mg in 1 mL
ZINC SULFATE (UNII: 89DS0H96TB) (ZINC CATION - UNII:13S1S8SF37)	ZINC SULFATE	2.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength

BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
BORIC ACID (UNII: R57ZHV85D4)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
WATER (UNII: 059QF0KO0R)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67172-999-01	1 in 1 BOX	03/15/2011	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:67172-999-06	1 in 1 CARTON	09/04/2018	
2		6 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	03/15/2011	

Labeler - Prestige Brands Holdings, Inc. (159655021)

Revised: 10/2025

Prestige Brands Holdings, Inc.