


**NYSTATIN - nystatin cream**  
**Aurobindo Pharma Limited**

-----  
**Nystatin Cream USP, 100,000 units per gram**  
**Rx only**  
**FOR TOPICAL USE ONLY**  
**NOT FOR OPHTHALMIC USE**

**DESCRIPTION**

Nystatin is a polyene antifungal antibiotic obtained from *Streptomyces noursei*.

Structural formula:



**C<sub>47</sub>H<sub>75</sub>NO<sub>17</sub>**

**Molecular Weight: 926.13**

Nystatin cream is for dermatologic use.

Nystatin cream for topical use, contains 100,000 USP nystatin units per gram in an aqueous, cream base containing aluminum hydroxide gel, cetareth-15, mono and diglycerides, polyoxyl 8 stearate, propylene glycol, purified water, simethicone emulsion, sorbitol solution, titanium dioxide, white petrolatum, with methylparaben and propylparaben as preservatives.

**CLINICAL PHARMACOLOGY**

**Pharmacokinetics**

Nystatin is not absorbed from intact skin or mucous membrane.

**Microbiology**

Nystatin is an antibiotic which is both fungistatic and fungicidal *in vitro* against a wide variety of yeasts and yeast-like fungi, including *Candida albicans*, *C. parapsilosis*, *C. tropicalis*, *C. guilliermondi*, *C. pseudotropicalis*, *C. krusei*, *Torulopsis glabrata*, *Tricophyton rubrum*, *T. mentagrophytes*.

Nystatin acts by binding to sterols in the cell membrane of susceptible species resulting in a change in membrane permeability and the subsequent leakage of intracellular components. On repeated subculturing with increasing levels of nystatin, *Candida albicans* does not develop resistance to nystatin. Generally, resistance to nystatin does not develop during therapy. However, other species of *Candida* (*C. tropicalis*, *C. guilliermondi*, *C. krusei*, and *C. stellatoidea*) become quite resistant on treatment with nystatin and simultaneously become cross resistant to amphotericin as well. This resistance is lost when the antibiotic is removed. Nystatin exhibits no appreciable activity against bacteria, protozoa, or viruses.

## **INDICATIONS AND USAGE**

Nystatin cream is indicated in the treatment of cutaneous or mucocutaneous mycotic infections caused by *Candida albicans* and other susceptible *Candida* species.

**This cream is not indicated for systemic, oral, intravaginal or ophthalmic use.**

## **CONTRAINDICATIONS**

Nystatin cream is contraindicated in patients with a history of hypersensitivity to any of its components.

## **PRECAUTIONS**

### **General**

**Nystatin cream should not be used for the treatment of systemic, oral, intravaginal or ophthalmic infections.**

If irritation or sensitization develops, treatment should be discontinued and appropriate measures taken as indicated. It is recommended that KOH smears, cultures, or other diagnostic methods be used to confirm the diagnosis of cutaneous or mucocutaneous candidiasis and to rule out infection caused by other pathogens.

## **INFORMATION FOR THE PATIENT**

Patients using this medication should receive the following information and instructions:

1. The patient should be instructed to use this medication as directed (including the replacement of missed doses). This medication is not for any disorder other than that for which it is prescribed.
2. Even if symptomatic relief occurs within the first few days of treatment, the patient

should be advised not to interrupt or discontinue therapy until the prescribed course of treatment is completed.

3. If symptoms of irritation develop, the patient should be advised to notify the physician promptly.

### **Laboratory Tests**

If there is a lack of therapeutic response, KOH smears, cultures, or other diagnostic methods should be repeated.

### **Carcinogenesis, Mutagenesis, Impairment of Fertility**

No long-term animal studies have been performed to evaluate the carcinogenic potential of nystatin. No studies have been performed to determine the mutagenicity of nystatin or the effects on male or female fertility.

### **Pregnancy**

Animal reproduction studies have not been conducted with any nystatin cream. It also is not known whether this cream can cause fetal harm when used by a pregnant woman or can affect reproductive capacity. Nystatin cream should be prescribed for a pregnant woman only if the potential benefit to the mother outweighs the potential risk to the fetus.

### **Nursing Mothers**

It is not known whether nystatin is excreted in human milk. Caution should be exercised when nystatin is prescribed for a nursing woman.

### **Pediatric Use**

Safety and effectiveness have been established in the pediatric population from birth to 16 years. (See **DOSAGE AND ADMINISTRATION**.)

### **Geriatric Use**

Clinical studies with nystatin cream did not include sufficient numbers of subjects aged 65 years and older to determine whether they respond differently than younger subjects. Other reported clinical experience has not identified differences in responses between elderly and younger patients, but greater sensitivity of some older individuals cannot be ruled out.

## **ADVERSE REACTIONS**

The frequency of adverse events reported in patients using nystatin cream is less than 0.1%. The more common events that were reported include allergic reactions, burning, itching, rash, eczema, and pain on application. (See **PRECAUTIONS: General**.)

## **DOSAGE AND ADMINISTRATION**

### **Adults and Pediatric Patients (Neonates and Older)**

Apply liberally to affected areas twice daily or as indicated until healing is complete.

## **HOW SUPPLIED**

Nystatin Cream USP is yellow to light green smooth cream and supplied as follows:

Tube of 15 g	NDC 59651-907-14
Tube of 30 g	NDC 59651-907-30

**Store at 20° to 25°C (68° to 77°F)** [see USP Controlled Room Temperature]. Avoid freezing.

Distributed by:

**Aurobindo Pharma USA, Inc.**  
279 Princeton-Hightstown Road  
East Windsor, NJ 08520

Manufactured by:

**Aurobindo Pharma Limited**  
Hyderabad-500 032, India

Issued: May 2024

**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 15 g Tube Label**

**NDC 59651-907-14**

**Rx only**

**Nystatin Cream, USP**  
**100,000 units per gram**

FOR EXTERNAL USE ONLY.      NOT FOR OPHTHALMIC USE.

**AUROBINDO**      Keep this and all medications out of the reach of children.      **15 g**



**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 15 g Tube Carton Label**

NDC 59651-907-14

**Rx only**

**Nystatin Cream, USP**  
**100,000 units per gram**


FOR EXTERNAL USE ONLY.

NOT FOR OPHTHALMIC USE.

Keep this and all medications out of the reach of children.

**AUROBINDO**

**15 g**



## NYSTATIN

nystatin cream

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:59651-907
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NYSTATIN (UNII: BDF1O1C72E) (NYSTATIN - UNII:BDF1O1C72E)	NYSTATIN	100000 [USP'U] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
ALGELDRATE (UNII: 03J11K103C)	
CETEARETH-15 (UNII: 867H4YOZ8Z)	
GLYCERYL MONO- AND DIPALMITOSTEARATE (UNII: KC98RO82HJ)	
PEG-8 MONOSTEARATE (UNII: 2P9L47VI5E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
DIMETHICONE, UNSPECIFIED (UNII: 92RU3N3Y1O)	

<b>SORBITOL SOLUTION</b> (UNII: 8KW3E207O2)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>WHITE PETROLATUM</b> (UNII: B6E5W8RQJ4)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	

<b>Product Characteristics</b>			
<b>Color</b>	YELLOW (yellow to light green)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59651-907-14	1 in 1 CARTON	03/21/2025	
1		15 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:59651-907-30	1 in 1 CARTON	03/21/2025	
2		30 g in 1 TUBE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA219527	03/21/2025	

**Labeler** - Aurobindo Pharma Limited (650082092)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		878100017	ANALYSIS(59651-907) , MANUFACTURE(59651-907)

Revised: 6/2025

Aurobindo Pharma Limited