

MINERAL WEAR LOOSE POWDER SPF16- titanium dioxide, zinc oxide powder
Physicians Formula, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Mineral Wear Loose Powder

Active ingredients

Titanium dioxide 12%

Zinc oxide 4.2%

Purpose

Sunscreen

Uses

helps prevent sunburn

If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging cause by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

apply liberally 15 minutes before sun exposure

use a water resistant sunscreen if swimming or sweating

reapply at least every 2 hours

children under 6 months of age: Ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or

higher and other sun protection measures including:
 limit time in the sun, especially from 10 a.m. – 2 p.m.
 wear long-sleeved shirts, pants, hats, and sunglasses

Other information

Protect this product from excessive heat and sun

Inactive ingredients

Mica, Lauroyl Lysine, Zinc Stearate, Boron Nitride, Phenoxyethanol, Caprylyl Glycol, Ethylhexylglycerin, Hexylene Glycol, o-Cymen-5-ol, Iron Oxides (CI 77491, CI 77492, CI 77499).
 May Contain/Peut Contenir: Titanium Dioxide (CI 77891).

Questions or comments?

call toll-free 1-800-227-0333

Mineral Wear Loose Powder PDP


PHYSICIANS FORMULA	MW LOOSE POWDER - PF10948 (BL)	
	SKU #:	#144168
	DELINE:	TLC - 00533_20661
	SUPPLIER:	LG (MFR: 80084955)
	DATE ISSUE:	05/09/2018
	REVERSE DATE:	09/08/2018
REVISION:	151	
DESCRIPTION:	CREATE artwork: 05/09/2018 UPDATE DELINE (TO TLC): 09/08/2018	

-  4/C PROCESS
-  DIECUT (DO NOT PRINT)
-  PMS 877C
-  PRINT TO DIE REGISTRATION

**BASE LABEL
 PF10948
 #144168**

00533_20661 1.5" Circle w/ .375" wings_6 Panel

OUTSIDE UNFOLDED BOOKLET



INSIDE UNFOLDED BOOKLET




FPO


FRONT




OVERALL PRINTED PIECE ON BASE
WITH .375" WINGS



BASE LABEL



- Dieline
- - - - - Print tolerance .0625"
- - - - - Bleed .125"



MATERIAL: WHITE
PRINT COLOR: PMS 877C
FONT COLOR: BLACK
DIE SIZE: 4.38" X 1.5"

MINERAL WEAR LOOSE POWDER SPF16

titanium dioxide, zinc oxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:31645-205
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	12 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	4.2 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
MICA (UNII: V8A1AW0880)	
LAUROYL LYSINE (UNII: 113171Q70B)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

ZINC STEARATE (UNII: H92E6QA4FV)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
O-CYMEN-5-OL (UNII: H41B6Q1I9L)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:31645-205-01	12 g in 1 CONTAINER; Type 0: Not a Combination Product	01/01/2019	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	01/01/2019		

Labeler - Physicians Formula, Inc. (021261805)

Revised: 11/2019

Physicians Formula, Inc.