ESOMEPRAZOLE MAGNESIUM - esomeprazole magnesium capsule, delayed release

Wal-Mart Stores, Inc.

Esomeprazole Magnesium Delayed-Release Capsules USP 20 mg*

Drug Facts

Active ingredient (in each capsule)

*Esomeprazole 20 mg (Each delayed-release capsule corresponds to 21.75 mg esomeprazole magnesium dihydrate USP)

Purpose

Acid reducer

Uses

- treats frequent heartburn (occurs **<u>2 or more</u>** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert: Do not use if you are allergic to esomeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

• taking a prescription drug. Acid reduces may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F)
- Meets USP dissolution test 2

Inactive ingredients

colloidal silicon dioxide, FD&C blue no.1, gelatin, hydroxypropyl cellulose, hypromellose,

magnesium carbonate, magnesium oxide, methacrylic acid copolymer dispersion, mono and diglycerides, polysorbate 80, propylene glycol, shellac, sodium lauryl sulfate, strong ammonia solution, sugar spheres (which contains liquid glucose, starch (maize) and sucrose), talc, titanium dioxide, triethyl citrate and yellow iron oxide.

Questions or comments?

call **1-888-287-1915**

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716

PRODUCT OF INDIA

TS/DRUGS/22/2009

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg (14 Capsule Container Label)

equate[™] NDC 49035-980-05 24 HOURS Esomeprazole Magnesium Delayed-Release Capsules USP, 20 mg* Acid Reducer Treats Frequent Heartburn • May take 1 to 4 days for full effect 14 CAPSULES One 14-day course of treatment







Warnings

Allergy afert: Do not use if you are allergic to esomeprazole. Do not use if you have: = trouble or pain swallowing food, vomiting with blood, or bloody or black stools hearburn with lightheadedness, sweating or dizziness = chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness if requent chest pain. These may be signs of a serious condition. See your doctor. Ask a doctor before use if you have = had heartburn over 3 months. This may be a sign of a more serious condition. If requent wheezing, particularly with heartburn = unexplained weight loss = nausea or yomiting = stomach pain. Ask a doctor or pharmacist before use if you are = taking a prescription drug. Acid reducers may interact with certain prescription drugs. Stop use and ask a doctor if = your heartburn continues or worsens = you need to take this product for more than 14 days = you need to take more than 1 course of treatment every 4 months = you get diarrhea = you develop a rash or joint pain. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or control Center right away. (1-800-222-1222) Directions = adults 18 years of age and older = this product is to be used once a day (every 24 hours), P1428927 LM-4699

Back of Top Ply (Page #2)

Bottom Ply


Base (Page #3) every day for 14 days = may take 1 to 4 days for full effect. 14-Day Course of Treatment = swallow 1 capsule with a glass of water before eating in the morning = take every day for 14 days = do not take more than 1 capsule a day = swallow whole. Do not crush or chew capsules. ■ do not use for more than 14 days unless directed by your doctor. Repetadt 14-Day Courses (if needed) = you may repetat 14-day course every 4 months = do not take for more than 14 days unless directed by months unless directed by a doctor = children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition. Other information = read the directions and warnings before use = keep the carton. It contains important information, = store at 20-25°C (68-77°F) = Meets USP dissolution test 2. Inactive ingredients colloidal silicon dioxide, FD&C blue no.1, gelatin, hydroxypropyl cellulose, hypromellose, magnesium carbonate, magnesium oxide, methacrylic acid copolymer dispersion, mono and diglycerides, polysonte 80, propylene glycol, shellac, sodium lauryi sultate, strong ammonia solution, sugar spheres (which contains liquid glucose, starch (maize) and sucrose), talc, titanium dioxide, triethyl citrate and yellow iron oxide. Questions or comments? call 1-888-287-1915 (Monday - Friday 8-30 AM to 5:00 PM EST)

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg (14 Capsule Container Carton)

SEE NEW WARNING INFORMATION

NDC 49035-980-05 equate™ Compare to Nexium® 24 HR active ingredient** Esomeprazole Magnesium Delayed-Release Capsules USP, 20 mg* Acid Reducer 24 HOURS Treats Frequent Heartburn

May take 1 to 4 days for full effect
Actual Size
14 CAPSULES
One 14-day course of treatment



PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg (28 Capsule Container

Carton)

SEE NEW WARNING INFORMATION NDC 49035-980-08 equate[™] Compare to Nexium[®] 24 HR active ingredient^{**} Esomeprazole Magnesium Delayed-Release Capsules USP, 20 mg* Acid Reducer 24 HOURS Treats Frequent Heartburn • May take 1 to 4 days for full effect Actual Size 28 CAPSULES Two 14-day courses of treatment



ESOMEPRAZOLE MAGNESIUM esomeprazole magnesium capsule, delayed release					
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-980		
Route of Administration	ORAL				
Active Ingredient/Active Moiety					

Ingredient Name	Basis of Strength	Strength		
ESOMEPRAZOLE MAGNESIUM DIHYDRATE (UNII: 36H71644EQ) (ESOMEPRAZOLE - UNII:N3PA6559FT)	ESOMEPRAZ OLE	20 mg		
Inactive Ingredients				
Ingredient Name		Strength		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)				
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
MAGNESIUM CARBONATE (UNII: 0E53J927NA)				
MAGNESIUM OXIDE (UNII: 3A3U0GI71G)				
METHACRYLIC ACID - ETHYL ACRYLATE COPOLYMER (1:1) TYPE A (UNII: NX76LV	′5T8J)			
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)				
POLYSORBATE 80 (UNII: 6OZP39ZG8H)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
SHELLAC (UNII: 46N107B710)				
SODIUM LAURYL SULFATE (UNII: 368GB5141J)				
AMMONIA (UNII: 5138Q19F1X)				
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ 35W2)				
STARCH, CORN (UNII: 08232NY3SJ)				
SUCROSE (UNII: C151H8M554)				
TALC (UNII: 7SEV7J4R1U)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)				
FERRIC OXIDE YELLOW (UNII: EX43802MRT)				
Product Characteristics				

Color	WHITE	Score	no score
Shape	CAPSULE	Size	14mm
Flavor		Imprint Code	181
Contains			

Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-980- 05	1 in 1 CARTON	10/16/2017	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:49035-980- 08	2 in 1 CARTON	10/16/2017	
2		14 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:49035-980- 10	3 in 1 CARTON	10/16/2017	
2		14 in 1 BOTTLE; Type 0: Not a Combination		

3	Product			
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA209339	10/16/2017		

Labeler - Wal-Mart Stores, Inc. (051957769)

Registrant - Aurohealth LLC (078728447)

Establishment

Name	Address	ID/FEI	Business Operations
Aurobindo Pharma Limited		650381903	ANALYSIS(49035-980), MANUFACTURE(49035-980)

Revised: 9/2021

Wal-Mart Stores, Inc.