

## **OXYGEN- oxygen gas**

**Ali-Rob, Inc. dba Southern Oxygen & Welding Supply**

-----  
**Oxygen**

OXYGEN, COMPRESSED USP

UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained for oxygen deficiency and resuscitation. For all other medical applications, Rx required.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

SOUTHERN OXYGEN & WELDING SUPPLY

129 CARMALITA ST PUNTA GORDA, FL 33950

941-639-5254 FOR EMERGENCY CALL

INFOTRAC-24 HOUR NUMBER 1-800-535-5053

NO SMOKING

NO VAPING

**OXYGEN,  
COMPRESSED  
USP**  
**UN1072**  
PRODUCED BY AIR LIQUEFACTION



**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, is required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until construction. Open to equipment prepared for use. Use only equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. **DO NOT REMOVE THIS PRODUCT LABEL.**

**SOUTHERN**  
OXYGEN & WELDING SUPPLY

129 CARMALITA ST • PUNTA GORDA, FL 33950  
941-639-5254 •• FOR EMERGENCY CALL  
INFOTRAC-24 HOUR NUMBER 1-800-535-5053

**NO SMOKING  
NO VAPING**



## OXYGEN

oxygen gas

### Product Information

|                                |                          |                           |               |
|--------------------------------|--------------------------|---------------------------|---------------|
| <b>Product Type</b>            | PRESCRIPTION ANIMAL DRUG | <b>Item Code (Source)</b> | NDC:61567-011 |
| <b>Route of Administration</b> | RESPIRATORY (INHALATION) |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength      |
|---|-------------------|---------------|
| <b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065) | OXYGEN            | 990 mL in 1 L |

### Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|----------------------|----------------------|--------------------|
| 1 | NDC:61567-011-01 | 248 L in 1 CYLINDER  |                      |                    |
| 2 | NDC:61567-011-02 | 425 L in 1 CYLINDER  |                      |                    |
| 3 | NDC:61567-011-03 | 646 L in 1 CYLINDER  |                      |                    |
| 4 | NDC:61567-011-04 | 682 L in 1 CYLINDER  |                      |                    |
| 5 | NDC:61567-011-05 | 3228 L in 1 CYLINDER |                      |                    |
| 6 | NDC:61567-011-06 | 6456 L in 1 CYLINDER |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
|                    |  |                      |                    |

|      |            |            |  |
|------|------------|------------|--|
| NADA | NADA141387 | 01/01/1994 |  |
|------|------------|------------|--|

**Labeler** - Ali-Rob, Inc. dba Southern Oxygen & Welding Supply (054366950)

**Establishment**

| Name   | Address | ID/FEI    | Business Operations |
|--|---------|-----------|---------------------|
| Ali-Rob, Inc. dba Southern Oxygen & Welding Supply |         | 054366950 | manufacture         |

Revised: 10/2025

Ali-Rob, Inc. dba Southern Oxygen & Welding Supply