

UREA- urea cream
KMM Pharmaceuticals, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Urea 47% Cream


Rx Only

FOR EXTERNAL USE ONLY. NOT FOR OPHTHALMIC USE.

DESCRIPTION:

Each gram contains 470 mg of urea in a vehicle consisting of: camphor, disodium EDTA, eucalyptus oil, hydroxyethyl cellulose, menthol, purified water, SD alcohol 40B 200 proof, and titanium dioxide.

Urea is a diamide of carbonic acid with the following chemical structure:



CLINICAL PHARMACOLOGY:

Urea gently dissolves the intercellular matrix which results in loosening the horny layer of skin and shedding scaly skin at regular intervals, thereby softening hyperkeratotic areas of the skin.

Pharmacokinetics: The mechanism of action of topically applied urea is not yet known.

INDICATIONS:

This product is a keratolytic emollient useful for the treatment of hyperkeratotic conditions such as dry, rough skin, xerosis, ichthyosis, skin cracks and fissures, dermatitis, eczema, psoriasis, keratoses and calluses.

CONTRAINDICATIONS:

This product is contraindicated in persons with known or suspected hypersensitivity to any of the ingredients of the product.

WARNING:**KEEP OUT OF THE REACH OF CHILDREN.****PRECAUTIONS:****FOR EXTERNAL USE ONLY. NOT FOR OPHTHALMIC USE.**

General: This product is to be used as directed by a physician and should not be used to treat any condition other than that for which it was prescribed. If redness or irritation occurs, discontinue use and consult a physician.

Information for Patients: Patients should discontinue the use of this product if the condition becomes worse or if a rash develops in the area being treated or elsewhere. Avoid contact with eyes, lips and mucous membranes.

Carcinogenesis, Mutagenesis and Impairment of Fertility: Long-term animal studies for carcinogenic potential have not been performed on this product to date. Studies on reproduction and fertility also have not been performed.

Pregnancy: *Category C.* Animal reproduction studies have not been conducted with this product. It is also not known whether this product can affect reproduction capacity or cause fetal harm when administered to a pregnant woman. This product should be used by a pregnant woman only if clearly needed or when potential benefits outweigh potential hazards to the fetus.

Nursing Mothers: It is not known whether this drug is excreted in human milk. Because many drugs are excreted in human milk, caution should be exercised when this product is administered to a nursing woman.

ADVERSE REACTIONS:

Transient stinging, burning, itching or irritation may occur and normally disappear upon discontinuing the use of this product.

DOSAGE AND ADMINISTRATION:

Apply to affected area(s) twice per day or as directed by a physician. Rub in until completely absorbed.

STORAGE:

Store at 20°C to 25°C (68°F to 77°F), excursions permitted between 15°C to 30°C

(between 59°F to 86°F). Brief exposure to temperatures up to 40°C (104°F) may be tolerated provided the mean kinetic temperature does not exceed 25°C (77°F); however, such exposure should be minimized.

NOTICE: Protect from freezing and excessive heat. Keep bottle tightly closed.

HOW SUPPLIED:

5 oz. (142 g) bottles, **NDC 52187-549-05**

To report a serious adverse event or obtain product information, call 1-855-899-4237.

Manufactured for:

KMM Pharmaceuticals, LLC

1000 N. West Street

Suite 1200, #1021

Wilmington, DE 19801

2100359 [00] Rev. 07/2021

NDC 52187-549-05	Rx Only	DESCRIPTION: Each gram contains 470 mg of urea in a vehicle consisting of: camphor, disodium EDTA, eucalyptus oil, hydroxyethyl cellulose, menthol, purified water, SD alcohol 40B 200 proof, and titanium dioxide.
Urea 47%		INDICATIONS: This product is a keratolytic emollient useful for the treatment of hyperkeratotic conditions such as dry, rough skin, xerosis, ichthyosis, skin cracks and fissures, dermatitis, eczema, psoriasis, keratoses and calluses.
Cream		CONTRAINDICATIONS: This product is contraindicated in persons with known or suspected hypersensitivity to any of the ingredients of the product.
Net Wt. 5 oz. (142 g)		DOSAGE AND ADMINISTRATION: Apply to affected area(s) twice per day or as directed by a physician. Rub in until completely absorbed. See package insert for full prescribing information.
KMM PHARMACEUTICALS		WARNING: KEEP OUT OF THE REACH OF CHILDREN.
		PRECAUTIONS: FOR EXTERNAL USE ONLY. NOT FOR OPHTHALMIC USE. Avoid contact with eyes, lips and mucous membranes.
		STORAGE: Store at 20°C to 25°C (68°F to 77°F), excursions permitted between 15°C to 30°C (between 59°F to 86°F). Protect from freezing and excessive heat. Keep bottle tightly closed.
		To report a serious adverse event or obtain product information, call 1-855-899-4237.
		Manufactured for: KMM Pharmaceuticals, LLC 1000 N. West Street Suite 1200, #1021 Wilmington, DE 19801 2100358 [00] Rev. 07/2021
		 3 52187 54905 7

UREA

urea cream

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:52187-549	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
UREA (UNII: 8W8T17847W) (UREA - UNII:8W8T17847W)		UREA	470 mg in 1 g	
Product Characteristics				
Color	white	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52187-549-05	142 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/31/2022	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
unapproved drug other			03/31/2022	

Labeler - KMM Pharmaceuticals, LLC (078521761)

Revised: 3/2022

KMM Pharmaceuticals, LLC