

**LIDOPRO- capsaicin, lidocaine, menthol, and methyl salicylate ointment  
Asclemed USA, Inc.**

-----  
**LidoPro 4% Ointment**

**Active Ingredient**

Capsaicin 0.0325%

**Purpose**

Counterirritant

**Active Ingredient**

Lidocaine HCL 4%

**Purpose**

Topical Anesthetic

**Active Ingredient**

Menthol 10%

**Purpose**

Topical Analgesic

**Active Ingredient**

Methyl Salicylate 27.5%

**Purpose**

Counterirritant

**Uses**

For the temporary relief of joint pain and muscle pain associated with:

- Arthritis
- Simple Backache
- Muscle Sprains
- Muscle Strains

## **Warnings**

### **For External Use Only**

#### **Do Not Use**

- On damaged, irritated, or infected skin
- With a bandage or heating pad
- If you are allergic to any ingredients in this product

#### **When Using This Product:**

Avoid contact with eyes and mucus membranes

#### **Stop Use and Ask a Doctor If:**

- Conditions worsens
- Excessive skin irritation develops
- Symptoms persist for more than 7 days, or symptoms clear up and occur again within 3 days

#### **If Pregnant or Breast-Feeding:**

Ask a health professional before use.

#### **Keep Out of Reach of Children:**

If ingested seek medical help or contact a Poison Control Center immediately

#### **Flammable:**

Keep away from excessive heat or open flame

## **Directions**

#### **Adults and Children 12 Years of Age and Older:**

- Clean and dry the affected area
- Apply product directly to your skin, up to 4 times daily affected area
- Wash hands immediately after use

**Children Under 12 Years of Age:** Consult physician

#### **Other Information**

- Store in a cool, dry place with lid tightly closed
- If the tamper-evident foil seal is not intact, do not use

#### **Inactive Ingredients**

Allantoin, Aloe Barbadensis Leaf Juice, Ammonium Acryloyldimethyltaurate/VP Copolymer, Cetyl Alcohol, Chamomilla Recutita Matricaria Flower Extract, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Glycerin, Glyceryl Stearate, Inulin Lauryl Carbamate,

PEG-100 Stearate, Phenoxyethanol, Stearic Acid, Triethanolamine, Water.

## Questions or Comments?

info@terrainrx.com

## Principal Display Panel

Relabeled By:  
 **Enovachem**<sup>™</sup> 379 Van Ness Ave.  
PHARMACEUTICALS Suite 1403-1406  
Torrance, CA 90501  
LidoPro Topical Pain Relief Ointment  
NDC: 76420-038-92  
Qty: 92  
Manufactured For: Terrain Pharmaceuticals  
Source NDC: 53225-1020-1  
Description: Active Ingredients: Menthol 10%/Capsaicin 0.0325%/Lidocaine HCl 4%/Methyl Salicylate 27.5%  
Lot #: 00000000 Exp:  
Batch #: 00000000  
Drug Status: OTC



(01) 0 0376420 03892 4  
(17)  
(10) 00000000  
(21)

LidoPro Topical Pain Relief Ointment  
NDC: 76420-038-92  
S/N:  
Qty: 92

LidoPro Topical Pain Relief Ointment  
NDC: 76420-038-92  
S/N:  
Qty: 92

LidoPro Topical Pain Relief Ointment  
NDC: 76420-038-92  
S/N:  
Qty: 92

CAUTION: FEDERAL LAW PROHIBITS DISPENSING WITHOUT PRESCRIPTION. SEE PACKAGE INSERT.  
KEEP OUT OF REACH OF CHILDREN. STORE AT 20-25C (68-77F) [SEE USP CONTROLLED ROOM TEMP].

## LIDOPRO

capsaicin, lidocaine, menthol, and methyl salicylate ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76420-038(NDC:53225-1020)
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CAPSAICIN</b> (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM)	CAPSAICIN	0.000325 g in 1 g
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	0.04 g in 1 g
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.1 g in 1 g
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	0.275 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>INULIN</b> (UNII: JOS53KRJ01)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER</b> (UNII: W59H9296ZG)	

<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)
<b>CHAMOMILE</b> (UNII: FGL3685T2X)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76420-038-92	92 g in 1 BOTTLE; Type 0: Not a Combination Product	01/07/2023	

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	07/08/2022	

**Labeler** - Asclemed USA, Inc. (059888437)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
ASCLEMED USA INC. DBA ENOVACHEM		059888437	relabel(76420-038)

Revised: 10/2023

Asclemed USA, Inc.